

ULTRAHEAT

PREMIER RANGE CATALOGUE

Spring, Summer

2019 (GBP)



a warm welcome from Ultraheat



ABOUT US

THERE'S NO PLACE LIKE HOME. ESPECIALLY WHEN IT MAKES US FEEL WARM AND COSY. RELIABLE HEATING IS VITAL TO OUR DOMESTIC CONTENTMENT. WHICH IS WHY THE EMPHASIS IS FIRMLY ON PERFORMANCE ACROSS THE WHOLE ULTRAHEAT RANGE.

Ultraheat is the heating division of Pitacs Limited. We are now one of the largest manufacturers and distributors of heating products, LED lighting and electrical cables in the UK as well as supplying other countries globally.

Our Ultraheat radiators have a minimum quality guarantee of 5 years.

© Pitacs Limited 2019

Ownership and intellectual property rights of the designs in this publication belong to Pitacs Limited and are registered in the UK and major trademark and design registry offices worldwide.

Please note: All pricing stated is excluding VAT. Subject to change without prior notice. All mentioned products are subject to misprints. For consequences of misprints no liability is accepted. Prices published 1st April 2019. Catalogue printed June 2019.



ULTRAHEAT

Our attractive radiators and towel rails have been designed to fit with our customers' needs and to offer great value for money. We aim to stay ahead of the market, anticipating what consumers will be looking for, and reacting quickly to changing trends in domestic heating and design.

We pride ourselves on our reputation for high quality engineering and exacting quality standards and believe that this is what has made Ultraheat the professionals' choice for many years.

Ultraheat is the UK's largest 'in-stock' range of radiators and towel rails for immediate delivery. They are carefully designed and created from quality mild steel and polished to a mirror finish. Our products combine beauty with effective, responsive heating.

Quality certified to British
and European standard.



Call us on +44 (0)1908 271155 or visit www.ultraheat.co.uk


BATHROOM RAILS 2 - 12

BUCKINGHAM

H 1 > 2


**CHELMSFORD
ARCHED**

EHD 1 > 3


**CHELMSFORD
STRAIGHT**

EHD 1 > 4


DEVON

EHD 1 > 5


ECO-RAIL

EHD 1 > 6


HAMPTON

H 1 > 7


KARNAK

EHD 1 > 8


PETIT

EHD 1 > 9


POPLAR

EHD 1 > 10


PORTOFINO

EHD 1 > 11


WINDSOR

EHD 1 > 12

TUBULAR Radiators 13 - 27

2 COLUMN

H 1 > 13


3 COLUMN

H 1 > 14


4 COLUMN

H 1 > 15


6 COLUMN

H 1 > 16


IMPERIUM

EHD 1 > 17


**KLON
HORIZONTAL**

H 1 > 18


**KLON
VERTICAL**

EHD 1 > 19


**LINEAR
HORIZONTAL**

H 1 > 20


**LINEAR VERTICAL
& LINEAR O**

EHD 1 > 21


**SOFI
HORIZONTAL**

H 1 > 22


**SOFI
VERTICAL**

EHD 1 > 23


**SOVRAN
HORIZONTAL**

H 1 > 24


**SOVRAN
VERTICAL**

H 1 > 25


TILBROOK

EHD 1 > 26


TROJAN

EHD 1 > 27

ALUMINIUM Radiators 28 - 43

ARGUS


H 1 > 28


BANIO

EHD 1 > 29


BOMBE


H 1 > 30


DIANA

H 1 > 31


**HESTIA BATH &
HESTIA VERTICAL**

EHD 1 > 32


KAVIS

H 1 > 34



KUPKA

> 35



KURAL

> 36



LURVE

> 37



MIRA

> 38



PLATEAU

> 39



PORTE

> 40



SMYRNA

> 41



VIRTU

> 42



VISAGE

> 43

PANEL Radiators 44 - 59



COMPACT 4

> 44



**LANNER
HORIZONTAL**

> 45-49



**LANNER
VERTICAL**

> 50-51



LSORAD

> 52



**PLANAL
HORIZONTAL**

> 53-56



**PLANAL
VERTICAL**

> 57-59

HEAT EXCHANGE Convector 60



HYPO

> 60

SYMBOL Guide

Maximum Working Pressure (Bar)

Maximum Working Temperature

Heating System: Open, Closed

Material: Stainless Steel, Mild Steel, Aluminium

Finish: White RAL 9016, White RAL 9010,

Finish: Micro Grain Metallic Black, Charcoal Grey,

Finish: Mirror Chrome, Brushed Matt, Red,

Finish: Wood Effect, CROC Textured,

Mounting Position: Horizontal, Vertical

Warranty

Electric Only

Hot Water Systems

Dual Fuel Systems

Radiator

Heated Towel Rail

Prices quoted in **RED** are bespoke sizes with a lead time of up to 10 weeks.
Prices quoted in **BLACK** are our in stock range.

CONTENTS

Radiators > **2- 60**

Colours & Finishes > **61**

Valves & Accessories > **62**

Valve Compatibility
Chart > **68**

Delivery & Receipt Of
Goods > **70**

Terms & Conditions > **71**

BUCKINGHAM

Traditionally styled Buckingham is perfect for period homes - combining classic good looks with modern practicality.

A high output column steel radiator heats the bathroom whilst the chrome top bar warms the towels to wrap yourself up in.

1 MODEL SHOWN RIGHT: 5BEC IN CHROME, BELOW: 14BEC IN CHROME



Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
5BE	951	534	240	320	100	240	12.1	16.1	H	1	2736	802	£409.00
7BE	951	634	240	420	100	240	15.1	18.7	H	1	3999	1172	£457.00
10BE	951	784	240	570	100	240	19.3	26.8	H	1	4732	1387	£559.00
14BE	951	984	240	770	100	240	26.9	30.5	H	1	6630	1943	£724.00

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Traditional-30 Angle Manual Rad. Valve + L/S set
TL8850



Cylindrical-25 Straight Manual Rad. Valve
CYH850C

CHELMSFORD

Arched

Chelmsford is a range of contemporary heated bathroom rails. With premium quality 25mm tubes, it provides an unbeatable combination of style and value.

1 MODEL SHOWN LEFT: 7MA11 IN CHROME
BELOW: 5MA11 IN WHITE



MS RAL 9016 C 8 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Chrome C
4MA7	700	420	55	380	75-85	100-110	6.4	6.4	E/H/D	1	1045	306	£83.16	£144.72
4MA9	900	420	55	380	75-85	100-110	7.9	7.9	E/H/D	2	1342	393	£96.12	£170.64
4MA12	1200	420	55	380	75-85	100-110	10.5	10.5	E/H/D	2	1789	524	£114.48	£194.40
5MA7	764	500	60	460	75-85	100-110	7.8	7.8	E/H/D	1	1298	380	£91.80	£153.36
5MA11	1172	500	60	460	55-65	95-110	11.5	7.8	E/H/D	2	1875	549	£116.64	£198.72
5MA15	1467	500	60	460	75-85	100-110	14.2	11.5	E/H/D	3	2322	680	£151.20	£257.04
5MA17	1750	500	60	460	75-85	100-110	17.2	14.2	E/H/D	3	2742	803	£181.44	£326.16
6MA7	764	600	65	560	75-85	100-110	9.0	17.2	E/H/D	1	1516	444	£96.12	£159.84
6MA11	1172	600	65	560	55-65	95-110	13.3	9.0	E/H/D	2	2233	654	£136.08	£211.68
6MA15	1467	600	65	560	75-85	100-110	16.4	16.4	E/H/D	3	2766	810	£158.76	£281.88
6MA17	1750	600	65	560	75-85	100-110	19.8	19.8	E/H/D	3	3258	954	£201.96	£343.44
7MA7	764	750	70	710	75-85	100-110	10.8	10.8	E/H/D	1	1844	540	£119.88	£200.88
7MA11	1172	750	70	710	55-65	95-110	15.9	15.9	E/H/D	2	2770	811	£164.16	£270.00
7MA17	1750	750	70	710	75-85	100-110	23.8	23.8	E/H/D	3	4033	1181	£217.08	£396.36

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-25 Straight Manual Rad. Valve + L/S set
CYH851C

Chelmsford is a range of contemporary heated towel rails for bathrooms. With premium quality 25mm tubes, it provides an unbeatable combination of style and practicality, available in black, white and chrome.

① MODEL SHOWN BELOW: 5M11 IN CHROME, RIGHT: 3M12 IN WHITE



MS RAL 9016 B C ① 8 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £		
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Black B	Chrome C
3M8	790	310	30	270	70-80	85-95	2.7	5.6	E/H/D	2	922	270	£78.84		£140.40
3M12	1195	310	30	270	70-80	85-95	4.1	8.2	E/H/D	3	1386	406	£88.56		£195.48
4M7	700	420	30	380	70-80	85-95	3.0	6.2	E/H/D	1	1045	306	£79.92		£141.48
4M9	900	420	30	380	70-80	85-95	3.8	7.7	E/H/D	2	1342	393	£90.72		£163.08
4M12	1200	420	30	380	70-80	85-95	5.3	10.6	E/H/D	2	1789	524	£106.92		£185.76
4M15	1467	420	30	380	70-80	85-95	6.2	12.3	E/H/D	3	2114	619	£124.20		£224.64
5M7	764	500	30	460	70-80	85-95	3.8	7.6	E/H/D	1	1298	380	£89.64	£100.00	£147.96
5M9	900	500	30	460	70-80	85-95	4.3	8.8	E/H/D	2	1530	448	£99.36		£174.96
5M11	1172	500	30	460	70-80	85-95	5.7	11.3	E/H/D	2	1875	549	£114.48	£127.00	£191.16
5M15	1467	500	30	460	70-80	85-95	7.1	14.0	E/H/D	3	2322	680	£142.56		£246.24
5M17	1750	500	30	460	70-80	85-95	8.6	16.9	E/H/D	3	2742	803	£176.04	£196.00	£314.28
6M7	764	600	30	560	70-80	85-95	4.3	8.8	E/H/D	1	1516	444	£95.04	£106.00	£156.60
6M9	900	600	30	560	70-80	85-95	5.0	10.1	E/H/D	2	1786	523	£104.76		£189.00
6M11	1172	600	30	560	70-80	85-95	6.5	13.0	E/H/D	2	2233	654	£118.80	£132.00	£201.96
6M15	1467	600	30	560	70-80	85-95	8.1	16.1	E/H/D	3	2766	810	£155.52		£275.40
6M17	1750	600	30	560	70-80	85-95	9.9	19.5	E/H/D	3	3258	954	£198.72	£221.00	£334.80
7M7	764	750	30	710	70-80	85-95	5.2	10.5	E/H/D	1	1844	540	£116.64		£192.24
7M11	1172	750	30	710	70-80	85-95	7.8	15.6	E/H/D	2	2770	811	£156.60		£259.20
7M17	1750	750	30	710	70-80	85-95	11.8	23.4	E/H/D	3	4033	1181	£230.04		£386.64

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-25 Straight Manual Rad. Valve + L/S set
CYH851C



DEVON

With echoes of industrial and art deco innovation, Devon takes a unique twist on a timeless classic. The dynamic design coupled with a looping rail allows plenty of space to hang luxury fluffy towels. Devon is a mild steel column radiator with **stainless steel bars**.

① MODEL SHOWN: DE695 IN CHROME



MS SS RAL 9010 P GS GP 8 95°C C V 10 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £		
	Height mm	Length mm	Depth mm								BTU	Watts	Polished Rails White Column P	Satin Gold Rails White Column GS	Polished Gold Rails White Column GP
DE695	910	560	180	500	70	180	9.00	24.00	H	2	1294	379	£673.00	£1,193.00	£1,312.00
DE995	995	560	180	500	70	180	9.50	26.00	H	2	1940	568	£714.00	£1,266.00	£1,392.00

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Traditional-30 Angle Manual Rad. Valve + L/S set
TL8850



Quartz-30 Angle Manual Rad. Valve + L/S set
QUA850C

ECO-RAIL

ECO-RAIL

Eco-Rail has been designed to fit perfectly into any bathroom. This heated towel rail has quality features at a budget price with a choice of 22mm bar variations in mirror chrome.

① MODEL SHOWN RIGHT: 5E15C BELOW:
5E12C IN CHROME



MS C ① 8 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
4E8	801	400	30	360	70-80	85-95	2.6	5.2	E/H/D	2	734	215	£97.20
5E8	801	500	30	460	70-80	85-95	3.2	6.5	E/H/D	2	915	268	£105.84
6E8	801	600	30	560	70-80	85-95	3.6	7.3	E/H/D	2	1093	320	£127.44
4E10	950	400	30	360	70-80	85-95	3.0	6.0	E/H/D	2	847	248	£115.00
5E10	950	500	30	460	70-80	85-95	3.7	7.5	E/H/D	2	1059	310	£133.92
6E10	950	600	30	560	70-80	85-95	4.2	8.5	E/H/D	2	1264	370	£145.80
4E12	1175	400	30	360	70-80	85-95	3.8	7.4	E/H/D	3	847	248	£136.08
5E12	1175	500	30	460	70-80	85-95	4.7	9.3	E/H/D	3	1328	389	£143.64
6E12	1175	600	30	560	70-80	85-95	5.3	10.5	E/H/D	3	1598	468	£154.44
4E15	1585	400	30	360	70-80	85-95	5.1	9.9	E/H/D	4	1465	429	£180.36
5E15	1585	500	30	460	70-80	85-95	6.4	12.4	E/H/D	4	1820	533	£187.92
6E15	1585	600	30	560	70-80	85-95	7.2	14.1	E/H/D	4	2186	640	£204.12
5E17	1700	500	30	460	70-80	85-95	6.9	13.4	E/H/D	4	1960	574	£207.36
6E17	1700	600	30	560	70-80	85-95	7.8	15.2	E/H/D	4	2353	689	£226.80

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Straight Thermostatic Valve & TRV Head
UAW851NL



Cylindrical-30° Corner Manual Rad. Valve
CYH853C

HAMPTON

Smart Hampton top rails are combined with Ultraheat steel panel convector radiators for stylish and practical warmth in your bathroom. Also available in polished stainless steel and gold bar finishes.

Choose from Ultraheat Compact 4 (below) or Planal convector radiators (left).

1 MODEL SHOWN LEFT: 5HHC IN CHROME, BELOW: 5PHHC IN CHROME



MS Material C Finish 6 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 5 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
4HS	400	734	200	590	55	200	1.4	8.1	H	1	1341	393	£198.00
5HS	500	734	200	590	55	200	1.9	9.5	H	1	1570	460	£205.00
6HS	600	734	200	590	55	200	2.5	11.1	H	1	1784	523	£217.00
7HS	700	734	200	590	55	200	3.1	12.2	H	1	1996	585	£229.00
9HS	900	734	200	590	55	200	4.4	15.0	H	1	2405	705	£253.00
4HH	400	734	200	590	55	200	2.3	12.3	H	1	1928	565	£225.00
5HH	500	734	200	590	55	200	3.2	14.7	H	1	2293	672	£237.00
6HH	600	734	200	590	55	200	4.1	17.5	H	1	2620	768	£261.00
7HH	700	734	200	590	55	200	5.3	19.1	H	1	2934	860	£275.00
9HH	900	734	200	590	55	200	7.5	24.0	H	1	3542	1038	£310.00
4PHS	400	734	200	590	55	200	1.4	9.5	H	1	1341	393	£257.77
5PHS	500	734	200	590	55	200	1.9	11.3	H	1	1570	460	£274.63
6PHS	600	734	200	590	55	200	2.5	13.5	H	1	1784	523	£283.06
7PHS	700	734	200	590	55	200	3.1	14.9	H	1	1996	585	£301.13
9PHS	900	734	200	590	55	200	4.4	18.5	H	1	2405	705	£343.30
4PHH	400	734	200	590	55	200	2.3	13.9	H	1	1928	565	£278.24
5PHH	500	734	200	590	55	200	3.2	16.7	H	1	2293	672	£305.95
6PHH	600	734	200	590	55	200	4.1	20.0	H	1	2620	768	£330.04

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-25 Straight Manual Rad. Valve + 1/2 set
CUH850C

KARNAK

A square tubular ladder rail with room to warm plenty of fluffy towels. Carefully designed with an elegant frame, Karnak is the perfect bathroom accessory. Create a hotel experience at home - it just might be difficult to leave afterwards!

1 MODEL SHOWN BELOW LEFT: 3KC10 IN CHROME, BELOW RIGHT: 4KW5 IN WHITE



Also available in Stainless Steel

MS RAL9016 C 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Chrome C
3K10	1000	310	30	280	70-85	85-100	2.6	5.6	E/H/D	11	678	198		£203.00
3K14	1440	310	30	280	70-85	85-100	3.7	7.9	E/H/D	16	960	281		£244.00
4K5	480	420	30	390	70-85	85-100	1.8	4.2	E/H/D	5	495	145	£97.00	£148.00
4K14	1440	420	30	390	70-85	85-100	5.0	10.8	E/H/D	16	1096	321		£293.00
5K10	1000	500	30	470	70-85	85-100	4.1	9.0	E/H/D	11	1124	329	£160.00	£253.00
5K14	1440	500	30	470	70-85	85-100	5.9	12.8	E/H/D	16	1246	365		£311.00
5K17	1700	500	30	470	70-85	85-100	7.0	14.9	E/H/D	19	1882	551	£211.00	£329.00

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cubic-30 Angle Manual Rad. Valve + L/S set
CUH850C

When space is tight you don't have to sacrifice style or design. Petit comes to the rescue with this space saving and innovative towel warmer perfect for en-suites, cloakrooms and compact bathrooms.

1 MODEL SHOWN: PETA46C IN CHROME



Also available in Stainless Steel

MS **C** **1.6** **95°C** **C** **V** **5 YEARS**
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm									BTU	Watts	
PETA46	420	600	50	560	60-75	95-110	1.6	5.4	E/H/D	3	8	716	210	£115.26

RECOMMENDED ACCESSORIES
See page 62 for more valves and accessories



Cylindrical-30 Corner Manual Rad. Valve + L/S set
CYH853C



Cylindrical-30 Angle Manual Rad. Valve + L/S set
CYH850C

POPLAR

A bathroom towel rail with a difference; sleek flat bars with a slight elegant curve create an ultra slim profile. Slender style to complement contemporary bathrooms and kitchens.

1 MODEL SHOWN BELOW: 5PO17W IN WHITE, LEFT: 5PO11C IN CHROME , BELOW LEFT: 5PO11B IN BLACK



MS RAL 9016 B C 0.6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £		
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Black B	Chrome C
5PO7	788	500	60	430	42-52	85-95	3.6	9.7	E/H/D	1	1731	507	£258.12	£267.84	£324.00
5PO11	1106	500	60	430	42-52	85-95	4.8	12.7	E/H/D	2	2301	674	£315.36	£328.32	£407.16
5PO17	1742	500	60	430	42-52	85-95	7.2	18.8	E/H/D	4	3340	978	£430.92	£448.20	£525.96

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-30 Straight Manual Rad. Valve + L/S set
CYH851C



Corner Thermostatic Valve & TRV Head
UAW853CT

Who said a towel warmer had to be boring? This lovely curved heated towel rail will turn any bathroom into a show-stealer.

MODEL SHOWN LEFT: 6PC12 IN CHROME



MS C 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
POR5P12	1200	500	225	320	45-55	225-235	3.6	8.1	E/H/D	6	745	218	£462.24
POR6P12	1200	600	225	420	45-55	225-235	3.9	8.9	E/H/D	6	966	283	£497.88

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-30 Angle Manual Rad. Valve + L/S set
CYH850C



Corner Thermostatic Valve & TRV Head
UAW853CT

WINDSOR

You will appreciate the warm towels and comfort which Windsor will provide. The ladder rail offers space for towels for all the family and guests.

❶ MODEL SHOWN LEFT: WIN5W11 IN CHROME ,
BOTTOM: WIN5W16 IN WHITE



Also available in Stainless Steel

MSRAL 9016C6

MaterialFinishWorking Pressure

95°C

C

V

5 YEARS

Working Temp.Closed SystemMount Pos.Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Chrome C
WIN5W8	798	500	54	448	42-52	80-90	3.5	7.5	E/H/D	2	1288	377	£104.76	£159.84
WIN5W11	1150	500	54	448	42-52	80-90	5.1	10.5	E/H/D	3	1837	538	£130.68	£200.88
WIN5W16	1612	500	54	448	42-52	80-90	7.6	15.5	E/H/D	4	2705	792	£184.68	£294.84
WINE (pair)													£8.00	£9.00

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-30 Corner Manual Rad. Valve + L/S set
CYH853C



Corner Thermostatic Valve & TRV Head
UAW853CT



2 COLUMN

Column radiators are the perfect update in any room. Vertical and horizontal, classic in their appearance, there is a column model to suit every space.

MODEL SHOWN LEFT: C2180408W, BELOW: C2061125W IN WHITE



MS RAL 9016 Working Pressure 6 Working Temp. 95°C Closed System Mount Pos. 5 YEARS Warranty

- Vertical columns (each one with two sections)
- A choice of 21 models to suit your needs from 946 BTU (277 Watts) up to 4816 BTU (1410 Watts)
- High quality white powder coat finish (RAL 9016)
- Sizes from H 600mm x L 288mm to H 2000mm L 465mm
- 5 year warranty
- Built to last: 1.5mm thick mild steel for guaranteed quality
- Tested to BS EN 442 Standards
- ISO9001:2008 Registered Manufacturer
- CE Marked
- Available in RAL colours
- See page 61

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
C2060306	600	288	69	378	58	93	3.8	8.1	H	6	946	277	£120.46
C2060408	600	376	69	466	58	93	5.1	10.8	H	8	1293	379	£159.33
C2060409	600	421	69	511	58	93	5.7	9.1	H	9	1456	426	£179.67
C2060613	600	598	69	688	58	93	8.2	11.7	H	13	2102	615	£258.77
C2060716	600	731	69	821	58	93	10.1	10.0	H	16	2587	757	£318.66
C2060919	600	864	69	954	58	93	12.0	9.6	H	19	3072	899	£378.55
C2061125	600	1130	69	1220	58	93	15.8	10.7	H	25	4042	1183	£497.20
C2061432	600	1440	69	1530	58	93	20.3	13.7	H	32	5173	1515	£636.19
C2061636	600	1617	69	1707	58	93	22.8	15.4	H	36	5820	1704	£716.42
C2090408	900	376	69	466	58	93	7.6	16.2	H	8	1940	568	£194.36
C2090510	900	465	69	555	58	93	9.5	19.9	H	10	2425	710	£242.95
C2120408	1200	376	69	466	58	93	9.7	20.9	H	8	2487	728	£232.78
C2120510	1200	465	69	555	58	93	12.1	25.8	H	10	3108	910	£291.54
C2150408	1500	376	69	466	58	93	11.8	25.6	H	8	3060	896	£271.20
C2150510	1500	465	69	555	58	93	14.8	31.6	H	10	3825	1120	£339.00
C2180204	1800	199	69	289	58	93	7.0	16.1	H	4	1817	532	£166.11
C2180306	1800	288	69	378	58	93	10.5	23.2	H	6	2726	798	£236.17
C2180408	1800	376	69	466	58	93	14.0	30.4	H	8	3634	1064	£298.32
C2180510	1800	465	69	555	58	93	17.5	37.5	H	10	4543	1330	£372.90
C2200408	2000	376	69	466	58	93	15.6	33.5	H	8	3853	1128	£315.27
C2200510	2000	465	69	555	58	93	19.5	41.4	H	10	4816	1410	£394.37
C2FT	202	30	76					1.2					£29.38

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head

UAW853CT



Ultraheat Column 2 Feet

C2FT



3 COLUMN

Simple and elegant. The pleasing triple lines of the three-column model will warm your soul, while its powerful heating element will keep the rest of you perfectly toasty.

MODEL SHOWN: C3061125W IN WHITE



Material				Finish		Working Pressure		Working Temp.		Closed System		Mount Pos.		Warranty	
Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £		
	Height mm	Length mm	Depth mm								BTU	Watts		White W	
C3030919	300	864	100	954	78	128	10.8	19.1	H	19	3115	912	£329.96		
C3031125	300	1130	100	1220	78	128	14.3	24.6	H	25	4099	1200	£435.05		
C3031432	300	1440	100	1530	78	128	18.2	31.0	H	32	5246	1536	£555.96		
C3031636	300	1617	100	1707	78	128	20.5	34.7	H	36	5902	1728	£626.02		
C3040409	400	421	100	511	78	128	6.0	12.5	H	9	1752	513	£197.75		
C3040613	400	598	100	688	78	128	8.8	17.3	H	13	2531	741	£277.98		
C3040716	400	731	100	821	78	128	10.8	20.9	H	16	3115	912	£329.96		
C3040919	400	864	100	954	78	128	12.8	24.5	H	19	3699	1083	£371.77		
C3041125	400	1130	100	1220	78	128	16.9	31.7	H	25	4867	1425	£489.29		
C3041432	400	1440	100	1530	78	128	21.6	40.1	H	32	6230	1824	£626.02		
C3041636	400	1617	100	1707	78	128	24.4	44.9	H	36	7009	2052	£703.99		
C3050409	500	421	100	511	78	128	7.2	15.1	H	9	2275	666	£187.58		
C3050613	500	598	100	688	78	128	10.4	21.0	H	13	3286	962	£270.07		
C3050716	500	731	100	821	78	128	12.8	25.5	H	16	4044	1184	£332.22		
C3050919	500	864	100	954	78	128	15.2	29.9	H	19	4802	1406	£394.37		
C3051125	500	1130	100	1220	78	128	20.0	38.8	H	25	6319	1850	£519.80		
C3051432	500	1440	100	1530	78	128	25.6	49.2	H	32	8088	2368	£664.44		
C3051636	500	1617	100	1707	78	128	28.8	55.1	H	36	9099	2664	£748.06		
C3060306	600	288	100	378	78	128	5.8	12.4	H	6	1820	533	£133.34		
C3060408	600	377	100	467	78	128	7.7	15.9	H	8	2427	711	£177.41		
C3060409	600	421	100	511	78	128	8.6	17.7	H	9	2730	799	£194.36		
C3060613	600	598	100	688	78	128	12.5	24.7	H	13	3944	1155	£280.24		
C3060716	600	731	100	821	78	128	15.4	30.0	H	16	4853	1421	£346.91		
C3060919	600	864	100	954	78	128	18.2	35.3	H	19	5764	1687	£409.06		
C3061125	600	1130	100	1220	78	128	24.0	45.9	H	25	7584	2220	£537.88		
C3061432	600	1440	100	1530	78	128	30.7	58.3	H	32	9707	2842	£688.17		
C3061636	600	1617	100	1707	78	128	34.6	65.3	H	36	10921	3197	£775.18		
C3180306	1800	288	100	378	78	128	14.9	33.5	H	6	3894	1140	£273.46		
C3180408	1800	377	100	467	78	128	19.9	43.9	H	8	5192	1520	£364.99		
C3180409	1800	421	100	511	78	128	22.4	49.0	H	9	5841	1710	£410.19		
C3180510	1800	465	100	555	78	128	24.9	54.2	H	10	6490	1900	£455.39		
C3180613	1800	598	100	688	78	128	32.4	69.7	H	13	8437	2470	£592.12		
C3200306	2000	288	100	378	78	128	16.5	37.1	H	6	4160	1218	£297.19		
C3200408	2000	377	100	467	78	128	22.0	48.5	H	8	5547	1624	£395.50		
C3200409	2000	421	100	511	78	128	24.8	54.2	H	9	6240	1827	£445.22		
C3200510	2000	465	100	555	78	128	27.5	60.0	H	10	6934	2030	£493.81		
C3200613	2000	598	100	688	78	128	35.8	77.1	H	13	9014	2639	£642.97		
C3FT	202	30	107					1.5					£39.55		

Note: Feet are sold separately in pairs and pipe collars

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Ultraheat Column 3 Feet
C3FT

4 COLUMN

The ultimate in statement design and quality. Our four-column radiators mean business and refuse to be ignored. The perfect compliment for a traditional interior, available in any RAL colour.

MODEL SHOWN: C4060919W IN WHITE



MS Material RAL 9016 Finish 6 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 5 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
C4030919	300	864	140	954	100	170	14.4	25.4	H	19	4153	1216	£490.42
C4031125	300	1130	140	1220	100	170	19.0	32.8	H	25	5465	1600	£646.36
C4031432	300	1440	140	1530	100	170	24.3	41.4	H	32	6995	2048	£856.54
C4040613	400	598	140	688	100	170	11.9	23.0	H	13	3330	975	£353.69
C4040716	400	731	140	821	100	170	14.6	27.8	H	16	4099	1200	£436.18
C4040919	400	864	140	954	100	170	17.4	32.6	H	19	4867	1425	£529.97
C4041125	400	1130	140	1220	100	170	22.9	42.3	H	25	6404	1875	£697.21
C4041432	400	1440	140	1530	100	170	29.3	53.5	H	32	8197	2400	£914.17
C4050613	500	598	140	688	100	170	14.0	27.9	H	13	4163	1219	£376.29
C4050716	500	731	140	821	100	170	17.2	33.9	H	16	5123	1500	£462.17
C4050919	500	864	140	954	100	170	20.4	39.8	H	19	6084	1781	£562.74
C4051125	500	1130	140	1220	100	170	26.9	51.7	H	25	8005	2344	£743.53
C4051432	500	1440	140	1530	100	170	34.4	65.6	H	32	10247	3000	£976.13
C4060409	600	421	140	511	100	170	11.6	23.5	H	9	3013	882	£277.98
C4060613	600	598	140	688	100	170	16.8	32.9	H	13	4351	1274	£400.02
C4060716	600	731	140	821	100	170	20.6	40.0	H	16	5356	1568	£493.81
C4060919	600	864	140	954	100	170	24.5	47.0	H	19	6360	1862	£601.27
C4061125	600	1130	140	1220	100	170	32.3	61.2	H	25	8368	2450	£794.43
C4061432	600	1440	140	1530	100	170	41.3	77.7	H	32	10711	3136	£1,042.96
C4FT	202	30	147					1.6					£48.59

- Vertical columns (each one with four sections)
- A choice of 19 models to suit your needs from 3013 BTU (975 Watts) up to 10,711 BTU (3136 Watts)
- High quality white powder coat finish (RAL 9016)
- Sizes from H 300mm x L 864mm to H 600mm L 1440mm
- 5 year warranty
- Built to last: 1.5mm thick mild steel for guaranteed quality
- Tested to BS EN 442 Standards
- ISO9001:2008 Registered Manufacturer
- CE Marked
- Available in RAL colours - See page 61

Note: Feet are sold separately in pairs and pipe collars

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Ultraheat Column 4 Feet
C4FT



Quartz-30 Angle Manual Rad. Valve + L/S set
QUASOC

6 COLUMN

Ideal for the traditional period property, yet perfect for modern living these chunky sized column models are incredibly versatile when it comes to styling your interior.

MODEL SHOWN RIGHT: C6031 125W,
BELOW: C6050716W IN WHITE



- Built to last: 1.5mm thick mild steel for guaranteed quality
 - Tested to BS EN 442 Standards
 - ISO9001:2008 Registered Manufacturer
 - CE Marked
 - Available in RAL colours
 - Vertical columns (each with six sections)
 - A choice of 9 models to suit your needs from 4323 BTU (1266 Watts) up to 17,292 BTU (5063 Watts)
 - High quality white powder coat finish (RAL 9016)
 - Sizes from H 300 mm X L 864 mm to H 500 x L 1617 mm
 - Available in RAL colours
- See page 61

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
C6030919	300	864	220	954	140	250	21.7	37.5	H	19	6230	1824	£702.50
C6031125	300	1130	220	1220	140	250	28.5	48.5	H	25	8197	2400	£924.50
C6031636	300	1617	220	1707	140	250	41.0	68.7	H	36	11804	3456	£1,318.00
C6050409	500	421	220	511	140	250	14.5	29.4	H	9	4323	1266	£407.50
C6050613	500	598	220	688	140	250	21.0	41.3	H	13	6244	1828	£589.00
C6050716	500	731	220	821	140	250	25.8	50.1	H	16	7685	2250	£724.50
C6050919	500	864	220	954	140	250	30.6	59.0	H	19	9126	2672	£860.50
C6051225	500	1130	220	1220	140	250	40.3	76.7	H	25	12009	3516	£1,132.00
C6051636	500	1617	220	1707	140	250	57.4	109.3	H	36	17292	5063	£1,615.00
C6FT	202	227	30					1.9					£69.00

Note: Feet are sold separately in pairs and pipe collars


RECOMMENDED ACCESSORIES
See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Ultraheat Column 6 Feet
C6FT



IMPERIUM

This tubular radiator is the perfect complement to contemporary interiors with its simple good looks. Imperium benefits from rounded tubes and a sleek design. This radiator works all round the home, from kitchens to bathrooms.

 MODEL SHOWN: 5IM18C IN CHROME



 Material
  Finish
  Working Pressure
  Working Temp.
  Closed System
  Mount Pos.
  Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
5IM13	1300	260	70	350-1248	60-75	115-130	6.8	9.6	E/H/D	5	2144	628	£315.36
5IM18	1800	260	70	350-1748	60-75	115-130	9.3	12.7	E/H/D	5	2947	863	£399.60

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-30 Angle Manual Rad. Valve + U/S set
CYH850C



Corner Thermostatic Valve & TRV Head
UAW853CT



KLON Horizontal

A twist on traditional radiator design with a 25x25mm tube in mild steel with a D-shaped profile, available in white, micro grain metallic black and charcoal.

MODEL SHOWN: KD628W IN WHITE



MS RAL 9016 B G 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £		
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Black B	Grey G
KD416	420	611	87	701	66	109	6.5	19.5	H	32	2623	768	£336.74	£384.00	£384.00
KD422	420	839	87	929	66	109	9.3	26.4	H	44	3607	1056	£450.87	£514.00	£514.00
KD428	420	1067	87	1157	66	109	12.1	33.4	H	56	4591	1344	£568.39	£648.00	£648.00
KD432	420	1219	87	1309	66	109	13.9	38.0	H	64	5246	1536	£649.75	£741.00	£741.00
KD436	420	1371	87	1461	66	109	15.8	42.6	H	72	5902	1728	£733.37	£836.00	£836.00
KD614	600	535	87	625	66	109	7.7	23.3	H	28	3200	937	£357.08		
KD616	600	611	87	701	66	109	9.0	26.5	H	32	3658	1071	£410.19	£468.00	£468.00
KD622	600	839	87	929	66	109	12.8	36.0	H	44	5031	1473	£557.09	£635.00	£635.00
KD628	600	1067	87	1157	66	109	16.7	45.5	H	56	6408	1876	£702.86	£802.00	£802.00
KD632	600	1219	87	1309	66	109	19.2	51.8	H	64	7323	2144	£794.39	£906.00	£906.00
KD636	600	1371	87	1461	66	109	21.8	58.1	H	72	8238	2412	£954.85	£1,089.00	£1,089.00
KD642	600	1599	87	1689	66	109	25.6	67.6	H	84	9611	2814	£1,102.88		

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Quartz-30 Angle Manual Rad. Valve + L/S set
QUA850C



Corner Thermostatic Valve & TRV Head
UAW853CT

KLON Vertical

Your choice of 1500, 1800 and 2000mm heights of a 25x25mm tube radiator. Klon has a D-shaped profile and is made from mild steel. Klon is available in white, chrome, micro grain metallic black and charcoal. Available with an optional towel rail.

① MODEL SHOWN LEFT: KD1814B IN BLACK
BELOW: KD1806G IN CHARCOAL GREY



MS RAL 9016 C B G 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £			
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Chrome C	Black B	Grey G
KS1510	1500	383	61	50-473	45	88	4.9	20.9	E/H/D	10	2937	860	£271.20	£436.18	£309.00	£309.00
KS1512	1500	459	61	50-549	45	88	6.5	24.8	E/H/D	12	3524	1032		£528.84		
KS1810	1800	383	61	50-473	45	88	5.8	25.0	E/H/D	10	3483	1020	£301.71	£520.08	£344.00	£344.00
KS1816	1800	611	61	50-701	45	88	11.4	38.9	E/H/D	16	5573	1632	£470.08	£776.73	£536.00	£536.00
KD1506	1500	231	87	50-321	66	109	6.2	24.4	H	12	2879	843	£274.59			
KD1510	1500	383	87	50-473	66	109	12.2	39.3	E/H/D	20	4798	1405	£448.60		£512.00	£512.00
KD1514	1500	535	87	50-625	66	109	18.3	54.2	E/H/D	28	6717	1967	£616.98			
KD1806	1800	231	87	50-321	66	109	7.3	29.1	H	12	3719	1089	£314.14		£358.00	£358.00
KD1810	1800	383	87	50-473	66	109	14.6	46.8	E/H/D	20	6198	1815	£526.58		£600.00	£600.00
KD1812	1800	459	87	50-549	66	109	18.2	55.7	E/H/D	24	7438	2178	£627.15			
KD1814	1800	535	87	50-625	66	109	21.8	64.6	E/H/D	28	8678	2541	£724.33		£826.00	£826.00
KD2014	2000	535	87	50-625	66	109	24.2	71.4	E/H/D	28	9611	2814	£794.39			

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-30 Straight Manual Rad. Valve + L/S set
CYH851C



Corner Thermostatic Valve & TRV Head
UAW853CT

LINEAR *Horizontal*

There are many applications for this contemporary horizontal design. Linear Horizontal would make a great addition in any room, from modern to traditional.

MODEL SHOWN: LD618W IN WHITE



MS RAL9016 B G 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £		
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Black B	Grey G
LD606	600	321	61	411	66	97	3.2	11.0	H	12	1476	432	£200.01		
LD608	600	427	61	517	66	97	4.3	14.4	H	16	1967	576	£266.68	£304.02	£304.02
LD610	600	533	61	623	66	97	5.4	17.7	H	20	2459	720	£310.75		
LD612	600	639	61	729	66	97	6.5	21.0	H	24	2951	864	£358.21	£408.36	£408.36
LD614	600	745	61	835	66	97	7.6	24.4	H	28	3443	1008	£406.80		
LD616	600	851	61	941	66	97	8.6	27.7	H	32	3935	1152	£442.96	£504.97	£504.97
LD618	600	957	61	1047	66	97	9.7	31.1	H	36	4427	1296	£504.15	£574.74	£574.74
LD620	600	1063	61	1153	66	97	10.8	34.4	H	40	4918	1440	£552.57	£629.93	£629.93
LD623	600	1222	61	1312	66	97	12.4	39.4	H	46	5656	1656	£643.23	£733.28	£733.28
LD627	600	1434	61	1524	66	97	14.6	46.1	H	54	6640	1944	£764.05		
LD631	600	1646	61	1736	66	97	16.7	52.8	H	62	7624	2232	£878.01		
LD635	600	1858	61	1948	66	97	18.9	59.5	H	70	8607	2520	£996.66		
LD638	600	2017	61	2107	66	97	20.5	64.5	H	76	9345	2736	£1,083.67		

RECOMMENDED ACCESSORIES
See page 62 for more valves and accessories



Quartz-30 Angle Manual Rad. Valve + L/S set
QUA850C



Corner Thermostatic Valve & TRV Head
UAW853CT

LINEAR Vertical

LINEAR VERTICAL & LINEAR-O

21



Feel the heat. Linear stands tall and shimmers with reflections as a stunning focal point that also delivers on heat output. This tall radiator can be used throughout the home with an elegant stature to enhance any modern kitchen or bathroom.

6 MODEL SHOWN BELOW: LD1809W IN WHITE, LEFT: LS1507C IN CHROME



MS Material RAL 9016 Finish B C G Working Pressure 6 Working Temp. 95°C Closed System C Mount Pos. V 5 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £			
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Black B	Chrome C	Grey G
LS1505	1500	268	48	50-358	45	76	3.3	11.8	E/H/D	5	1486	435	£186.45		£411.32	
LS1507	1500	374	48	50-464	45	76	4.6	16.0	E/H/D	7	2080	609	£254.25	£289.85	£497.20	£289.85
LS1509	1500	480	48	50-570	45	76	5.9	20.2	E/H/D	9	2674	783	£309.62		£581.95	
LS1805	1800	268	48	50-358	45	76	3.9	14.1	E/H/D	5	1810	530	£226.00	£257.64	£465.56	£257.64
LS1807	1800	374	48	50-464	45	76	5.4	19.1	E/H/D	7	2534	742	£283.63		£565.00	
LS1809	1800	480	48	50-570	45	76	7.0	24.1	E/H/D	9	3258	954	£350.30	£399.34	£671.22	£399.34
LS2005	2000	268	48	50-358	45	76	4.3	15.5	E/H/D	5	2015	590			£508.50	
LS2007	2000	374	48	50-464	45	76	6.0	21.0	E/H/D	7	2821	826			£618.11	
LS2009	2000	480	48	50-570	45	76	7.7	26.5	E/H/D	9	3627	1062			£732.24	
LD1507	1500	374	61	50-464	66	97	9.2	29.0	E/H/D	14	3921	1148	£406.80	£463.75		£463.75
LD1805	1800	268	61	50-358	66	97	7.8	25.3	E/H/D	10	3381	990	£340.13	£387.75		£387.75
LD1807	1800	374	61	50-464	66	97	10.9	34.7	E/H/D	14	4734	1386	£459.91			
LD1809	1800	480	61	50-570	66	97	14.0	44.1	E/H/D	18	6087	1782	£589.86	£672.44		£672.44
LD1811	1800	586	61	50-676	66	97	17.1	53.5	E/H/D	22	7439	2178	£706.25			
LD2005	2000	268	61	50-358	66	97	8.6	27.9	E/H/D	10	3723	1090	£371.77			
LD2009	2000	480	61	50-570	66	97	15.4	48.7	E/H/D	18	6701	1962	£626.02	£713.66		£713.66

LINEAR-O

MS Material R Finish 6 Working Pressure 6 Working Temp. 95°C Closed System C Mount Pos. V 5 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	Red R	
Linear 5L18	1800	252	60	342-1750	45-55	85-95	3.1	10.5	H	5	2380	698	£172.00	

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-30 Straight Manual Rad. Valve + L/S set
CYH851C



Corner Thermostatic Valve & TRV Head
UAW853CT



SOFI Horizontal

Beauty in simplicity. A high output radiator in a modern column design of elliptical tubes, available in white. Sofi Horizontal is versatile and can work with central heating, dual fuel or electric only, allowing you to update your decor and warm your home.

 MODEL SHOWN: SD616W IN WHITE



      
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
SD608	600	475	79	565	66	105	10.6	17.3	H	16	2268	664	£239.56
SD610	600	593	79	683	66	105	13.3	21.3	H	20	2835	830	£313.01
SD612	600	711	79	801	66	105	15.9	25.4	H	24	3402	996	£372.90
SD614	600	829	79	919	66	105	18.6	39.4	H	28	3969	1162	£420.36
SD616	600	947	79	1037	66	105	21.2	33.5	H	32	4536	1328	£477.99
SD618	600	1065	79	1155	66	105	23.9	37.5	H	36	5103	1494	£536.75
SD620	600	1183	79	1273	66	105	26.6	41.6	H	40	5670	1660	£588.73
SD622	600	1301	79	1391	66	105	29.2	45.6	H	44	6237	1826	£641.84
SD624	600	1419	79	1509	66	105	31.9	49.6	H	48	6804	1992	£694.95
SD626	600	1537	79	1627	66	105	34.5	53.7	H	52	7371	2158	£746.93
SD628	600	1655	79	1745	66	105	37.2	57.7	H	56	7938	2324	£800.04

RECOMMENDED ACCESSORIES
See page 62 for more valves and accessories




Quartz-30 Angle Manual Rad. Valve + L/S set
QUA850C



Corner Thermostatic Valve & TRV Head
UAW853CT

The perfect combination of design and practicality with elliptical tubes. These vertical bars generate a large amount of heat, while providing a visual and tactile delight. Available in white, chrome, black and grey.

R MODEL SHOWN BELOW: SS1804C IN CHROME, RIGHT: SD1805G IN GREY, BELOW RIGHT: SD1805B IN BLACK



MS RAL 9016 B C G i 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £			
	Height mm	Length mm	Depth mm								BTU	Watts	White W	Black B	Chrome C	Grey G
SS1504	1500	239	57	50-329	45	84	5.3	11.8	H	4	1503	440	£148.03	£159.87	£240.69	£159.87
SS1506	1500	357	57	50-457	45	84	8.0	16.9	E/H/D	6	2254	660	£203.40	£219.67	£331.09	£219.67
SS1804	1800	239	57	50-329	45	84	6.3	14.0	H	4	1803	528	£175.15	£189.16	£262.16	
SS1806	1800	357	57	50-447	45	84	9.5	20.2	E/H/D	6	2705	792	£221.48	£239.20	£385.33	
SS1809	1800	534	57	50-624	45	84	14.3	29.4	E/H/D	9	4057	1188	£309.62	£334.39	£524.32	
SS2004	2000	239	57	50-329	45	84	7.0	15.4	H	4	2005	587			£275.72	
SS2006	2000	357	57	50-447	45	84	10.5	22.2	E/H/D	6	3005	880			£405.67	
SD1505	1500	298	79	50-388	66	105	6.7	25.1	E/H/D	10	3108	910	£298.32	£322.19		£322.19
SD1507	1500	416	79	50-506	66	105	9.3	34.5	E/H/D	14	4351	1274	£402.28	£434.46		£434.46
SD1805	1800	298	79	50-388	66	105	7.9	30.0	E/H/D	10	3706	1085	£318.66	£344.15		£344.15
SD1807	1800	416	79	50-506	66	105	11.1	41.1	E/H/D	14	5188	1519	£420.36	£453.99		£453.99
SD1809	1800	534	79	50-624	66	105	14.3	52.3	E/H/D	18	6671	1953	£537.88	£580.91		£580.91
SD2005	2000	298	79	50-388	66	105	8.8	33.0	E/H/D	10	4338	1270	£334.48	£361.24		£361.24
SD2007	2000	416	79	50-506	66	105	12.3	45.4	E/H/D	14	6073	1778	£456.52	£493.04		£493.04
SD2009	2000	534	79	50-624	66	105	15.8	57.8	E/H/D	18	7808	2286	£578.56	£624.84		£624.84

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-30 Straight Manual Rad. Valve + L/S set
CYH851C



Corner Thermostatic Valve & TRV Head
UAW853CT

SOVRAN

Horizontal

High heat output. Boasting a flat panel Sovran is stylish and affordable for the home. The horizontal model of the Sovran range of radiators also contains a high output steel panel convector inside the 304 stainless steel brushed matt cover.

 MODEL SHOWN: SOVD605H IN BRUSHED MATT



 Material  Finish  Working Pressure  Working Temp.  Closed System  Mount Pos.  Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
SOVD604h	605	405	72	50-495	55-75	90-110	2.4	16.3	H	24	2329	682	£367.21
SOVD605h	605	505	72	50-595	55-75	90-110	3.0	20.1	H	30	2910	852	£400.88
SOVD606h	605	605	72	50-695	55-75	90-110	3.6	23.9	H	36	3491	1022	£441.91
SOVD607h	605	705	72	50-795	55-75	90-110	4.2	27.7	H	42	4075	1193	£482.95
SOVD608h	605	805	72	50-895	55-75	90-110	4.7	31.4	H	48	4655	1363	£523.98
SOVD609h	605	905	72	50-995	55-75	90-110	5.3	35.2	H	54	5239	1534	£565.02
SOVD610h	605	1005	72	50-1095	55-75	90-110	5.9	39.0	H	60	5820	1704	£606.05
SOVD611h	605	1105	72	50-1195	55-75	90-110	6.5	42.8	H	66	6401	1704	£647.09
SOVD612h	605	1205	72	50-1295	55-75	90-110	7.1	46.5	H	72	6985	2045	£688.12
SOVD614h	605	1405	72	50-1495	55-75	90-110	8.3	54.1	H	84	8150	2386	£796.50
SOVD616h	605	1605	72	50-1695	55-75	90-110	9.5	61.6	H	96	9311	2727	£914.34
SOVD618h	605	1805	72	50-1895	55-75	90-110	10.6	69.2	H	108	10476	3068	£1,001.67
SOVD620h	605	2005	72	50-2095	55-75	90-110	11.8	76.7	H	120	11640	3409	£1,132.14

RECOMMENDED ACCESSORIES


See page 62 for more valves and accessories



UD927



P926



P926

SOVRAN

Vertical

Sheer confidence. An elegant radiator which uses convected heat to make this level of style affordable for every home. The Sovran range of radiators contain a high output steel panel convector inside the 304 stainless steel brushed matt cover.

 MODEL SHOWN: SOVD184V IN BRUSHED MATT



      
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
SOVD164v	1605	405	72	50-350	55-75	90-110	7.0	41.8	H	96	3530	1034	£710.22
SOVD165v	1605	505	72	50-450	55-75	90-110	8.2	51.3	H	96	4292	1257	£814.38
SOVD166v	1605	605	72	50-550	55-75	90-110	9.5	60.9	H	96	5042	1476	£915.39
SOVD167v	1605	705	72	50-650	55-75	90-110	10.5	70.8	H	96	5772	1690	£1,055.33
SOVD182v	1805	205	72	50-150	55-75	90-110	4.7	25.6	H	108	2469	723	£652.35
SOVD183v	1805	305	72	50-250	55-75	90-110	6.3	36.7	H	108	2991	876	£676.55
SOVD184v	1805	405	72	50-350	55-75	90-110	7.9	47.0	H	108	3851	1128	£765.98
SOVD185v	1805	505	72	50-450	55-75	90-110	9.3	57.7	H	108	4688	1373	£882.77
SOVD186v	1805	605	72	50-550	55-75	90-110	10.6	68.4	H	108	5505	1612	£996.41
SOVD187v	1805	705	72	50-650	55-75	90-110	11.9	79.6	H	108	6300	1845	£1,152.13
SOVD202v	2005	205	72	50-150	55-75	90-110	5.2	28.4	H	120	2745	804	£659.71
SOVD203v	2005	305	72	50-250	55-75	90-110	7.0	40.8	H	120	3231	946	£728.10
SOVD204v	2005	405	72	50-350	55-75	90-110	8.8	52.2	H	120	4162	1219	£822.80
SOVD205v	2005	505	72	50-450	55-75	90-110	10.3	64.0	H	120	5064	1483	£952.22
SOVD206v	2005	605	72	50-550	55-75	90-110	11.8	75.9	H	120	5947	1741	£1,077.43
SOVD207v	2005	705	72	50-650	55-75	90-110	13.2	88.3	H	120	6810	1994	£1,248.93
SOVS185v	1805	505	52	50-450	55-75	70-90	4.7	42.7	H	54	2174	637	£819.64
SOVS186v	1805	605	52	50-550	55-75	70-90	5.4	50.5	H	54	2615	766	£928.02
SOVS187v	1805	705	52	50-650	55-75	70-90	6.1	56.3	H	54	3497	1024	£1,033.23
SOVS204v	2005	405	52	50-350	55-75	70-90	5.1	39.7	H	60	2333	683	£738.63
SOVS205v	2005	505	52	50-450	55-75	70-90	5.3	47.4	H	60	2803	821	£860.68
SOVS206v	2005	605	52	50-550	55-75	70-90	6.0	56.0	H	60	3273	959	£996.41
SOVS207v	2005	705	52	50-650	55-75	70-90	6.8	62.5	H	60	3744	1096	£1,139.50

RECOMMENDED

ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head

UAW853CT



Straight Thermostatic Valve & TRV Head/LS

UAW851NL

TILBROOK

A slimline design that provides high output in a limited wall space. Tilbrook is ideal for places such as kitchens, hallways and narrow areas. Available in white.

 MODEL SHOWN: TS1806W IN WHITE



      
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm								BTU	Watts	
TS1504	1500	106	75	50-196	45	102	1.8	9.1	H	4	1148	336	£151.42
TS1506	1500	156	75	50-246	45	102	2.7	13.0	H	6	1721	504	£193.23
TS1508	1500	206	75	50-296	45	102	3.7	16.8	H	8	2295	672	£240.69
TS1510	1500	256	75	50-346	45	102	4.6	20.6	E/H/D	10	2869	840	£305.10
TS1512	1500	306	75	50-396	45	102	5.5	24.4	E/H/D	12	3443	1008	£362.73
TS1514	1500	356	75	50-446	45	102	6.4	28.3	E/H/D	14	4017	1176	£420.36
TS1516	1500	406	75	50-496	45	102	7.3	32.1	E/H/D	16	4591	1344	£479.12
TS1518	1500	456	75	50-546	45	102	8.3	35.9	E/H/D	18	5164	1512	£519.80
TS1520	1500	506	75	50-596	45	102	9.2	39.7	E/H/D	20	5738	1680	£559.35
TS1804	1800	106	75	50-196	45	102	2.2	11.0	H	4	1407	412	£171.76
TS1806	1800	156	75	50-246	45	102	3.3	15.6	H	6	2111	618	£215.83
TS1808	1800	206	75	50-296	45	102	4.3	20.1	H	8	2814	824	£282.50
TS1810	1800	256	75	50-346	45	102	5.4	24.7	E/H/D	10	3518	1030	£333.35
TS1812	1800	306	75	50-396	45	102	6.5	29.2	E/H/D	12	4222	1236	£398.89
TS1814	1800	356	75	50-446	45	102	7.6	33.8	E/H/D	14	4925	1442	£459.91
TS1816	1800	406	75	50-496	45	102	8.7	38.4	E/H/D	16	5629	1648	£523.19
TS1818	1800	456	75	50-546	45	102	9.8	42.9	E/H/D	18	6333	1854	£586.47
TS1820	1800	506	75	50-596	45	102	10.9	47.5	E/H/D	20	7036	2060	£649.75
TS2006	2000	156	75	50-246	45	102	3.6	17.1	H	6	2254	660	£230.52
TS2008	2000	206	75	50-296	45	102	4.8	22.2	H	8	3006	880	£291.54
TS2010	2000	256	75	50-346	45	102	6.0	27.2	E/H/D	10	3757	1100	£360.47
TS2012	2000	306	75	50-396	45	102	7.2	32.3	E/H/D	12	4509	1320	£428.27
TS2014	2000	356	75	50-446	45	102	8.4	37.3	E/H/D	14	5260	1540	£497.20
TS2016	2000	406	75	50-496	45	102	9.6	42.4	E/H/D	16	6011	1760	£566.13
TS2018	2000	456	75	50-546	45	102	10.8	47.4	E/H/D	18	6763	1980	£635.06
TS2020	2000	506	75	50-596	45	102	12.0	52.5	E/H/D	20	7514	2200	£702.86

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-30 Angle Manual Rad. Valve + L/S set
CYH850C



Corner Thermostatic Valve & TRV Head
UAW853CT

TROJAN

Create a comfort zone. Tall and distinguished, Trojan's vertical lines and subtle curve will add a touch of sophistication to any interior. With the addition of towel hooks, this powerful radiator will also function as a unique towel warmer in the bathroom or kitchen.

1 MODEL SHOWN LEFT: TR4T18C IN CHROME, BELOW: TR4T13B IN BLACK



MS B C 1.6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	Black B	Chrome C
TR4T13	1300	390	60	360	45-60	85-100	8.5	15.2	E/H/D	7	3813	1116	£238.68	£375.84
TR4T18	1760	390	60	360	45-60	85-100	11.4	20.2	E/H/D	7	5163	1512	£290.52	£482.76
TRTH							0.2						£10.80	£14.04

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-25 Straight Manual Rad. Valve + L/S set
CYH851C



Corner Thermostatic Valve & TRV Head
UAW853CT

ARGUS

Introducing Argus, a lightweight aluminium radiator with a modern minimalist industrial style idyllic for any room. Available in vertical and horizontal designs as well as many additional finishes to either blend in or stand out as you desire.

R MODEL SHOWN BELOW: MOCHA, BELOW BOTTOM: GLOSS ANODISED, RIGHT: RAL 7040



AL

RAL 9010

10

95°C

C

V

10 YEARS

MaterialFinishWorking PressureWorking Temp.Closed SystemMount Pos.Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013
ARG0608	600	555	65	645-50	60	100	1.1	9.6	H	8	3091	905	£298.82	£313.76
ARG0610	600	695	65	785-50	60	100	1.4	12.1	H	10	3863	1131	£372.47	£391.09
ARG0612	600	835	65	925-50	60	100	1.7	14.4	H	12	4638	1358	£441.91	£464.01
ARG0614	600	975	65	1065-50	60	100	1.9	16.8	H	14	5410	1584	£515.57	£541.34
ARG0616	600	1115	65	1205-50	60	100	2.2	19.2	H	16	6182	1810	£580.80	£609.84
ARG1804	1800	275	65	365-50	60	100	1.4	12.5	H	4	3573	1046	£339.85	£356.84
ARG1805	1800	345	65	35-50	60	100	1.8	15.6	H	5	4464	1307	£424.03	£445.23
ARG1807	1800	485	65	575-50	60	100	2.5	21.8	H	7	6251	1830	£586.06	£615.36

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-25 Straight Manual Rad. Valve + L/S set
CYL851C



Straight Thermostatic Valve & TRV Head
UAW851NL

Beautifully engineered design. A family towel rail that revels in its simplicity. Exuding warmth and comfort, this modern rail with square horizontal bars fits in with any bathroom decor or theme.

1 MODEL SHOWN: BN515W IN WHITE



AL Material RAL 9010 Finish 10 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 10 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm									BTU	Watts	White W	RAL 9016-9001-1013
BN407	700	425	25	400	70-85	85-100	0.8	4.1	E/H/D	2	10	1489	436	£154.44	£162.16
BN410	1000	425	25	400	70-85	85-100	1.2	6.2	E/H/D	2	16	1888	553	£233.62	£245.30
BN415	1500	425	25	400	70-85	85-100	1.8	8.7	E/H/D	4	22	2315	678	£324.57	£340.80
BN417	1700	425	25	400	70-85	85-100	2.1	10.0	E/H/D	4	26	2391	700	£378.07	£396.97
BN507	700	425	25	400	70-85	85-100	0.9	4.7	E/H/D	2	10	1752	513	£170.49	£179.01
BN510	1000	525	25	500	70-85	85-100	1.4	7.1	E/H/D	2	16	2206	646	£250.74	£263.28
BN515	1500	525	25	500	70-85	85-100	2.0	10.0	E/H/D	4	22	2677	784	£351.68	£369.26
BN517	1700	525	25	500	70-85	85-100	2.3	11.6	E/H/D	4	26	2790	817	£408.39	£428.81

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-25-Angle Manual Rad. Valve
CYL850C



Cylindrical-25 Straight Manual Rad. Valve + L/S set
CYH851C

BOMBE

Star quality. The convex and concave curves of this striking design allows light to bounce from its surfaces, creating a vision in heated aluminium perfection.

R MODEL SHOWN BELOW: BLU1806MA IN MATT ANODISED, RIGHT: IMAGE FOR ILLUSTRATION PURPOSE ONLY



AL Material RAL 9010 Finish 10 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 10 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013
BLU607	600	485	63	575-50	60	95	0.9	8.4	H	7	2104	616	£295.87	£310.67
BLU609	600	625	63	715-50	60	95	1.2	10.8	H	9	2705	792	£372.07	£390.67
BLU611	600	765	63	855-50	60	95	1.5	13.2	H	11	3306	968	£455.56	£478.34
BLU613	600	905	63	995-50	60	95	1.7	15.6	H	13	3907	1144	£538.65	£565.58
BLU614	600	975	63	1065-50	60	95	1.9	16.8	H	14	4207	1232	£578.78	£607.72
BLU615	600	1045	63	1135-50	60	95	2.0	18.0	H	15	4508	1320	£620.12	£651.12
BLU618	600	1255	63	1345-50	60	95	2.4	21.6	H	18	5409	1584	£743.74	£780.92
BLU621	600	1465	63	1555-50	60	95	2.8	25.2	H	21	6311	1848	£868.98	£912.42
BLU625	600	1745	63	1835-50	60	95	3.4	30.0	H	25	7513	2200	£1,031.91	£1,083.50
BLU628	600	1955	63	2045-50	60	95	3.8	33.6	H	28	8415	2464	£1,157.15	£1,215.01
BLU1505	1500	345	63	435-50	60	95	1.7	15.0	H	5	3087	904	£423.14	£444.30
BLU1507	1500	485	63	575-50	60	95	2.3	21.0	H	7	4320	1265	£589.72	£619.21
BLU1509	1500	625	63	715-50	60	95	3.0	27.0	H	9	5553	1626	£759.54	£797.52
BLU1510	1500	695	63	785-50	60	95	3.3	30.0	H	10	6171	1807	£842.63	£884.76
BLU1803	1800	205	63	295-50	60	95	1.2	10.8	H	3	2418	708	£308.44	£323.86
BLU1804	1800	275	63	365-50	60	95	1.6	14.4	H	4	3224	944	£403.68	£423.87
BLU1805	1800	345	63	435-50	60	95	2.0	18.0	H	5	4030	1180	£506.23	£531.54
BLU1806	1800	415	63	505-50	60	95	2.4	21.6	H	6	4836	1416	£605.53	£635.80
BLU1807	1800	485	63	575-50	60	95	2.8	25.2	H	7	5642	1652	£708.07	£743.47
BLU1809	1800	625	63	715-50	60	95	3.6	32.4	H	9	7253	2124	£909.91	£955.41
BLU2005	2000	345	63	435-50	60	95	2.2	20.1	H	5	4559	1335	£557.70	£585.59
BLU2007	2000	485	63	575-50	60	95	3.1	28.0	H	7	6383	1869	£778.59	£817.52
BLU2009	2000	625	63	715-50	60	95	4.0	36.0	H	9	8206	2403	£999.48	£1,049.46

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-2S Straight Manual Rad. Valve + L/S set
CYL851C

DIANA

Diana can add a chic look to any wall and freshen up your space for a dramatic finish. This stylised addition fits seamlessly into any modern interior whilst boasting slim and sleek rails. Add an instant design upgrade with this lightweight aluminium design.

 MODEL SHOWN: DN126 IN WHITE



Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013
DN075	690	525	25	500	75-90	85-105	0.77	4.00	E/H/D	7	1076	315	£113.00	£118.65
DN105	920	525	25	500	75-90	85-105	1.01	4.70	E/H/D	9	1383	405	£142.00	£149.10
DN125	1150	525	25	500	75-90	85-105	1.25	5.50	E/H/D	11	1691	495	£170.00	£178.50
DN076	690	625	25	600	75-90	85-105	0.85	4.30	E/H/D	7	1291	378	£122.00	£128.10
DN106	920	625	25	600	75-90	85-105	1.11	5.00	E/H/D	9	1660	486	£151.00	£158.55
DN126	1150	625	25	600	75-90	85-105	1.37	5.80	E/H/D	11	2029	594	£187.00	£196.35

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-25° Angle Manual Rad. Valve + L/S set
CYL850C



Cylindrical-25° Straight Manual Rad. Valve + L/S set
CYL851C

HESTIA Bath & HESTIA Vertical

Let some sleek designer style into your bathroom or ensuite with Hestia. Providing a smart and practical heating solution as well as storage for your towels, the clean lines and detailed edges will renovate any space. Made with high-quality aluminium, Hestia comes in beautiful dark Anthracite Black Matt allowing this radiator to fit with most bathroom styles.

MODEL SHOWN: HES125-BMA



AL Material RAL 9010 Finish 10 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 10 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm									BTU	Watts	White W	RAL 9016-9001-1013
HSB075	750	500	41.5	470	45-55	75-85	0.75	5.70	E/H/D	2	6	1127	330	£159.00	£166.95
HSB105	1000	500	41.5	470	45-56	75-86	0.98	6.90	E/H/D	2	8	1503	440	£207.00	£217.35
HSB125	1288	500	41.5	470	45-57	75-87	1.24	8.80	E/H/D	3	10	1878	550	£255.00	£267.75
HSB165	1650	500	41.5	470	45-58	75-88	1.33	10.90	E/H/D	4	12	2254	660	£309.00	£324.45
HSB076	750	600	41.5	570	45-55	75-85	0.83	6.00	E/H/D	2	6	1352	396	£177.00	£185.85
HSB106	1000	600	41.5	570	45-56	75-86	1.07	7.70	E/H/D	2	8	1803	528	£229.00	£240.45
HSB126	1288	600	41.5	570	45-57	75-87	1.36	10.20	E/H/D	3	10	2254	660	£283.00	£297.15
HSB166	1650	600	41.5	570	45-58	75-88	1.48	12.10	E/H/D	4	12	2705	792	£342.00	£359.10

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES
See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-2S Straight Manual Rad. Valve + L/S set
CYL851C



AL Material RAL 9010 Finish 10 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 10 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013
HST 1202	1200	175	41.5	265	40-60	70-90	0.28	3.7	E/H/D	2	738	216	£103.00	£108.15
HST 1502	1500	175	41.5	265	40-60	70-90	0.35	4.4	E/H/D	2	922	270	£112.00	£117.60
HST 1802	1800	175	41.5	265	40-60	70-90	0.42	5.3	E/H/D	2	1106	324	£121.00	£127.05
HST 1203	1200	265	41.5	355	40-60	70-90	0.42	5.5	E/H/D	3	1106	324	£156.00	£163.80
HST 1503	1500	265	41.5	355	40-60	70-90	0.52	6.0	E/H/D	3	1383	405	£168.00	£176.40
HST 1803	1800	265	41.5	355	40-60	70-90	0.63	6.5	E/H/D	3	1660	486	£184.00	£193.20
HSTBRAL	RAL Colour Towel Bar												£37.00	£38.85
HSTBP	Stainless Steel Mirror Polished Towel Bar												£55.00	

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-25 Straight Manual Rad. Valve + L/S set
CYL851C

KAVIS

Watch the light bounce off this tactile, welcoming radiator that will complete the look of any room. Heating doesn't have to be boring, and this design is undeniable proof of that.

R MODEL SHOWN: GOLD CROCODILE FINISH, RIGHT: IMAGE FOR ILLUSTRATION PURPOSE ONLY



AL

RAL 9010

10

95°C

C

V

10 YEARS

Material

Finish

Working Pressure

Working Temp.

Closed System

Mount Pos.

Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013
KAV405-6	415	450	45	410	60-75	95-110	0.67	5.7	H	6	1332	390	£202.00	£212.10
KAV406-6	415	600	45	560	60-75	95-110	0.82	6.5	H	6	1783	522	£229.00	£240.45
KAV408-6	415	825	45	785	60-75	95-110	1.06	7.8	H	6	2336	684	£289.00	£303.45
KAV410-6	415	1000	45	960	60-75	95-110	1.25	8.8	H	6	2705	792	£319.00	£334.95
KAV412-6	415	1250	45	1210	60-75	95-110	1.51	10.3	H	6	3443	1008	£361.00	£379.05
KAV415-6	415	1500	45	1460	60-75	95-110	1.78	11.7	H	6	4119	1206	£408.00	£428.40
KAV417-6	415	1750	45	1710	60-75	95-110	2.04	13.1	H	6	4488	1314	£475.00	£498.75
KAV420-6	415	2000	45	1960	60-75	95-110	2.31	14.6	H	6	4611	1350	£522.00	£548.10
KAV603-9	625	375	45	335	60-75	95-110	0.88	6.9	H	9	1691	495	£273.00	£286.65
KAV604-9	625	450	45	410	60-75	95-110	1.00	7.6	H	9	1998	585	£296.00	£310.80
KAV606-9	625	600	45	560	60-75	95-110	1.24	8.9	H	9	2674	783	£328.00	£344.40
KAV607-9	625	750	45	710	60-75	95-110	1.48	10.2	H	9	3258	954	£370.00	£388.50
KAV608-9	625	825	45	785	60-75	95-110	1.60	10.8	H	9	3504	1026	£420.00	£441.00
KAV610-9	625	1000	45	960	60-75	95-110	1.87	12.3	H	9	4058	1188	£464.00	£487.20
KAV612-9	625	1250	45	1210	60-75	95-110	2.27	14.5	H	9	5164	1512	£526.00	£552.30
KAV615-9	625	1500	45	1460	60-75	95-110	2.67	16.7	H	9	6179	1809	£595.00	£624.75
KAV617-9	625	1750	45	1710	60-75	95-110	3.07	18.8	H	9	6732	1971	£703.00	£738.15
KAV620-9	625	2000	45	1960	60-75	95-110	3.46	21.0	H	9	6917	2025	£772.00	£810.60
KAV154-22	1535	450	45	410	60-75	95-110	2.45	16.0	H	22	4884	1430	£684.00	£718.20
KAV156-22	1535	600	45	560	60-75	95-110	3.03	19.2	H	22	6537	1914	£760.00	£798.00
KAV183-26	1815	375	45	335	60-75	95-110	2.55	16.7	H	26	4884	1430	£743.00	£780.15
KAV184-26	1815	450	45	410	60-75	95-110	2.89	18.6	H	26	5772	1690	£807.00	£847.35
KAV186-26	1815	600	45	560	60-75	95-110	3.58	22.3	H	26	7726	2262	£896.00	£940.80
KAV187-26	1815	750	45	710	60-75	95-110	4.27	26.1	H	26	9413	2756	£1,012.00	£1,062.60
KAV203-29	2025	375	45	335	60-75	95-110	2.84	18.4	H	29	5448	1595	£827.00	£868.35
KAV204-29	2025	450	45	410	60-75	95-110	3.23	20.5	H	29	6438	1885	£898.00	£942.90
KAV206-29	2025	600	45	560	60-75	95-110	4.00	24.7	H	29	8618	2523	£997.00	£1,046.85

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-25° Angle Manual Rad. Valve + L/S set
CYL850C



Cylindrical-25° Straight Manual Rad. Valve + L/S set
CYL851C



KUPKA

Spacious, practical and elegant. This attractive aluminium rail with round horizontal bars enhances any bathroom. Available in several different sizes and finishes, this is as versatile as they come.

1 MODEL SHOWN: KP512W IN WHITE



AL RAL 9010 10 95°C C V 10 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Towel Gaps	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm									BTU	Watts	White W	RAL 9016-9001-1013
KP407	720	425	25	400	70-85	85-100	1.50	3.6	E/H/D	2	14	1308	383	£182.00	£191.10
KP410	1000	425	25	400	70-85	85-100	2.00	4.9	E/H/D	3	19	1772	519	£240.00	£252.00
KP412	1200	425	25	400	70-85	85-100	2.30	5.7	E/H/D	4	22	1957	573	£279.00	£292.95
KP416	1600	425	25	400	70-85	85-100	3.10	7.6	E/H/D	5	30	2158	632	£374.00	£392.70
KP507	700	525	25	500	70-85	85-100	1.70	4.0	E/H/D	2	14	1537	450	£204.00	£214.20
KP510	1000	525	25	500	70-85	85-100	2.40	5.5	E/H/D	3	19	2087	611	£262.00	£275.10
KP512	1200	525	25	500	70-85	85-100	2.80	6.4	E/H/D	4	22	2312	677	£302.00	£317.10
KP516	1600	525	25	500	70-85	85-100	3.70	8.5	E/H/D	5	30	2537	743	£399.00	£418.95

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Cylindrical-25° Angle Manual Rad. Valve + L/S set
CYL850C




Cylindrical-25° Straight Manual Rad. Valve + L/S set
CYH851C

KURAL

Beautiful, tactile aluminium tubes sit alongside each other to form an impressive work of art with excellent heating capabilities. Comes in a choice of colours for maximum versatility.

MODEL SHOWN RIGHT: KUR1806W IN WHITE,
BELOW: SHOWN IN GOLD CROCODILE TEXTURED



AL RAL 9010 10 95°C C V 10 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013
KUR409	450	445	65	535-50	60	115	0.90	7.4	H	9	1906	558	£280.88	£294.92
KUR412	450	595	65	685-50	60	115	1.20	9.6	H	12	2541	744	£367.82	£386.21
KUR415	450	745	65	835-50	60	115	1.50	11.8	H	15	3177	930	£454.75	£477.49
KUR418	450	895	65	985-50	60	115	1.80	14.0	H	18	3812	1116	£543.92	£571.12
KUR421	450	1045	65	1135-50	60	115	2.10	16.2	H	21	4447	1302	£633.09	£664.74
KUR425	450	1245	65	1335-50	60	115	2.50	19.1	H	25	5294	1550	£749.01	£786.46
KUR429	450	1445	65	1535-50	60	115	2.90	22.0	H	29	6141	1798	£867.15	£910.51
KUR435	450	1745	65	1835-50	60	115	3.50	26.4	H	35	7412	2170	£1,043.26	£1,095.42
KUR440	450	1995	65	2085-50	60	115	4.00	30.0	H	40	8471	2480	£1,190.38	£1,249.90
KUR609	600	445	65	535-50	60	115	1.14	9.1	H	9	2428	711	£321.00	£337.05
KUR612	600	595	65	685-50	60	115	1.52	11.8	H	12	3238	948	£421.32	£442.38
KUR615	600	745	65	835-50	60	115	1.90	14.6	H	15	4047	1185	£523.86	£550.05
KUR618	600	895	65	985-50	60	115	2.27	17.3	H	18	4857	1422	£608.57	£639.00
KUR621	600	1045	65	1135-50	60	115	2.65	20.0	H	21	5666	1659	£717.80	£753.69
KUR625	600	1245	65	1335-50	60	115	3.16	23.7	H	25	6746	1975	£851.55	£894.12
KUR629	600	1445	65	1535-50	60	115	3.67	27.3	H	29	7825	2291	£985.30	£1,034.56
KUR635	600	1745	65	1835-50	60	115	4.43	32.8	H	35	9444	2765	£1,185.92	£1,245.22
KUR640	600	1995	65	2085-50	60	115	5.06	37.3	H	40	10793	3160	£1,353.11	£1,420.77
KUR1510	1500	495	65	585-50	60	115	2.85	21.4	H	10	5977	1750	£682.13	£716.24
KUR1512	1500	595	65	685-50	60	115	3.42	25.4	H	12	7173	2100	£815.88	£856.67
KUR1808	1800	395	65	485-50	60	115	2.71	20.5	H	8	5438	1592	£664.30	£697.51
KUR1810	1800	495	65	585-50	60	115	3.38	25.2	H	10	6797	1990	£824.80	£866.04
KUR1812	1800	595	65	685-50	60	115	4.06	29.9	H	12	8156	2388	£985.30	£1,034.56
KUR2008	2000	395	65	485-50	60	115	2.99	22.5	H	8	5984	1752	£715.57	£751.35
KUR2010	2000	495	65	585-50	60	115	3.74	27.7	H	10	7480	2190	£887.21	£931.58
KUR2012	2000	595	65	685-50	60	115	4.48	32.9	H	12	8976	2628	£1,061.09	£1,114.15

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-25° Angle Manual Rad. Valve + L/S set
CYL850C

LUVRE

Reassuringly solid. Designed for maximum durability, this practical slimline design still manages to exude elegance with its smooth, curved panels and contemporary feel.

 MODEL SHOWN: BLU621W IN WHITE



AL  RAL 9010  10 Working Pressure  95°C Working Temp.  C Closed System  V Mount Pos.  10 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013
BLU607	600	485	63	575-50	60	95	0.9	8.4	H	7	2104	616	£295.87	£310.67
BLU609	600	625	63	715-50	60	95	1.2	10.8	H	9	2705	792	£372.07	£390.67
BLU611	600	765	63	855-50	60	95	1.5	13.2	H	11	3306	968	£455.56	£478.34
BLU613	600	905	63	995-50	60	95	1.7	15.6	H	13	3907	1144	£538.65	£565.58
BLU614	600	975	63	1065-50	60	95	1.9	16.8	H	14	4207	1232	£578.78	£607.72
BLU615	600	1045	63	1135-50	60	95	2.0	18.0	H	15	4508	1320	£620.12	£651.12
BLU618	600	1255	63	1345-50	60	95	2.4	21.6	H	18	5409	1584	£743.74	£780.92
BLU621	600	1465	63	1555-50	60	95	2.8	25.2	H	21	6311	1848	£868.98	£912.42
BLU625	600	1745	63	1835-50	60	95	3.4	30.0	H	25	7513	2200	£1,031.91	£1,083.50
BLU628	600	1955	63	2045-50	60	95	3.8	33.6	H	28	8415	2464	£1,157.15	£1,215.01
BLU1505	1500	345	63	435-50	60	95	1.7	15.0	H	5	3087	904	£423.14	£444.30
BLU1507	1500	485	63	575-50	60	95	2.3	21.0	H	7	4320	1265	£589.72	£619.21
BLU1509	1500	625	63	715-50	60	95	3.0	27.0	H	9	5553	1626	£759.54	£797.52
BLU1510	1500	695	63	785-50	60	95	3.3	30.0	H	10	6171	1807	£842.63	£884.76
BLU1803	1800	205	63	295-50	60	95	1.2	10.8	H	3	2418	708	£308.44	£323.86
BLU1804	1800	275	63	365-50	60	95	1.6	14.4	H	4	3224	944	£403.68	£423.87
BLU1805	1800	345	63	435-50	60	95	2.0	18.0	H	5	4030	1180	£506.23	£531.54
BLU1806	1800	415	63	505-50	60	95	2.4	21.6	H	6	4836	1416	£605.53	£635.80
BLU1807	1800	485	63	575-50	60	95	2.8	25.2	H	7	5642	1652	£708.07	£743.47
BLU1809	1800	625	63	715-50	60	95	3.6	32.4	H	9	7253	2124	£909.91	£955.41
BLU2005	2000	345	63	435-50	60	95	2.2	20.1	H	5	4559	1335	£557.70	£585.59
BLU2007	2000	485	63	575-50	60	95	3.1	28.0	H	7	6383	1869	£778.59	£817.52
BLU2009	2000	625	63	715-50	60	95	4.0	36.0	H	9	8206	2403	£999.48	£1,049.46

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head

UAW853CT



Cylindrical 25° Angle Manual Rad. Valve + L/S set

CYL850C

MIRA

Simple, elegant and timeless, Mira can be consomised with a number of towel bars, or none at all.

The slender vertical aluminium radiator here has a matt white finish. Mira is available in a variety of colours and textures.

1 MODEL SHOWN: MIR1802W IN WHITE, BELOW:
MIR1802 IN BLACK AND WITH GOLD TOWEL BAR

PLEASE NOTE: TOWEL RAIL IS NOT INCLUDED



AL Material RAL 9010 Finish 10 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 10 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £		
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016, 9001, 1013	Gloss Anodised GA
MIR1202	1200	210	60	50	60	115	0.70	5.4	E/H/D	1	1639	480	£222.00	£233.10	£255.30
MIR1502	1500	210	60	50	60	115	0.90	6.5	E/H/D	1	2049	600	£235.00	£246.75	£270.25
MIR1802	1800	210	60	50	60	115	1.10	7.7	E/H/D	1	2459	720	£251.00	£263.55	£288.65
MTBP	Mira Towel Bar Attachment - Polished Stainless Steel												£79.00		
MTBRAL	Mira Towel Bar Attachment - (Mild Steel)												£53.00	£55.65	£60.95

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Mira Towel Bar Attachment
MTBRAL

PLATEAU

Simple, yet elegant, Plateau provides a timeless presence in any room. This aluminium radiator offers modern, simple, clean lines as well as comfort and warmth. Available in a range of attractive coloured and textured finishes to bring a space to life including: Matt silver, Wood effect, Croc textured, Polished silver, RAL Colours available on request, including White RAL 9010, RAL 9016, RAL 1013. The Plateau towel bar is sold separately.

1 MODEL SHOWN: PLT1805MA IN MATT ANODISED



AL Material RAL 9010 Finish 10 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 10 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £				
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001 -1013	Matt Anodised MA	Brushed Matt S	Polished P
PLT1803	1800	265	45	370-50	60	90	1.1	6.5	H	2	1537	450	£206.00	£216.30	£216.30		
PLT1804	1800	355	45	465-50	60	90	1.4	8.7	H	3	2049	600	£267.00	£280.35	£280.35		
PLT1805	1800	445	45	560-50	60	90	1.8	10.9	H	4	2558	749	£329.00	£345.45	£345.45		
PLT1806	1800	535	45	655-50	60	90	2.2	13.2	H	5	3070	899	£389.00	£408.45	£408.45		
PLTTB2	40	265	95										£39.00	£40.95	£40.95	£46.00	£53.00
PLTTB3	40	355	95										£46.00	£48.30	£48.30	£56.00	£64.00
PLTTB4	40	445	95										£55.00	£57.75	£57.75	£74.00	£85.00
PLTTB5	40	535	95										£62.00	£65.10	£65.10	£99.00	£114.00

For additional finish options please call us on +44 (0)1908 271155 or visit our website. **See page 61 for colours & finishes**

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-25 Straight Manual Rad. Valve + L/S set
CYL851C

PORTE

The last word in modern heating. This tall, versatile aluminium radiator, with its slim, textured panels, is a joy to touch and unobtrusive to install. An interior designer's dream.

MODEL SHOWN LEFT: POR1803W IN WHITE
BELOW: PORT607 IN WOOD EFFECT



AL Material RAL 9010 K CR Finish 10 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 10 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £			
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013	Wood Effect K	CROC Textured CR
POR602	600	278	42	368-50	60	90	0.6	3.9	H	2	1018	298	£160.50	£168.53	£216.68	£235.94
POR603	600	418	42	508-50	60	90	0.8	5.9	H	3	1527	447	£238.20	£250.11	£321.58	£350.16
POR604	600	558	42	648-50	60	90	1.1	7.8	H	4	2035	596	£316.33	£332.15	£427.05	£465.01
POR605	600	698	42	788-50	60	90	1.4	9.8	H	5	2544	745	£394.46	£414.18	£532.52	£579.85
POR606	600	838	42	928-50	60	90	1.7	11.8	H	6	3053	894	£472.59	£496.22	£637.99	£694.70
POR607	600	978	42	1068-50	60	90	2.0	13.7	H	7	3562	1043	£544.35	£571.56	£734.87	£800.19
POR609	600	1258	42	1348-50	60	90	2.5	17.5	H	9	4580	1341	£698.90	£733.85	£943.52	£1,027.39
POR610	600	1398	42	1488-50	60	90	2.8	19.5	H	10	4986	1460	£767.69	£806.07	£1,036.38	£1,128.50
POR612	600	1678	42	1768-50	60	90	3.3	23.4	H	12	6106	1788	£920.55	£966.57	£1,242.74	£1,353.20
POR613	600	1818	42	1908-50	60	90	3.6	25.4	H	13	6615	1937	£996.55	£1,046.38	£1,345.34	£1,464.93
POR614	600	1958	42	2048-50	60	90	3.9	27.4	H	14	7124	2086	£966.83	£1,015.17	£1,305.22	£1,421.24
POR1502	1500	278	42	368-50	60	90	1.4	8.6	H	2	2042	598	£293.40	£308.07	£396.09	£431.30
POR1503	1500	418	42	508-50	60	90	2.1	13.0	H	3	3060	896	£453.90	£476.60	£612.77	£667.24
POR1505	1500	698	42	788-50	60	90	3.5	21.7	H	5	5102	1494	£745.18	£782.44	£1,006.00	£1,095.42
POR1803	1800	418	42	508-50	60	90	2.5	17.5	H	3	3289	963	£536.28	£563.09	£723.97	£788.33
POR1804	1800	558	42	648-50	60	90	3.3	23.4	H	4	4385	1284	£715.89	£751.68	£966.45	£1,052.35
POR1805	1800	698	42	788-50	60	90	4.2	29.3	H	5	5481	1605	£892.10	£936.70	£1,204.33	£1,311.38
POR2003	2000	418	42	508-50	60	90	2.8	19.6	H	3	3504	1026	£591.48	£621.05	£798.49	£869.47
POR2004	2000	558	42	648-50	60	90	3.7	26.1	H	4	4672	1368	£766.41	£804.73	£1,034.66	£1,126.63
POR2005	2000	698	42	788-50	60	90	4.7	32.6	H	5	5840	1710	£957.06	£1,004.92	£1,292.03	£1,406.88

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Angle "H" Valve without by-pass
P926



Cylindrical-2S- Angle Manual Rad. Valve + L/S set
CYL850C

SMYRNA

Prefer the strong, silent type?
Then you will love this square aluminium design with its smooth lines and chunky, confident feel. This would stand out at home or in the workplace.

 MODEL SHOWN: SMY610W IN WHITE



Material: AL Finish: RAL 9010 | K | CR Working Pressure: 10 Working Temp.: 95°C Closed System: C Mount Pos.: V Warranty: 10 YEARS

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £			
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013	Wood Effect K	CROC Textured CR
SMY608	600	555	36	645-50	60-75	75-95	0.8	5.7	H	8	1953	572	£233.77	£245.46	£315.59	£343.65
SMY610	600	695	36	785-50	60-75	75-95	1.0	7.2	H	10	2442	715	£290.38	£304.89	£392.01	£426.85
SMY612	600	835	36	925-50	60-75	75-95	1.2	8.6	H	12	2930	858	£350.85	£368.40	£473.65	£515.76
SMY613	600	905	36	995-50	60-75	75-95	1.4	9.3	H	13	3176	930	£379.15	£398.11	£511.86	£557.36
SMY614	600	975	36	1065-50	60-75	75-95	1.5	10.0	H	14	3418	1001	£407.07	£427.42	£549.54	£598.39
SMY616	600	1115	36	1205-50	60-75	75-95	1.7	11.4	H	16	3907	1144	£467.93	£491.33	£631.71	£687.86
SMY619	600	1325	36	1415-50	60-75	75-95	2.0	13.5	H	19	4641	1359	£552.45	£580.07	£745.81	£812.10
SMY622	600	1535	36	1625-50	60-75	75-95	2.3	15.7	H	22	5372	1573	£641.23	£673.29	£865.66	£942.61
SMY625	600	1745	36	1835-50	60-75	75-95	2.6	17.9	H	25	6106	1788	£725.74	£762.03	£979.75	£1,066.84
SMY628	600	1955	36	2045-50	60-75	75-95	2.9	19.9	H	28	6837	2002	£814.52	£855.25	£1,099.61	£1,197.35
SMY1505	1500	345	36	435-50	60-75	75-95	1.3	8.9	H	5	2619	767	£294.64	£309.37	£397.76	£433.12
SMY1507	1500	485	36	575-50	60-75	75-95	1.8	12.5	H	7	3668	1074	£400.09	£420.09	£540.12	£588.13
SMY1509	1500	625	36	715-50	60-75	75-95	2.3	16.0	H	9	4716	1381	£512.52	£538.14	£691.90	£753.40
SMY1510	1500	695	36	785-50	60-75	75-95	2.6	17.9	H	10	5242	1535	£568.73	£597.17	£767.79	£836.04
SMY1805	1800	345	36	435-50	60-75	75-95	1.6	10.7	H	5	3026	886	£365.59	£383.87	£493.54	£537.41
SMY1807	1800	485	36	575-50	60-75	75-95	2.2	15.0	H	7	4235	1240	£499.34	£524.30	£674.10	£734.03
SMY1808	1800	555	36	645-50	60-75	75-95	2.5	17.1	H	8	4839	1417	£565.63	£593.91	£763.60	£831.48
SMY1809	1800	625	36	715-50	60-75	75-95	2.8	19.3	H	9	5444	1594	£634.25	£665.96	£856.24	£932.35
SMY2005	2000	345	36	435-50	60-75	75-95	1.7	11.9	H	5	3313	970	£391.56	£411.14	£528.61	£575.59
SMY2007	2000	485	36	575-50	60-75	75-95	2.4	16.7	H	7	4638	1358	£535.00	£561.75	£722.25	£786.46
SMY2008	2000	555	36	645-50	60-75	75-95	2.8	19.1	H	8	5300	1552	£609.83	£640.32	£823.27	£896.45
SMY2009	2000	625	36	715-50	60-75	75-95	3.1	21.4	H	9	5963	1746	£687.75	£722.14	£928.46	£1,010.99

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical-25° Angle Manual Rad. Valve + L/S set
CYL850C

VIRTU

Prefer the strong, silent type? Then you will love this square aluminium design with its smooth lines and chunky, confident feel. This would stand out at home or in the workplace.

MODEL SHOWN BELOW: VRT621W IN WHITE, RIGHT: VRT1807W IN WHITE



Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £			
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013	Wood Effect K	CROC Textured CR
VRT607	600	485	69	575-50	60	94	0.9	8.4	H	7	2104	616	£295.87	£310.67	£399.43	£434.93
VRT609	600	625	69	715-50	60	94	1.2	10.8	H	9	2705	792	£372.07	£390.67	£502.30	£546.94
VRT611	600	765	69	855-50	60	94	1.5	13.2	H	11	3306	968	£455.56	£478.34	£615.01	£669.68
VRT613	600	905	69	995-50	60	94	1.7	15.6	H	13	3907	1144	£538.65	£565.58	£727.18	£791.82
VRT614	600	975	69	1065-50	60	94	1.9	16.8	H	14	4207	1232	£578.78	£607.72	£781.35	£850.80
VRT615	600	1045	69	1135-50	60	94	2.0	18.0	H	15	4508	1320	£620.12	£651.12	£837.16	£911.57
VRT618	600	1255	69	1345-50	60	94	2.4	21.6	H	18	5409	1584	£743.74	£780.92	£1,004.04	£1,093.29
VRT621	600	1465	69	1555-50	60	94	2.8	25.2	H	21	6311	1848	£868.98	£912.42	£1,173.12	£1,277.39
VRT625	600	1745	69	1835-50	60	94	3.4	30.0	H	25	7513	2200	£1,031.91	£1,083.50	£1,393.08	£1,516.91
VRT628	600	1955	69	2045-50	60	94	3.8	33.6	H	28	8415	2464	£1,157.15	£1,215.01	£1,562.15	£1,701.01
VRT1505	1500	345	69	435-50	60	94	1.7	15.0	H	5	3087	904	£423.14	£444.30	£571.24	£622.01
VRT1507	1500	485	69	575-50	60	94	2.3	21.0	H	7	4320	1265	£589.72	£619.21	£796.12	£866.89
VRT1509	1500	625	69	715-50	60	94	3.0	27.0	H	9	5553	1626	£759.54	£797.52	£1,025.38	£1,116.53
VRT1510	1500	695	69	785-50	60	94	3.3	30.0	H	10	6171	1807	£842.63	£884.76	£1,137.55	£1,238.67
VRT1803	1800	205	69	295-50	60	94	1.2	10.8	H	3	2418	708	£308.44	£323.86	£416.39	£453.40
VRT1804	1800	275	69	365-50	60	94	1.6	14.4	H	4	3224	944	£403.68	£423.87	£544.97	£593.42
VRT1805	1800	345	69	435-50	60	94	2.0	18.0	H	5	4030	1180	£506.23	£531.54	£683.41	£744.15
VRT1806	1800	415	69	505-50	60	94	2.4	21.6	H	6	4836	1416	£605.53	£635.80	£817.46	£890.12
VRT1807	1800	485	69	575-50	60	94	2.8	25.2	H	7	5642	1652	£708.07	£743.47	£955.89	£1,040.86
VRT1809	1800	625	69	715-50	60	94	3.6	32.4	H	9	7253	2124	£909.91	£955.41	£1,228.38	£1,337.57
VRT2005	2000	345	69	435-50	60	94	2.2	20.1	H	5	4559	1335	£557.70	£585.59	£752.90	£819.82
VRT2007	2000	485	69	575-50	60	94	3.1	28.0	H	7	6383	1869	£778.59	£817.52	£1,051.10	£1,144.53
VRT2009	2000	625	69	715-50	60	94	4.0	36.0	H	9	8206	2403	£999.48	£1,049.46	£1,349.30	£1,469.24

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Cylindrical 25° Angle Manual Rad. Valve + L/S set
CYL850C



VISAGE

All in the detail, the curved panels and attractive patterns make this aluminium radiator irresistible to the touch and pleasing to the eye. Affordable designer elegance at your fingertips.

MODEL SHOWN: VSG1810MA IN MATT ANODISED AND CROC TEXTURED



AL Material RAL9010 Finish K CR Working Pressure 10 Working Temp. 95°C Closed System C Mount Pos. V Warranty 10 YEARS

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Pipes or Sections	Heat Output ΔT 50		Retail Price £			
	Height mm	Length mm	Depth mm								BTU	Watts	White W	RAL 9016-9001-1013	Wood Effect K	CROC Textured CR
VSG411	450	545	75	635-50	60	97	1.1	8.0	H	11	2141	627	£308.03	£323.43	£415.84	£452.81
VSG414	450	695	75	785-50	60	97	1.4	10.1	H	14	2725	798	£392.34	£411.95	£529.65	£576.73
VSG416	450	795	75	885-50	60	97	1.6	11.6	H	16	3114	912	£447.46	£469.83	£604.07	£657.76
VSG418	450	895	75	985-50	60	97	1.8	13.0	H	18	3504	1026	£506.23	£531.54	£683.41	£744.15
VSG420	450	995	75	1085-50	60	97	2.0	14.5	H	20	3893	1140	£561.35	£589.42	£757.82	£825.18
VSG424	450	1195	75	1285-50	60	97	2.4	17.2	H	24	4672	1368	£671.19	£704.75	£906.10	£986.64
VSG428	450	1395	75	1485-50	60	97	2.8	20.2	H	28	5450	1596	£785.08	£824.33	£1,059.85	£1,154.06
VSG432	450	1595	75	1685-50	60	97	3.2	23.0	H	32	6229	1824	£894.92	£939.66	£1,208.14	£1,315.53
VSG436	450	1795	75	1885-50	60	97	3.6	26.1	H	36	7008	2052	£997.05	£1,046.90	£1,346.02	£1,465.67
VSG440	450	1995	75	2085-50	60	97	4.0	28.9	H	40	7786	2280	£1,105.67	£1,160.96	£1,492.66	£1,625.34
VSG607	600	345	75	435-50	60	97	1.5	10.6	H	7	1796	526	£254.94	£267.68	£344.17	£374.76
VSG609	600	445	75	535-50	60	97	1.8	13.5	H	9	2309	676	£324.24	£340.46	£437.73	£476.64
VSG611	600	545	75	635-50	60	97	2.1	15.4	H	11	2821	826	£396.39	£416.21	£535.13	£582.69
VSG614	600	695	75	785-50	60	97	2.6	19.3	H	14	3589	1051	£504.61	£529.84	£681.22	£741.77
VSG616	600	795	75	885-50	60	97	3.6	26.1	H	14	4101	1201	£576.75	£605.59	£778.61	£847.82
VSG618	600	895	75	985-50	60	97	4.8	34.7	H	18	4617	1352	£648.49	£680.91	£875.46	£953.28
VSG620	600	995	75	1085-50	60	97	5.3	38.6	H	20	5129	1502	£721.04	£757.09	£973.40	£1,059.93
VSG624	600	1195	75	1285-50	60	97	6.3	46.2	H	24	6154	1802	£865.33	£908.59	£1,168.19	£1,272.03
VSG628	600	1395	75	1485-50	60	97	7.4	54.0	H	28	7178	2102	£1,009.21	£1,059.67	£1,362.44	£1,483.54
VSG632	600	1595	75	1685-50	60	97	8.4	61.7	H	32	8206	2403	£1,153.50	£1,211.18	£1,557.23	£1,695.65
VSG636	600	1795	75	1885-50	60	97	9.5	69.3	H	36	9231	2703	£1,297.38	£1,362.25	£1,751.47	£1,907.15
VSG640	600	1995	75	2085-50	60	97	10.6	77.1	H	40	10255	3003	£1,441.67	£1,513.76	£1,946.26	£2,119.26
VSG1506	1500	295	75	385-50	60	97	3.1	22.7	H	6	3173	929	£419.90	£440.89	£566.86	£617.25
VSG1508	1500	395	75	485-50	60	97	4.1	30.3	H	8	4228	1238	£557.70	£585.59	£752.90	£819.82
VSG1510	1500	495	75	585-50	60	97	5.2	37.8	H	10	5286	1548	£695.10	£729.85	£938.38	£1,021.80
VSG1512	1500	595	75	685-50	60	97	6.2	45.3	H	12	6345	1858	£832.90	£874.55	£1,124.42	£1,224.37
VSG1805	1800	245	75	335-50	60	97	3.1	22.7	H	5	3060	896	£419.90	£440.89	£566.86	£617.25
VSG1807	1800	345	75	435-50	60	97	4.3	31.7	H	7	4286	1255	£586.48	£615.80	£791.74	£862.12
VSG1809	1800	445	75	535-50	60	97	5.6	40.8	H	9	5508	1613	£753.06	£790.71	£1,016.63	£1,107.00
VSG1810	1800	495	75	585-50	60	97	6.2	45.3	H	10	6120	1792	£836.15	£877.95	£1,128.80	£1,229.13
VSG1812	1800	595	75	685-50	60	97	7.5	54.4	H	12	7346	2151	£1,002.73	£1,052.86	£1,353.68	£1,474.01
VSG1814	1800	695	75	785-50	60	97	8.7	63.4	H	14	8568	2509	£1,166.06	£1,224.37	£1,574.19	£1,714.12
VSG2003	2000	145	75	235-50	60	97	2.1	15.2	H	3	2015	590	£286.55	£300.88	£386.84	£421.23
VSG2007	2000	345	75	435-50	60	97	4.8	35.3	H	7	4702	1377	£644.03	£676.23	£869.44	£946.73
VSG2009	2000	445	75	535-50	60	97	6.2	45.5	H	9	6048	1771	£826.82	£868.17	£1,116.21	£1,215.43
VSG2010	2000	495	75	585-50	60	97	6.9	50.5	H	10	6120	1792	£919.64	£965.62	£1,241.51	£1,351.87
VSG2012	2000	595	75	685-50	60	97	8.3	60.5	H	12	8063	2361	£1,102.03	£1,157.13	£1,487.74	£1,619.98
VSG2014	2000	695	75	785-50	60	97	9.7	70.6	H	14	9405	2754	£1,284.82	£1,349.06	£1,734.51	£1,888.68

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head

UAW853CT



Cylindrical-25° Angle Manual Rad. Valve + L/S set

CYL850C

COMPACT 4:

The Professionals Choice

- The perfect combination of efficient heating, reliability quality and value
- Easy-fit, high efficiency radiators - with a wide choice of sizes and shapes to suit any room at home or in the workplace
- Quick, simple and inexpensive to fit
- The most popular choice of heating solution amongst professional fitters of domestic radiators
- UK's largest range of "in stock" steel panel radiators



MS Material RAL 9016 Finish 10 Working Pressure 10 YEARS Warranty

Ultraheat Compact 4 radiators come in four types:

- SF** Single Panel Single Convactor – 4 connections (45mm deep)
- DF** Double Panel Double Convactor – 4 connections (100mm deep)
- HF** Double Panel Single Convactor – 4 connections (67mm deep)
- TS** Triple Panel Triple Convactor – 6 connections (160mm deep)

Heights 200, 300, 400, 500, 600, 700 & 900mm

Lengths 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1600, 1800, 2000, 2200, 2400, 2700 & 3000mm

Please refer to our Compact 4 brochure for more information.

For your copy call +44 (0)1908 271155.

For additional finish options please call us on +44 (0)1908 271155 or visit our website. See page 61 for colours & finishes

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Angle Thermostatic Valve & TRV Head/LS Twin Pack
UAW850NL



Barrel-30 Angle Manual Rad. Valve + L/S set
BCH850C

Heat up your living space with these powerful and reliable radiators. Easy to install with a highly versatile body providing excellent quality. Lanner Horizontal includes a wide selection of sizes.

MODEL SHOWN: 6LDS1200W NOTE: PIPE COLLARS ARE NOT INCLUDED



LANNER SINGLE LSS

MS Material RAL 9016 Finish 6 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 5 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm							BTU	Watts	
3LSS500	300	500	52	590 - 50	33-44	70-81	1.30	7.4	H	888	260	£99.59
3LSS800	300	800	52	890 - 50	33-44	70-81	2.08	10.9	H	1419	415	£140.22
3LSS1000	300	1000	52	1090 - 50	33-44	70-81	2.60	13.2	H	1774	519	£167.73
3LSS1200	300	1200	52	1290 - 50	33-44	70-81	3.12	15.5	H	2129	623	£196.55
3LSS1400	300	1400	52	1490 - 50	33-44	70-81	3.64	17.9	H	2484	727	£224.07
3LSS2000	300	2000	52	2090 - 50	33-44	70-81	5.20	25.0	H	3548	1039	£310.55
4LSS400	400	400	52	490 - 50	33-44	70-81	1.09	7.9	H	914	268	£95.71
4LSS500	400	500	52	590 - 50	33-44	70-81	1.37	9.4	H	1143	335	£110.36
4LSS600	400	600	52	690 - 50	33-44	70-81	1.64	10.9	H	1372	401	£127.29
4LSS700	400	700	52	790 - 50	33-44	70-81	1.91	12.4	H	1600	468	£144.20
4LSS800	400	800	52	890 - 50	33-44	70-81	2.18	14.0	H	1829	535	£160.90
4LSS900	400	900	52	990 - 50	33-44	70-81	2.46	15.5	H	2057	602	£177.67
4LSS1000	400	1000	52	1090 - 50	33-44	70-81	2.73	17.0	H	2286	669	£194.85
4LSS1100	400	1100	52	1190 - 50	33-44	70-81	3.00	18.1	H	2515	736	£211.28
4LSS1200	400	1200	52	1290 - 50	33-44	70-81	3.28	20.0	H	2743	803	£228.21
4LSS1400	400	1400	52	1490 - 50	33-44	70-81	3.82	23.1	H	3200	937	£261.89
4LSS1600	400	1600	52	1690 - 50	33-44	70-81	4.37	26.1	H	3658	1070	£295.59
4LSS1800	400	1800	52	1890 - 50	33-44	70-81	4.91	29.3	H	4115	1204	£328.75
4LSS2000	400	2000	52	2090 - 50	33-44	70-81	5.46	32.4	H	4572	1338	£362.67

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Angle "H" Valve without by-pass

P926



Cylindrical-25-Angle Manual Rad. Valve + L/S set

CYL850C



LANNER SINGLE LSS

MS Material RAL 9016 Finish 6 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 5 YEARS Warranty

Product Name	Dimensions			Pipe Centres	Wall to Pipe	Wall to Face	Water Content	Gross Weight	Fuel Options	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm	mm	Centre mm	mm	lit	kg	E/H/D	BTU	Watts	White W
5LSS400	500	400	52	490 - 50	33-44	70-81	1.15	9.6	H	1099	322	£117.09
5LSS500	500	500	52	590 - 50	33-44	70-81	1.44	11.5	H	1374	402	£130.99
5LSS600	500	600	52	690 - 50	33-44	70-81	1.72	13.4	H	1649	482	£151.78
5LSS700	500	700	52	790 - 50	33-44	70-81	2.01	15.3	H	1924	563	£172.69
5LSS800	500	800	52	890 - 50	33-44	70-81	2.30	17.2	H	2198	643	£193.23
5LSS900	500	900	52	990 - 50	33-44	70-81	2.58	19.0	H	2473	724	£214.70
5LSS1000	500	1000	52	1090 - 50	33-44	70-81	2.87	20.9	H	2748	804	£234.86
5LSS1100	500	1100	52	1190 - 50	33-44	70-81	3.16	22.3	H	3023	884	£256.08
5LSS1200	500	1200	52	1290 - 50	33-44	70-81	3.44	24.7	H	3298	965	£276.85
5PSS1400	500	1400	52	1490 - 50	33-44	70-81	4.02	28.5	H	3847	1126	£318.55
5LSS1600	500	1600	52	1690 - 50	33-44	70-81	4.59	32.2	H	4397	1286	£360.17
5LSS1800	500	1800	52	1890 - 50	33-44	70-81	5.17	36.3	H	4946	1447	£405.87
5LSS2000	500	2000	52	2090 - 50	33-44	70-81	5.74	40.0	H	5496	1608	£447.38
6LSS400	600	400	52	490 - 50	33-44	70-81	1.20	11.3	H	1272	372	£133.93
6LSS500	600	500	52	590 - 50	33-44	70-81	1.50	13.6	H	1591	466	£139.16
6LSS600	600	600	52	690 - 50	33-44	70-81	1.80	15.8	H	1909	559	£174.51
6LSS700	600	700	52	790 - 50	33-44	70-81	2.10	18.1	H	2227	652	£199.36
6LSS800	600	800	52	890 - 50	33-44	70-81	2.40	20.3	H	2545	745	£223.90
6LSS900	600	900	52	990 - 50	33-44	70-81	2.70	22.6	H	2863	838	£248.82
6LSS1000	600	1000	52	1090 - 50	33-44	70-81	3.00	24.8	H	3181	931	£273.60
6LSS1100	600	1100	52	1190 - 50	33-44	70-81	3.30	27.1	H	3499	1024	£298.23
6LSS1200	600	1200	52	1290 - 50	33-44	70-81	3.60	29.3	H	3817	1117	£323.08
6LSS1400	600	1400	52	1490 - 50	33-44	70-81	4.20	33.8	H	4453	1303	£372.56
6LSS1600	600	1600	52	1690 - 50	33-44	70-81	4.80	38.3	H	5090	1490	£421.89
6LSS1800	600	1800	52	1890 - 50	33-44	70-81	5.40	43.1	H	5726	1676	£471.48
6LSS2000	600	2000	52	2090 - 50	33-44	70-81	6.00	47.6	H	6362	1862	£522.39
7LSS400	700	400	52	490 - 50	33-44	70-81	1.32	12.9	H	1434	420	£154.37
7LSS500	700	500	52	590 - 50	33-44	70-81	1.65	15.5	H	1792	525	£170.27
7LSS600	700	600	52	690 - 50	33-44	70-81	1.98	18.1	H	2150	629	£202.91
7LSS700	700	700	52	790 - 50	33-44	70-81	2.31	20.7	H	2509	734	£232.17
7LSS800	700	800	52	890 - 50	33-44	70-81	2.64	22.7	H	2867	839	£261.88
7LSS900	700	900	52	990 - 50	33-44	70-81	2.97	25.9	H	3226	944	£290.89
7LSS1000	700	1000	52	1090 - 50	33-44	70-81	3.30	28.5	H	3584	1049	£320.23
7LSS1100	700	1100	52	1190 - 50	33-44	70-81	3.63	31.1	H	3942	1154	£349.71
7LSS1200	700	1200	52	1290 - 50	33-44	70-81	3.96	33.2	H	4301	1259	£379.04
7LSS1400	700	1400	52	1490 - 50	33-44	70-81	4.62	38.8	H	5018	1469	£437.93
9LSS400	900	400	52	490 - 50	33-44	70-81	1.56	16.2	H	1720	503	£235.86
9LSS500	900	500	52	590 - 50	33-44	70-81	1.95	19.5	H	2150	629	£263.54
9LSS600	900	600	52	690 - 50	33-44	70-81	2.34	22.7	H	2580	755	£297.02
9LSS700	900	700	52	790 - 50	33-44	70-81	2.73	26.0	H	3010	881	£342.15

LANNER SINGLE PLUS LHS

MS RAL9016 1.6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres	Wall to Pipe	Wall to Face	Water Content	Gross Weight	Fuel Options	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm	mm	Centre mm	mm	lt	kg	E/H/D	BTU	Watts	White W
4LHS400	400	400	71	490 - 50	56-67	93-104	1.70	10.8	H	1370	401	£126.76
4LHS500	400	500	71	590 - 50	56-67	93-104	2.13	13.0	H	1714	502	£146.39
4LHS600	400	600	71	690 - 50	56-67	93-104	2.56	15.2	H	2056	602	£170.29
4LHS700	400	700	71	790 - 50	56-67	93-104	2.98	17.4	H	2399	702	£194.41
4LHS800	400	800	71	890 - 50	56-67	93-104	3.41	19.7	H	2742	802	£219.70
4LHS900	400	900	71	990 - 50	56-67	93-104	3.83	21.9	H	3084	903	£243.02
4LHS1000	400	1000	71	1090 - 50	56-67	93-104	4.26	24.1	H	3427	1003	£266.91
4LHS1100	400	1100	71	1190 - 50	56-67	93-104	4.69	26.3	H	3770	1103	£291.17
4LHS1200	400	1200	71	1290 - 50	56-67	93-104	5.11	28.6	H	4112	1204	£315.29
4LHS1400	400	1400	71	1490 - 50	56-67	93-104	5.96	33.0	H	4798	1404	£363.37
4LHS1600	400	1600	71	1690 - 50	56-67	93-104	6.82	37.5	H	5483	1605	£411.61
4LHS1800	400	1800	71	1890 - 50	56-67	93-104	7.67	42.1	H	6169	1805	£459.78
4LHS2000	400	2000	71	2090 - 50	56-67	93-104	8.52	46.5	H	6854	2006	£508.16
5LHS400	500	400	71	490 - 50	56-67	93-104	2.01	13.0	H	1649	483	£150.51
5LHS500	500	500	71	590 - 50	56-67	93-104	2.51	15.7	H	2061	604	£172.84
5LHS600	500	600	71	690 - 50	56-67	93-104	3.01	18.5	H	2473	724	£202.43
5LHS700	500	700	71	790 - 50	56-67	93-104	3.51	21.2	H	2885	845	£232.02
5LHS800	500	800	71	890 - 50	56-67	93-104	4.02	23.9	H	3298	966	£261.68
5LHS900	500	900	71	990 - 50	56-67	93-104	4.52	26.6	H	3710	1086	£291.28
5LHS1000	500	1000	71	1090 - 50	56-67	93-104	5.02	29.3	H	4122	1207	£320.47
5LHS1100	500	1100	71	1190 - 50	56-67	93-104	5.52	32.0	H	4534	1328	£350.32
5LHS1200	500	1200	71	1290 - 50	56-67	93-104	6.02	34.8	H	4946	1448	£379.85
5LHS1400	500	1400	71	1490 - 50	56-67	93-104	7.03	40.2	H	5771	1690	£438.96
5LHS1600	500	1600	71	1690 - 50	56-67	93-104	8.03	45.6	H	6595	1931	£497.71
5LHS1800	500	1800	71	1890 - 50	56-67	93-104	9.04	51.3	H	7420	2173	£571.45
5LHS2000	500	2000	71	2090 - 50	56-67	93-104	10.04	56.8	H	8244	2414	£634.93
6LHS400	600	400	71	490 - 50	56-67	93-104	2.32	15.5	H	1911	560	£170.94
6LHS500	600	500	71	590 - 50	56-67	93-104	2.90	18.8	H	2389	700	£199.81
6LHS600	600	600	71	690 - 50	56-67	93-104	3.47	22.1	H	2867	839	£234.86
6LHS700	600	700	71	790 - 50	56-67	93-104	4.05	25.3	H	3345	979	£269.85
6LHS800	600	800	71	890 - 50	56-67	93-104	4.63	28.6	H	3822	1119	£304.95
6LHS900	600	900	71	990 - 50	56-67	93-104	5.21	31.9	H	4300	1259	£339.78
6LHS1000	600	1000	71	1090 - 50	56-67	93-104	5.79	35.2	H	4778	1399	£374.75
6LHS1100	600	1100	71	1190 - 50	56-67	93-104	6.37	38.4	H	5256	1539	£409.52
6LHS1200	600	1200	71	1290 - 50	56-67	93-104	6.95	41.7	H	5734	1679	£444.36
6LHS1400	600	1400	71	1490 - 50	56-67	93-104	8.11	48.3	H	6689	1959	£514.58
6LHS1600	600	1600	71	1690 - 50	56-67	93-104	9.26	54.8	H	7645	2238	£584.41
6LHS1800	600	1800	71	1890 - 50	56-67	93-104	10.42	61.7	H	8600	2518	£667.44
6LHS2000	600	2000	71	2090 - 50	56-67	93-104	11.58	68.2	H	9556	2798	£735.79
7LHS400	700	400	71	490 - 50	56-67	93-104	2.57	16.4	H	2229	653	£200.66
7LHS500	700	500	71	590 - 50	56-67	93-104	3.21	21.6	H	2787	816	£238.73
7LHS600	700	600	71	690 - 50	56-67	93-104	3.85	24.0	H	3344	979	£281.71
7LHS700	700	700	71	790 - 50	56-67	93-104	4.49	27.8	H	3901	1142	£324.37
7LHS800	700	800	71	890 - 50	56-67	93-104	5.14	31.6	H	4459	1306	£367.26
7LHS900	700	900	71	990 - 50	56-67	93-104	5.78	35.4	H	5016	1469	£409.72
7LHS1000	700	1000	71	1090 - 50	56-67	93-104	6.42	39.1	H	5573	1632	£452.97
7LHS1200	700	1200	71	1190 - 50	56-67	93-104	7.70	46.7	H	6688	1958	£537.22

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head

UAW853CT



Cylindrical-25° Angle Manual Rad. Valve + L/S set

CYL850C

MS

RAL 9016

6

95°C

C

V

5 YEARS

MaterialFinishWorking PressureWorking Temp.Closed SystemMount Pos.Warranty

Product Name	Dimensions			Pipe Centres	Wall to Pipe	Wall to Face	Water Content	Gross Weight	Fuel Options	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm	mm	Centre mm	mm	lt	kg	E/H/D	BTU	Watts	White W
3LDS500	300	500	104	590 - 50	72-83	126-137	1.75	11.5	H	1725	505	£132.65
3LDS800	300	800	104	890 - 50	72-83	126-137	2.80	17.2	H	2760	808	£189.51
3LDS1000	300	1000	104	1090 - 50	72-83	126-137	3.50	21.0	H	3450	1010	£229.74
3PDS1200	300	1200	104	1290 - 50	72-83	126-137	4.20	24.8	H	4140	1212	£270.13
3LDS1400	300	1400	104	1490 - 50	72-83	126-137	4.90	28.6	H	4830	1414	£310.90
3LDS1800	300	1800	104	1890 - 50	72-83	126-137	6.10	36.0	H	6210	1818	£390.38
3LDS2000	300	2000	104	2090 - 50	72-83	126-137	6.78	40.0	H	6900	2020	£432.12
4LDS400	400	400	104	490 - 50	72-83	126-137	1.71	12.3	H	1767	517	£142.46
4LDS500	400	500	104	590 - 50	72-83	126-137	2.14	14.8	H	2209	647	£156.74
4LDS600	400	600	104	690 - 50	72-83	126-137	2.56	17.3	H	2650	776	£182.81
4LDS700	400	700	104	790 - 50	72-83	126-137	2.99	19.8	H	3092	905	£208.80
4LDS800	400	800	104	890 - 50	72-83	126-137	3.42	22.3	H	3534	1034	£234.95
4LDS900	400	900	104	990 - 50	72-83	126-137	3.84	24.8	H	3975	1164	£261.25
4LDS1000	400	1000	104	1090 - 50	72-83	126-137	4.27	27.3	H	4417	1293	£287.32
4LDS1100	400	1100	104	1190 - 50	72-83	126-137	4.70	28.8	H	4859	1422	£313.08
4LDS1200	400	1200	104	1290 - 50	72-83	126-137	5.12	32.2	H	5300	1552	£339.46
4LDS1400	400	1400	104	1490 - 50	72-83	126-137	5.98	37.2	H	6184	1810	£398.37
4LDS1600	400	1600	104	1690 - 50	72-83	126-137	6.83	42.2	H	7067	2069	£444.13
4LDS1800	400	1800	104	1890 - 50	72-83	126-137	7.69	47.4	H	7951	2327	£492.39
4LDS2000	400	2000	104	2090 - 50	72-83	126-137	8.54	52.4	H	8834	2586	£545.52
5LDS400	500	400	104	490 - 50	72-83	126-137	2.01	14.8	H	2124	622	£161.39
5LDS500	500	500	104	590 - 50	72-83	126-137	2.52	17.8	H	2655	777	£188.44
5LDS600	500	600	104	690 - 50	72-83	126-137	3.02	20.9	H	3185	932	£220.90
5LDS700	500	700	104	790 - 50	72-83	126-137	3.52	24.0	H	3716	1088	£253.13
5LDS800	500	800	104	890 - 50	72-83	126-137	4.02	27.0	H	4247	1243	£285.81
5LDS900	500	900	104	990 - 50	72-83	126-137	4.53	30.1	H	4778	1399	£318.27
5LDS1000	500	1000	104	1090 - 50	72-83	126-137	5.03	33.2	H	5309	1554	£350.50
5LDS1100	500	1100	104	1190 - 50	72-83	126-137	5.53	35.8	H	5840	1709	£383.26
5LDS1200	500	1200	104	1290 - 50	72-83	126-137	6.04	39.3	H	6371	1865	£415.87
5LDS1400	500	1400	104	1490 - 50	72-83	126-137	7.04	45.4	H	7433	2176	£480.49
5LDS1600	500	1600	104	1690 - 50	72-83	126-137	8.05	51.5	H	8494	2486	£545.25
5LDS1800	500	1800	104	1890 - 50	72-83	126-137	9.05	57.9	H	9556	2797	£598.65
5LDS2000	500	2000	104	2090 - 50	72-83	126-137	10.06	64.0	H	10618	3108	£664.74
6LDS400	600	400	104	490 - 50	72-83	126-137	2.32	17.7	H	2452	718	£189.19
6LDS500	600	500	104	590 - 50	72-83	126-137	2.90	21.3	H	3065	897	£221.38
6LDS600	600	600	104	690 - 50	72-83	126-137	3.48	25.0	H	3677	1076	£260.61
6LDS700	600	700	104	790 - 50	72-83	126-137	4.06	28.7	H	4290	1256	£299.66
6LDS800	600	800	104	890 - 50	72-83	126-137	4.64	32.4	H	4903	1435	£338.64
6LDS900	600	900	104	990 - 50	72-83	126-137	5.22	36.1	H	5516	1615	£377.45
6LDS1000	600	1000	104	1090 - 50	72-83	126-137	5.80	39.8	H	6129	1794	£416.63
6LDS1100	600	1100	104	1190 - 50	72-83	126-137	6.38	43.5	H	6742	1973	£455.47
6LDS1200	600	1200	104	1290 - 50	72-83	126-137	6.96	47.2	H	7355	2153	£494.47
6LDS1400	600	1400	104	1490 - 50	72-83	126-137	8.12	54.6	H	8581	2512	£572.98
6LDS1600	600	1600	104	1690 - 50	72-83	126-137	9.28	62.0	H	9806	2870	£651.05
6LDS1800	600	1800	104	1890 - 50	72-83	126-137	10.44	69.7	H	11032	3229	£721.75
6LDS2000	600	2000	104	2090 - 50	72-83	126-137	11.60	77.1	H	12258	3588	£793.01
7LDS400	700	400	104	490 - 50	72-83	126-137	2.57	20.3	H	2755	806	£214.50
7LDS500	700	500	104	590 - 50	72-83	126-137	3.22	24.6	H	3444	1008	£258.43
7LDS600	700	600	104	690 - 50	72-83	126-137	3.86	28.9	H	4132	1210	£305.22
7LDS700	700	700	104	790 - 50	72-83	126-137	4.50	33.2	H	4821	1411	£351.16
7LDS800	700	800	104	890 - 50	72-83	126-137	5.14	37.5	H	5510	1613	£397.72
7LDS900	700	900	104	990 - 50	72-83	126-137	5.79	41.8	H	6198	1814	£443.88
7LDS1000	700	1000	104	1090 - 50	72-83	126-137	6.43	46.1	H	6887	2016	£490.13
7LDS1100	700	1100	104	1190 - 50	72-83	126-137	7.07	48.7	H	7576	2218	£536.92
7LDS1200	700	1200	104	1290 - 50	72-83	126-137	7.72	54.6	H	8264	2419	£583.09
7LDS1400	700	1400	104	1490 - 50	72-83	126-137	9.00	63.2	H	9642	2822	£675.97
9LDS400	900	400	104	490 - 50	72-83	126-137	3.08	25.7	H	3289	963	£328.46
9LDS500	900	500	104	590 - 50	72-83	126-137	3.85	31.2	H	4111	1203	£384.57
9LDS600	900	600	104	690 - 50	72-83	126-137	4.62	36.7	H	4933	1444	£425.63
9LDS700	900	700	104	790 - 50	72-83	126-137	5.39	42.1	H	5755	1685	£491.32

LANNER TRIPLE LTS

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres	Wall to Pipe	Wall to Face	Water Content	Gross Weight	Fuel Options	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm	mm	Centre mm	mm	lt	kg	E/H/D	BTU	Watts	White W
2LTS600	200	600	164	690 - 50	72-83	186-197	2.09	12.9	H	1738	509	£273.25
2LTS800	200	800	164	890 - 50	72-83	186-197	2.79	17.1	H	2322	680	£301.39
2LTS1000	200	1000	164	1090 - 50	72-83	186-197	3.49	21.4	H	2903	850	£368.36
2LTS1400	200	1400	164	1490 - 50	72-83	186-197	4.89	30.0	H	4064	1190	£507.66
2LTS2000	200	2000	164	2090 - 50	72-83	186-197	6.98	42.9	H	5802	1699	£715.27
2LTS2400	200	2400	164	2490 - 50	72-83	186-197	8.38	51.4	H	6963	2039	£901.46
3LTS500	300	500	164	590 - 50	72-83	186-197	2.60	15.2	H	2104	616	£204.95
3LTS600	300	600	164	690 - 50	72-83	186-197	3.12	17.8	H	2534	742	£235.75
3LTS800	300	800	164	890 - 50	72-83	186-197	4.16	23.1	H	3374	988	£296.02
3LTS1000	300	1000	164	1090 - 50	72-83	186-197	5.20	28.4	H	4221	1236	£361.65
3LTS1200	300	1200	164	1290 - 50	72-83	186-197	6.24	33.7	H	5064	1483	£427.30
3LTS1400	300	1400	164	1490 - 50	72-83	186-197	7.28	39.1	H	5908	1730	£492.92
3LTS1600	300	1600	164	1690 - 50	72-83	186-197	8.32	44.4	H	6758	1979	£558.56
3LTS1800	300	1800	164	1890 - 50	72-83	186-197	9.36	49.7	H	7595	2224	£625.53
3LTS2000	300	2000	164	2090 - 50	72-83	186-197	10.40	55.0	H	8442	2472	£691.16
4LTS500	400	500	164	590 - 50	72-83	186-197	3.20	19.6	H	2697	790	£274.59
4LTS600	400	600	164	690 - 50	72-83	186-197	3.83	23.1	H	3248	951	£322.82
4LTS800	400	800	164	890 - 50	72-83	186-197	5.11	30.1	H	4327	1267	£419.25
4LTS1000	400	1000	164	1090 - 50	72-83	186-197	6.39	37.1	H	5409	1584	£515.70
4LTS1200	400	1200	164	1290 - 50	72-83	186-197	7.67	44.1	H	6495	1902	£613.47
4LTS1400	400	1400	164	1490 - 50	72-83	186-197	8.95	51.1	H	7574	2218	£709.91
4LTS1600	400	1600	164	1690 - 50	72-83	186-197	10.22	58.1	H	8657	2535	£806.35
4LTS1800	400	1800	164	1890 - 50	72-83	186-197	11.50	65.1	H	9740	2852	£902.80
4LTS2000	400	2000	164	2090 - 50	72-83	186-197	12.78	72.1	H	10822	3169	£999.23
5LTS400	500	400	164	490 - 50	72-83	186-197	3.04	19.5	H	3254	953	£286.64
5LTS500	500	500	164	590 - 50	72-83	186-197	3.80	23.8	H	3887	1138	£333.53
5LTS600	500	600	164	690 - 50	72-83	186-197	4.55	28.1	H	3900	1142	£392.47
5LTS800	500	800	164	890 - 50	72-83	186-197	6.07	36.7	H	5201	1523	£513.02
5LTS1000	500	1000	164	1090 - 50	72-83	186-197	7.59	45.3	H	6502	1904	£633.57
5LTS1200	500	1200	164	1290 - 50	72-83	186-197	9.11	53.9	H	7803	2285	£754.12
5LTS1400	500	1400	164	1490 - 50	72-83	186-197	10.63	62.5	H	9104	2666	£873.32
5LTS1600	500	1600	164	1690 - 50	72-83	186-197	12.14	71.1	H	10402	3046	£993.87
5LTS1800	500	1800	164	1890 - 50	72-83	186-197	13.66	79.7	H	11707	3428	£1,113.10
5LTS2000	500	2000	164	2090 - 50	72-83	186-197	15.18	88.3	H	13008	3809	£1,233.64
6LTS400	600	400	164	490 - 50	72-83	186-197	3.51	23.3	H	3002	879	£329.50
6LTS500	600	500	164	590 - 50	72-83	186-197	4.39	28.4	H	3739	1095	£393.81
6LTS600	600	600	164	690 - 50	72-83	186-197	5.27	33.6	H	4501	1318	£466.13
6LTS800	600	800	164	890 - 50	72-83	186-197	7.02	44.0	H	6004	1758	£610.79
6LTS900	600	900	164	990 - 50	72-83	186-197	7.90	49.2	H	6732	1971	£683.12
6LTS1000	600	1000	164	1090 - 50	72-83	186-197	8.78	54.4	H	7506	2198	£755.45
6LTS1200	600	1200	164	1290 - 50	72-83	186-197	10.54	64.7	H	9005	2637	£896.10
6LTS1400	600	1400	164	1490 - 50	72-83	186-197	12.29	75.1	H	10508	3077	£1,044.78
6LTS1600	600	1600	164	1690 - 50	72-83	186-197	14.05	85.5	H	12007	3516	£1,189.44
6LTS1800	600	1800	164	1890 - 50	72-83	186-197	15.80	95.9	H	13510	3956	£1,334.10
6LTS2000	600	2000	164	2090 - 50	72-83	186-197	17.56	106.2	H	15009	4395	£1,478.76
7LTS400	700	400	164	490 - 50	72-83	186-197	3.88	26.8	H	3357	983	£383.21
7LTS500	700	500	164	590 - 50	72-83	186-197	4.85	32.9	H	4196	1229	£462.57
7LTS600	700	600	164	690 - 50	72-83	186-197	5.81	38.9	H	5033	1474	£547.44
7LTS800	700	800	164	890 - 50	72-83	186-197	7.75	51.0	H	6711	1965	£719.87
7LTS1000	700	1000	164	1090 - 50	72-83	186-197	9.69	63.0	H	8390	2457	£890.95
9LTS400	900	400	164	490 - 50	72-83	186-197	4.60	33.9	H	3991	1169	£496.19
9LTS500	900	500	164	590 - 50	72-83	186-197	5.75	41.6	H	4989	1461	£603.81
9LTS600	900	600	164	690 - 50	72-83	186-197	6.90	49.3	H	5988	1753	£717.03
9LTS800	900	800	164	890 - 50	72-83	186-197	9.20	64.7	H	7982	2337	£946.25
9LTS1000	900	1000	164	1090 - 50	72-83	186-197	11.50	80.1	H	9979	2922	£1,125.55

LANNER *vertical*

Featuring contemporary vertical tall panels, Lanner radiators have subtle lines producing a beautiful and powerful radiator. Provides a high output for heating up your home, ideal for open plan home styling.

R MODEL SHOWN: 16VLD500
NOTE: PIPE COLLARS ARE NOT INCLUDED



LANNER SINGLE VLS

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm							BTU	Watts	
12VLS300	1200	300	52	250 - 50	33-55	70-92	3.12	15.6	H	1359	398	£251.73
14VLS300	1400	300	52	250 - 50	33-55	70-92	3.64	17.2	H	1567	459	£280.78
16VLS300	1600	300	52	250 - 50	33-55	70-92	4.16	19.5	H	1696	497	£313.98
18VLS300	1800	300	52	250 - 50	33-55	70-92	4.68	21.9	H	1822	533	£333.35
20VLS300	2000	300	52	250 - 50	33-55	70-92	5.20	24.3	H	1965	575	£363.77
12VLS400	1200	400	52	350 - 50	33-55	70-92	3.28	19.2	H	1662	487	£340.25
14VLS400	1400	400	52	350 - 50	33-55	70-92	3.82	22.3	H	1929	565	£373.45
16VLS400	1600	400	52	350 - 50	33-55	70-92	4.37	25.3	H	2103	616	£413.56
18VLS400	1800	400	52	350 - 50	33-55	70-92	4.91	28.4	H	2287	670	£439.84
20VLS400	2000	400	52	350 - 50	33-55	70-92	5.46	31.5	H	2455	719	£478.56
12VLS500	1200	500	52	450 - 50	33-55	70-92	3.44	23.2	H	1972	578	£369.30
14VLS500	1400	500	52	450 - 50	33-55	70-92	4.02	27.1	H	2288	670	£405.26
16VLS500	1600	500	52	450 - 50	33-55	70-92	4.59	30.8	H	2521	738	£445.28
18VLS500	1800	500	52	450 - 50	33-55	70-92	5.17	34.2	H	2754	806	£484.09
20VLS500	2000	500	52	450 - 50	33-55	70-92	5.74	38.0	H	2951	864	£518.55
12VLS600	1200	600	52	550 - 50	33-55	70-92	3.60	28.0	H	2284	669	£410.79
14VLS600	1400	600	52	550 - 50	33-55	70-92	4.20	32.6	H	2646	775	£453.67
16VLS600	1600	600	52	550 - 50	33-55	70-92	4.80	37.1	H	2937	860	£495.16
18VLS600	1800	600	52	550 - 50	33-55	70-92	5.40	41.7	H	3220	943	£542.19
20VLS600	2000	600	52	550 - 50	33-55	70-92	6.00	46.3	H	3446	1009	£578.15
12VLS700	1200	700	52	650 - 50	33-55	70-92	3.96	32.4	H	2592	759	£451.46
14VLS700	1400	700	52	650 - 50	33-55	70-92	4.62	37.8	H	3005	880	£496.19
16VLS700	1600	700	52	650 - 50	33-55	70-92	5.28	43.0	H	3347	980	£552.10
18VLS700	1800	700	52	650 - 50	33-55	70-92	5.94	48.3	H	3681	1078	£603.81
20VLS700	2000	700	52	650 - 50	33-55	70-92	6.60	53.6	H	3941	1154	£656.91
12VLS900	1200	900	52	850 - 50	33-55	70-92	4.68	41.0	H	3333	976	£568.87
14VLS900	1400	900	52	850 - 50	33-55	70-92	5.46	47.7	H	3862	1131	£634.55
16VLS900	1600	900	52	850 - 50	33-55	70-92	6.24	54.3	H	4303	1260	£701.64
18VLS900	1800	900	52	850 - 50	33-55	70-92	7.02	61.1	H	4733	1386	£767.34
20VLS900	2000	900	52	850 - 50	33-55	70-92	7.80	67.8	H	5068	1484	£833.02

LANNER SINGLE PLUS VLH

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm							BTU	Watts	
12VLH200	1200	200	71	150 - 50	56-78	93-115	2.81	14.5	H	1748	512	£323.90
14VLH200	1400	200	71	150 - 50	56-78	93-115	3.28	16.9	H	2022	592	£360.99
16VLH200	1600	200	71	150 - 50	56-78	93-115	3.74	19.1	H	2315	678	£396.65
18VLH200	1800	200	71	150 - 50	56-78	93-115	4.21	21.5	H	2599	761	£419.49
20VLH200	2000	200	71	150 - 50	56-78	93-115	4.68	23.9	H	2889	846	£465.15

RECOMMENDED ACCESSORIES
See page 62 for more valves and accessories



Corner Thermostatic Valve & TRV Head
UAW853CT



Straight Thermostatic Valve & TRV Head/L5
UAW851NL

LANNER SINGLE PLUS VLH

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Height mm	Dimensions		Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £
		Length mm	Depth mm							BTU	Watts	
												White W
12VLH300	1200	300	71	250 - 50	56-78	93-115	4.20	21.1	H	2250	659	£329.19
14VLH300	1400	300	71	250 - 50	56-78	93-115	4.90	24.5	H	2609	764	£376.21
16VLH300	1600	300	71	250 - 50	56-78	93-115	5.60	27.9	H	2889	846	£423.24
18VLH300	1800	300	71	250 - 50	56-78	93-115	6.30	31.4	H	3149	922	£450.91
20VLH300	2000	300	71	250 - 50	56-78	93-115	7.00	34.8	H	3401	996	£517.29
12VLH400	1200	400	71	350 - 50	56-78	93-115	5.12	27.4	H	2899	849	£428.78
14VLH400	1400	400	71	350 - 50	56-78	93-115	5.98	32.0	H	3360	984	£477.18
16VLH400	1600	400	71	350 - 50	56-78	93-115	6.83	36.4	H	3716	1088	£528.35
18VLH400	1800	400	71	350 - 50	56-78	93-115	7.69	41.0	H	4054	1187	£587.84
20VLH400	2000	400	71	350 - 50	56-78	93-115	8.54	45.5	H	4381	1283	£627.94
12VLH500	1200	500	71	450 - 50	56-78	93-115	6.04	33.0	H	3528	1033	£477.64
14VLH500	1400	500	71	450 - 50	56-78	93-115	7.04	38.5	H	4091	1198	£536.48
16VLH500	1600	500	71	450 - 50	56-78	93-115	8.05	44.0	H	4518	1323	£588.48
18VLH500	1800	500	71	450 - 50	56-78	93-115	9.05	49.0	H	4935	1445	£645.96
20VLH500	2000	500	71	450 - 50	56-78	93-115	10.06	54.6	H	5331	1561	£710.30
12VLH600	1200	600	71	550 - 50	56-78	93-115	6.96	40.2	H	4142	1213	£528.27
14VLH600	1400	600	71	550 - 50	56-78	93-115	8.12	46.9	H	4801	1406	£602.17
16VLH600	1600	600	71	550 - 50	56-78	93-115	9.28	53.5	H	5307	1554	£673.34
18VLH600	1800	600	71	550 - 50	56-78	93-115	10.44	60.2	H	5795	1697	£723.99
20VLH600	2000	600	71	550 - 50	56-78	93-115	11.60	66.9	H	6261	1833	£789.68
12VLH700	1200	700	71	650 - 50	56-78	93-115	7.72	47.7	H	4518	1323	£615.74
14VLH700	1400	700	71	650 - 50	56-78	93-115	9.00	54.3	H	5498	1610	£718.84
16VLH700	1600	700	71	650 - 50	56-78	93-115	10.29	61.9	H	6075	1779	£813.46
18VLH700	1800	700	71	650 - 50	56-78	93-115	11.57	69.7	H	6632	1942	£909.49
20VLH700	2000	700	71	650 - 50	56-78	93-115	12.86	77.5	H	7168	2099	£989.99
12VLH900	1200	900	71	850 - 50	56-78	93-115	9.24	59.2	H	5809	1701	£769.05
14VLH900	1400	900	71	850 - 50	56-78	93-115	10.78	69.2	H	7069	2070	£863.23
16VLH900	1600	900	71	850 - 50	56-78	93-115	12.32	78.9	H	7810	2287	£963.10
18VLH900	1800	900	71	850 - 50	56-78	93-115	13.86	88.8	H	8527	2497	£1,061.54
20VLH900	2000	900	71	850 - 50	56-78	93-115	15.40	98.8	H	9217	2699	£1,161.43

LANNER DOUBLE VLD

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Height mm	Dimensions		Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £
		Length mm	Depth mm							BTU	Watts	
												White W
16VLD300	1600	300	104	250 - 50	72-94	126-148	5.60	31.0	H	3811	1116	£490.07
18VLD300	1800	300	104	250 - 50	72-94	126-148	6.30	34.9	H	3985	1167	£528.07
20VLD300	2000	300	104	250 - 50	72-94	126-148	7.00	38.6	H	4299	1259	£588.34
14VLD400	1400	400	104	350 - 50	72-94	126-148	5.98	35.9	H	4552	1333	£562.14
16VLD400	1600	400	104	350 - 50	72-94	126-148	6.83	40.8	H	4856	1422	£615.86
18VLD400	1800	400	104	350 - 50	72-94	126-148	7.69	45.9	H	5160	1511	£623.73
20VLD400	2000	400	104	350 - 50	72-94	126-148	8.54	51.0	H	5560	1628	£715.44
12VLD500	1200	500	104	450 - 50	72-94	126-148	6.04	37.2	H	4713	1380	£572.63
14VLD500	1400	500	104	450 - 50	72-94	126-148	7.04	43.4	H	5467	1601	£639.44
16VLD500	1600	500	104	450 - 50	72-94	126-148	8.05	49.5	H	5901	1728	£704.96
18VLD500	1800	500	104	450 - 50	72-94	126-148	9.05	55.3	H	6335	1855	£774.42
20VLD500	2000	500	104	450 - 50	72-94	126-148	10.06	61.5	H	6827	1999	£842.55
12VLD600	1200	600	104	550 - 50	72-94	126-148	6.96	45.3	H	5505	1612	£640.76
14VLD600	1400	600	104	550 - 50	72-94	126-148	8.12	52.9	H	6383	1869	£730.02
16VLD600	1600	600	104	550 - 50	72-94	126-148	9.28	60.3	H	6946	2034	£805.53
18VLD600	1800	600	104	550 - 50	72-94	126-148	10.44	67.8	H	7503	2197	£880.54
20VLD600	2000	600	104	550 - 50	72-94	126-148	11.60	75.3	H	8094	2370	£967.03
12VLD700	1200	700	104	650 - 50	72-94	126-148	7.72	52.5	H	6424	1881	£736.41
14VLD700	1400	700	104	650 - 50	72-94	126-148	9.00	61.3	H	7448	2181	£829.13
16VLD700	1600	700	104	650 - 50	72-94	126-148	10.29	69.9	H	8104	2373	£921.17
18VLD700	1800	700	104	650 - 50	72-94	126-148	11.57	78.6	H	8756	2564	£1,044.34
20VLD700	2000	700	104	650 - 50	72-94	126-148	12.86	87.4	H	9442	2765	£1,149.25
12VLD900	1200	900	104	850 - 50	72-94	126-148	9.24	67.0	H	8257	2418	£911.49
14VLD900	1400	900	104	850 - 50	72-94	126-148	10.78	78.3	H	9576	2804	£1,002.78
16VLD900	1600	900	104	850 - 50	72-94	126-148	12.32	89.2	H	10419	3051	£1,139.70
18VLD900	1800	900	104	850 - 50	72-94	126-148	13.86	100.4	H	11256	3296	£1,291.85
20VLD900	2000	900	104	850 - 50	72-94	126-148	15.40	111.6	H	12137	3554	£1,390.05

LSORAD

Enjoy warmth with safety and security. LSORAD radiators and covers provide full flexibility to suit special project requirements. The 15swg steel covers are available in RAL 9016 white, with rounded profiles for extra safety and care.

The Radiator, Casing and Oventrop TRV all need to be ordered separately using the relative codes. Hot water systems only.

MODEL SHOWN: LS06D07



- The TRV valve cut out is fitted to the RH side of the casing, but can be ordered on the LH side if required.
- The Oventrop TRV can be fitted on either the RH or LH side of the radiator, but must be fitted on the flow. The capillary wire is 2m long.
- The wide part of the bracket (32mm) should be fixed to the wall to allow sufficient clearance from the front of the emitter.



TRV must be fitted on the flow Casing Pre-drilled Right Hand Side to accept RTAVW as supplied by Ultraheat, Left hand Side available upon request

MS

RAL 9016

6

95°C

C

V

5 YEARS

Material

Finish

Working Pressure

Working Temp.

Closed System

Mount Pos.

Warranty

TYPE D: One piece unit (high casing)

Product Name	Casing Dimensions (mm)			Casing Gross Weight kg	Retail Price White W
	H	L	D		
LS05D07	700	700	160	14.2	£424.00
LS05D10	700	1000	160	18.8	£486.54
LS05D12	700	1200	160	21.9	£540.60
LS05D14	700	1400	160	25.0	£563.92
LS05D16	700	1600	160	28.1	£613.74
LS05D18	700	1800	160	28.2	£639.18
LS05D20	700	2000	160	32.7	£700.60
LS05D22	700	2200	160	37.4	£792.88
LS06D07	800	700	160	15.7	£448.38
LS06D10	800	1000	160	20.9	£504.56
LS06D12	800	1200	160	24.4	£551.20
LS06D14	800	1400	160	27.8	£576.64
LS06D16	800	1600	160	31.3	£627.52
LS06D18	800	1800	160	30.9	£656.14
LS06D20	800	2000	160	36.1	£719.74
LS06D22	800	2200	160	41.6	£813.02
LS07D07	900	700	160	16.8	£455.80
LS07D10	900	1000	160	22.3	£503.50
LS07D12	900	1200	160	26.0	£560.74
LS07D14	900	1400	160	29.6	£586.18
LS07D16	900	1600	160	33.3	£646.60
LS07D18	900	1800	160	32.8	£673.10
LS07D20	900	2000	160	38.5	£739.88
LS07D22	900	2200	160	44.4	£838.46

TYPE H: One piece unit (high casing)

LS05H07	700	700	125	12.7	£396.44
LS05H10	700	1000	125	17.0	£530.00
LS05H12	700	1200	125	19.9	£504.56
LS05H14	700	1400	125	22.7	£523.64
LS05H16	700	1600	125	25.7	£569.22
LS05H18	700	1800	125	28.8	£595.72
LS05H20	700	2000	125	31.5	£654.02
LS05H22	700	2200	125	34.3	£742.00
LS06H07	800	700	125	13.6	£418.70
LS06H10	800	1000	125	18.2	£485.48
LS06H12	800	1200	125	21.3	£541.66
LS06H14	800	1400	125	24.2	£561.80
LS06H16	800	1600	125	27.5	£583.00
LS06H18	800	1800	125	30.8	£642.36
LS06H20	800	2000	125	33.5	£705.96
LS06H22	800	2200	125	36.7	£763.20
LS07H07	900	700	125	14.5	£446.26
LS07H10	900	1000	125	19.4	£493.96
LS07H12	900	1200	125	22.7	£516.22
LS07H14	900	1400	125	25.9	£580.88
LS07H16	900	1600	125	29.3	£602.08
LS07H18	900	1800	125	32.8	£696.42
LS07H20	900	2000	125	35.9	£766.38
RTAVW	Close Coupled TRV with W/H & L/S Valves and 2m Capillary Tube				£139.00

ULTRAHEAT PANEL RADIATOR

Product Name	Radiator Dimensions (mm)		Radiator Type	Casing + Rad Gross Weight kg	Heat Output (BTU/Watts) ΔT 50	
	H	L				
5DF500	500	500	DF	25.1	2545	745
5DF800	500	800	DF	36.2	4069	1191
5DF1000	500	1000	DF	43.6	5087	1489
5DF1200	500	1200	DF	51.1	6105	1788
5DF1400	500	1400	DF	62.9	7122	2086
5DF1600	500	1600	DF	63.0	8137	2383
5DF1800	500	1800	DF	71.9	9155	2681
5DF2000	500	2000	DF	85.2	10173	2979
6DF500	600	500	DF	29.0	2938	860
6DF800	600	800	DF	42.2	4697	1375
6DF1000	600	1000	DF	51.0	5872	1719
6DF1200	600	1200	DF	59.8	7047	2064
6DF1400	600	1400	DF	73.9	8222	2408
6DF1600	600	1600	DF	73.5	9394	2751
6DF1800	600	1800	DF	84.1	10569	3095
6DF2000	600	2000	DF	100.2	11744	3439
7DF500	700	500	DF	33.2	3299	966
7DF800	700	800	DF	48.5	5278	1546
7DF1000	700	1000	DF	58.8	6598	1932
7DF1200	700	1200	DF	69.0	7917	2318
7DF1400	700	1400	DF	85.7	9237	2705
7DF1600	700	1600	DF	85.3	10556	3091
7DF1800	700	1800	DF	97.5	11876	3478
7DF2000	700	2000	DF	116.4	13196	3864

ULTRAHEAT PANEL RADIATOR

5HF500	500	500	HF	18.3	1976	579
5HF800	500	800	HF	27.2	3161	926
5HF1000	500	1000	HF	33.0	3949	1156
5HF1200	500	1200	HF	38.8	4738	1387
5HF1400	500	1400	HF	44.7	5530	1619
5HF1600	500	1600	HF	50.8	6318	1850
5HF1800	500	1800	HF	56.5	7110	2082
5HF2000	500	2000	HF	62.3	7898	2313
6HF500	600	500	HF	21.6	2290	671
6HF800	600	800	HF	31.9	3663	1073
6HF1000	600	1000	HF	38.8	4578	1340
6HF1200	600	1200	HF	45.0	5492	1608
6HF1400	600	1400	HF	52.7	6409	1877
6HF1600	600	1600	HF	59.8	7324	2145
6HF1800	600	1800	HF	65.6	8241	2413
6HF2000	600	2000	HF	73.5	9155	2681
7HF500	700	500	HF	25.2	2589	758
7HF800	700	800	HF	37.5	4141	1213
7HF1000	700	1000	HF	45.7	5175	1515
7HF1200	700	1200	HF	53.9	6208	1818
7HF1400	700	1400	HF	62.2	7245	2122
7HF1600	700	1600	HF	70.6	8279	2424
7HF1800	700	1800	HF	78.7	9315	2728

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Angle Thermostatic Valve & TRV Head/LS Twin Pack
UAW850NL



Cylindrical-25° Angle Manual Rad. Valve + L/S set
CYL850C

PLANAL
horizontal

The ultra stylish radiator is a smooth flat panel radiator available in a huge selection of sizes.

R MODEL SHOWN BELOW: 6PHS900

**ULTRAHEAT**



R MODEL SHOWN ABOVE LEFT: 5PHS800, RIGHT: 6PDS900

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

PLANAL SINGLE PLUS PHS

Product Name	Dimensions			Pipe Centres	Wall to Pipe	Wall to Face	Water Content	Gross Weight	Fuel Options	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm	mm	Centre mm	mm	lt	kg	E/H/D	BTU	Watts	White W
4PHS400	400	400	71	490 - 50	56-67	93-104	1.70	10.8	H	1370	401	£120.72
4PHS500	400	500	71	590 - 50	56-67	93-104	2.13	13.0	H	1714	502	£139.42
4PHS600	400	600	71	690 - 50	56-67	93-104	2.56	15.2	H	2056	602	£162.19
4PHS700	400	700	71	790 - 50	56-67	93-104	2.98	17.4	H	2399	702	£185.15
4PHS800	400	800	71	890 - 50	56-67	93-104	3.41	19.7	H	2742	802	£209.24
4PHS900	400	900	71	990 - 50	56-67	93-104	3.83	21.9	H	3084	903	£231.44
4PHS1000	400	1000	71	1090 - 50	56-67	93-104	4.26	24.1	H	3427	1003	£254.20
4PHS1100	400	1100	71	1190 - 50	56-67	93-104	4.69	26.3	H	3770	1103	£277.31
4PHS1200	400	1200	71	1290 - 50	56-67	93-104	5.11	28.6	H	4112	1204	£300.28
4PHS1400	400	1400	71	1490 - 50	56-67	93-104	5.96	33.0	H	4798	1404	£346.07
4PHS1600	400	1600	71	1690 - 50	56-67	93-104	6.82	37.5	H	5483	1605	£392.01
4PHS1800	400	1800	71	1890 - 50	56-67	93-104	7.67	42.1	H	6169	1805	£437.88
4PHS2000	400	2000	71	2090 - 50	56-67	93-104	8.52	46.5	H	6854	2006	£483.96
5PHS400	500	400	71	490 - 50	56-67	93-104	2.01	13.0	H	1649	483	£143.35
5PHS500	500	500	71	590 - 50	56-67	93-104	2.51	15.7	H	2061	604	£164.61
5PHS600	500	600	71	690 - 50	56-67	93-104	3.01	18.5	H	2473	724	£192.79
5PHS700	500	700	71	790 - 50	56-67	93-104	3.51	21.2	H	2885	845	£220.97
5PHS800	500	800	71	890 - 50	56-67	93-104	4.02	23.9	H	3298	966	£249.22
5PHS900	500	900	71	990 - 50	56-67	93-104	4.52	26.6	H	3710	1086	£277.41
5PHS1000	500	1000	71	1090 - 50	56-67	93-104	5.02	29.3	H	4122	1207	£305.21
5PHS1100	500	1100	71	1190 - 50	56-67	93-104	5.52	32.0	H	4534	1328	£333.64
5PHS1200	500	1200	71	1290 - 50	56-67	93-104	6.02	34.8	H	4946	1448	£361.76
5PHS1400	500	1400	71	1490 - 50	56-67	93-104	7.03	40.2	H	5771	1690	£418.06
5PHS1600	500	1600	71	1690 - 50	56-67	93-104	8.03	45.6	H	6595	1931	£474.01
5PHS1800	500	1800	71	1890 - 50	56-67	93-104	9.04	51.3	H	7420	2173	£544.23
5PHS2000	500	2000	71	2090 - 50	56-67	93-104	10.04	56.8	H	8244	2414	£604.69
6PHS400	600	400	71	490 - 50	56-67	93-104	2.32	15.5	H	1911	560	£162.80
6PHS500	600	500	71	590 - 50	56-67	93-104	2.90	18.8	H	2389	700	£190.30
6PHS600	600	600	71	690 - 50	56-67	93-104	3.47	22.1	H	2867	839	£223.68
6PHS700	600	700	71	790 - 50	56-67	93-104	4.05	25.3	H	3345	979	£257.00
6PHS800	600	800	71	890 - 50	56-67	93-104	4.63	28.6	H	3822	1119	£290.43
6PHS900	600	900	71	990 - 50	56-67	93-104	5.21	31.9	H	4300	1259	£323.60
6PHS1000	600	1000	71	1090 - 50	56-67	93-104	5.79	35.2	H	4778	1399	£356.91
6PHS1100	600	1100	71	1190 - 50	56-67	93-104	6.37	38.4	H	5256	1539	£390.02
6PHS1200	600	1200	71	1290 - 50	56-67	93-104	6.95	41.7	H	5734	1679	£423.20
6PHS1400	600	1400	71	1490 - 50	56-67	93-104	8.11	48.3	H	6689	1959	£490.07
6PHS1600	600	1600	71	1690 - 50	56-67	93-104	9.26	54.8	H	7645	2238	£556.58
6PHS1800	600	1800	71	1890 - 50	56-67	93-104	10.42	61.7	H	8600	2518	£635.66
6PHS2000	600	2000	71	2090 - 50	56-67	93-104	11.58	68.2	H	9556	2798	£700.75
7PHS400	700	400	71	490 - 50	56-67	93-104	2.57	16.4	H	2229	653	£191.10
7PHS500	700	500	71	590 - 50	56-67	93-104	3.21	21.6	H	2787	816	£227.36
7PHS600	700	600	71	690 - 50	56-67	93-104	3.85	24.0	H	3344	979	£268.30
7PHS700	700	700	71	790 - 50	56-67	93-104	4.49	27.8	H	3901	1142	£308.92
7PHS800	700	800	71	890 - 50	56-67	93-104	5.14	31.6	H	4459	1306	£349.77
7PHS900	700	900	71	990 - 50	56-67	93-104	5.78	35.4	H	5016	1469	£390.21
7PHS1000	700	1000	71	1090 - 50	56-67	93-104	6.42	39.1	H	5573	1632	£431.40
7PHS1200	700	1200	71	1290 - 50	56-67	93-104	7.70	46.7	H	6688	1958	£511.64

PLANAL DOUBLE PDS

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm							BTU	Watts	
												White W
3PDS500	300	500	104	590 - 50	72-83	126-137	1.75	11.5	H	1725	505	£126.34
3PDS800	300	800	104	890 - 50	72-83	126-137	2.80	17.2	H	2760	808	£180.49
3PDS1000	300	1000	104	1090 - 50	72-83	126-137	3.50	21.0	H	3450	1010	£218.80
3PDS1200	300	1200	104	1290 - 50	72-83	126-137	4.20	24.8	H	4140	1212	£257.27
3PDS1400	300	1400	104	1490 - 50	72-83	126-137	4.90	28.6	H	4830	1414	£296.10
3PDS1800	300	1800	104	1890 - 50	72-83	126-137	6.10	36.0	H	6210	1818	£371.79
3PDS2000	300	2000	104	2090 - 50	72-83	126-137	6.78	40.0	H	6900	2020	£411.54
4PDS400	400	400	104	490 - 50	72-83	126-137	1.71	12.3	H	1767	517	£135.68
4PDS500	400	500	104	590 - 50	72-83	126-137	2.14	14.8	H	2209	647	£149.27
4PDS600	400	600	104	690 - 50	72-83	126-137	2.56	17.3	H	2650	776	£174.10
4PDS700	400	700	104	790 - 50	72-83	126-137	2.99	19.8	H	3092	905	£198.86
4PDS800	400	800	104	890 - 50	72-83	126-137	3.42	22.3	H	3534	1034	£223.76
4PDS900	400	900	104	990 - 50	72-83	126-137	3.84	24.8	H	3975	1164	£248.81
4PDS1000	400	1000	104	1090 - 50	72-83	126-137	4.27	27.3	H	4417	1293	£273.64
4PDS1100	400	1100	104	1190 - 50	72-83	126-137	4.70	28.8	H	4859	1422	£298.17
4PDS1200	400	1200	104	1290 - 50	72-83	126-137	5.12	32.2	H	5300	1552	£323.29
4PDS1400	400	1400	104	1490 - 50	72-83	126-137	5.98	37.2	H	6184	1810	£379.40
4PDS1600	400	1600	104	1690 - 50	72-83	126-137	6.83	42.2	H	7067	2069	£422.98
4PDS1800	400	1800	104	1890 - 50	72-83	126-137	7.69	47.4	H	7951	2327	£468.95
4PDS2000	400	2000	104	2090 - 50	72-83	126-137	8.54	52.4	H	8834	2586	£519.55
5PDS400	500	400	104	490 - 50	72-83	126-137	2.01	14.8	H	2124	622	£153.70
5PDS500	500	500	104	590 - 50	72-83	126-137	2.52	17.8	H	2655	777	£179.47
5PDS600	500	600	104	690 - 50	72-83	126-137	3.02	20.9	H	3185	932	£210.38
5PDS700	500	700	104	790 - 50	72-83	126-137	3.52	24.0	H	3716	1088	£241.08
5PDS800	500	800	104	890 - 50	72-83	126-137	4.02	27.0	H	4247	1243	£272.20
5PDS900	500	900	104	990 - 50	72-83	126-137	4.53	30.1	H	4778	1399	£303.12
5PDS1000	500	1000	104	1090 - 50	72-83	126-137	5.03	33.2	H	5309	1554	£333.81
5PDS1100	500	1100	104	1190 - 50	72-83	126-137	5.53	35.8	H	5840	1709	£365.01
5PDS1200	500	1200	104	1290 - 50	72-83	126-137	6.04	39.3	H	6371	1865	£396.06
5PDS1400	500	1400	104	1490 - 50	72-83	126-137	7.04	45.4	H	7433	2176	£457.60
5PDS1600	500	1600	104	1690 - 50	72-83	126-137	8.05	51.5	H	8494	2486	£519.29
5PDS1800	500	1800	104	1890 - 50	72-83	126-137	9.05	57.9	H	9556	2797	£570.15
5PDS2000	500	2000	104	2090 - 50	72-83	126-137	10.06	64.0	H	10618	3108	£633.09
6PDS400	600	400	104	490 - 50	72-83	126-137	2.32	17.7	H	2452	718	£180.18
6PDS500	600	500	104	590 - 50	72-83	126-137	2.90	21.3	H	3065	897	£210.84
6PDS600	600	600	104	690 - 50	72-83	126-137	3.48	25.0	H	3677	1076	£248.20
6PDS700	600	700	104	790 - 50	72-83	126-137	4.06	28.7	H	4290	1256	£285.39
6PDS800	600	800	104	890 - 50	72-83	126-137	4.64	32.4	H	4903	1435	£322.51
6PDS900	600	900	104	990 - 50	72-83	126-137	5.22	36.1	H	5516	1615	£359.47
6PDS1000	600	1000	104	1090 - 50	72-83	126-137	5.80	39.8	H	6129	1794	£396.79
6PDS1100	600	1100	104	1190 - 50	72-83	126-137	6.38	43.5	H	6742	1973	£433.78
6PDS1200	600	1200	104	1290 - 50	72-83	126-137	6.96	47.2	H	7355	2153	£470.92
6PDS1400	600	1400	104	1490 - 50	72-83	126-137	8.12	54.6	H	8581	2512	£545.70
6PDS1600	600	1600	104	1690 - 50	72-83	126-137	9.28	62.0	H	9806	2870	£620.04
6PDS1800	600	1800	104	1890 - 50	72-83	126-137	10.44	69.7	H	11032	3229	£687.38
6PDS2000	600	2000	104	2090 - 50	72-83	126-137	11.60	77.1	H	12258	3588	£755.25
7PDS400	700	400	104	490 - 50	72-83	126-137	2.57	20.3	H	2755	806	£204.28
7PDS500	700	500	104	590 - 50	72-83	126-137	3.22	24.6	H	3444	1008	£246.12
7PDS600	700	600	104	690 - 50	72-83	126-137	3.86	28.9	H	4132	1210	£290.68
7PDS700	700	700	104	790 - 50	72-83	126-137	4.50	33.2	H	4821	1411	£334.43
7PDS800	700	800	104	890 - 50	72-83	126-137	5.14	37.5	H	5510	1613	£378.78
7PDS900	700	900	104	990 - 50	72-83	126-137	5.79	41.8	H	6198	1814	£422.74
7PDS1000	700	1000	104	1090 - 50	72-83	126-137	6.43	46.1	H	6887	2016	£466.79
7PDS1100	700	1100	104	1190 - 50	72-83	126-137	7.07	48.7	H	7576	2218	£511.35
7PDS1200	700	1200	104	1290 - 50	72-83	126-137	7.72	54.6	H	8264	2419	£555.33
7PDS1400	700	1400	104	1490 - 50	72-83	126-137	9.00	63.2	H	9642	2822	£643.78
9PDS400	900	400	104	490 - 50	72-83	126-137	3.08	25.7	H	3289	963	£312.82
9PDS500	900	500	104	590 - 50	72-83	126-137	3.85	31.2	H	4111	1203	£366.26
9PDS600	900	600	104	690 - 50	72-83	126-137	4.62	36.7	H	4933	1444	£405.36
9PDS700	900	700	104	790 - 50	72-83	126-137	5.39	42.1	H	5755	1685	£467.92

PLANAL TRIPLE PTS

MSMaterialRAL 9016Finish6Working Pressure95°CWorking Temp.CClosed SystemHMount Pos.5 YEARSWarranty

Product Name	Dimensions			Pipe Centres	Wall to Pipe	Wall to Face	Water Content	Gross Weight	Fuel Options	Heat Output ΔT 50		Retail Price
	Height mm	Length mm	Depth mm	mm	Centre mm	mm	lt	kg	E/H/D	BTU	Watts	£
	White W											
2PTS600	200	600	164	690 - 50	72-83	186-197	2.09	12.9	H	1738	509	£260.24
2PTS800	200	800	164	890 - 50	72-83	186-197	2.79	17.1	H	2322	680	£287.04
2PTS1000	200	1000	164	1090 - 50	72-83	186-197	3.49	21.4	H	2903	850	£350.82
2PTS1400	200	1400	164	1490 - 50	72-83	186-197	4.89	30.0	H	4064	1190	£483.49
2PTS2000	200	2000	164	2090 - 50	72-83	186-197	6.98	42.9	H	5802	1699	£681.20
2PTS2400	200	2400	164	2490 - 50	72-83	186-197	8.38	51.4	H	6963	2039	£858.53
3PTS500	300	500	164	590 - 50	72-83	186-197	2.60	15.2	H	2104	616	£195.19
3PTS600	300	600	164	690 - 50	72-83	186-197	3.12	17.8	H	2534	742	£224.52
3PTS800	300	800	164	890 - 50	72-83	186-197	4.16	23.1	H	3374	988	£281.93
3PTS1000	300	1000	164	1090 - 50	72-83	186-197	5.20	28.4	H	4221	1236	£344.43
3PTS1200	300	1200	164	1290 - 50	72-83	186-197	6.24	33.7	H	5064	1483	£406.95
3PTS1400	300	1400	164	1490 - 50	72-83	186-197	7.28	39.1	H	5908	1730	£469.44
3PTS1600	300	1600	164	1690 - 50	72-83	186-197	8.32	44.4	H	6758	1979	£531.96
3PTS1800	300	1800	164	1890 - 50	72-83	186-197	9.36	49.7	H	7595	2224	£595.74
3PTS2000	300	2000	164	2090 - 50	72-83	186-197	10.40	55.0	H	8442	2472	£658.24
4PTS500	400	500	164	590 - 50	72-83	186-197	3.20	19.6	H	2697	790	£261.52
4PTS600	400	600	164	690 - 50	72-83	186-197	3.83	23.1	H	3248	951	£307.45
4PTS800	400	800	164	890 - 50	72-83	186-197	5.11	30.1	H	4327	1267	£399.29
4PTS1000	400	1000	164	1090 - 50	72-83	186-197	6.39	37.1	H	5409	1584	£491.14
4PTS1200	400	1200	164	1290 - 50	72-83	186-197	7.67	44.1	H	6495	1902	£584.25
4PTS1400	400	1400	164	1490 - 50	72-83	186-197	8.95	51.1	H	7574	2218	£676.10
4PTS1600	400	1600	164	1690 - 50	72-83	186-197	10.22	58.1	H	8657	2535	£767.96
4PTS1800	400	1800	164	1890 - 50	72-83	186-197	11.50	65.1	H	9740	2852	£859.81
4PTS2000	400	2000	164	2090 - 50	72-83	186-197	12.78	72.1	H	10822	3169	£951.65
5PTS400	500	400	164	490 - 50	72-83	186-197	3.04	19.5	H	3254	953	£272.99
5PTS500	500	500	164	590 - 50	72-83	186-197	3.80	23.8	H	3887	1138	£317.65
5PTS600	500	600	164	690 - 50	72-83	186-197	4.55	28.1	H	3900	1142	£373.78
5PTS800	500	800	164	890 - 50	72-83	186-197	6.07	36.7	H	5201	1523	£488.59
5PTS1000	500	1000	164	1090 - 50	72-83	186-197	7.59	45.3	H	6502	1904	£603.40
5PTS1200	500	1200	164	1290 - 50	72-83	186-197	9.11	53.9	H	7803	2285	£718.21
5PTS1400	500	1400	164	1490 - 50	72-83	186-197	10.63	62.5	H	9104	2666	£831.74
5PTS1600	500	1600	164	1690 - 50	72-83	186-197	12.14	71.1	H	10402	3046	£946.55
5PTS1800	500	1800	164	1890 - 50	72-83	186-197	13.66	79.7	H	11707	3428	£1,060.09
5PTS2000	500	2000	164	2090 - 50	72-83	186-197	15.18	88.3	H	13008	3809	£1,174.89
6PTS400	600	400	164	490 - 50	72-83	186-197	3.51	23.3	H	3002	879	£313.81
6PTS500	600	500	164	590 - 50	72-83	186-197	4.39	28.4	H	3739	1095	£375.05
6PTS600	600	600	164	690 - 50	72-83	186-197	5.27	33.6	H	4501	1318	£443.93
6PTS800	600	800	164	890 - 50	72-83	186-197	7.02	44.0	H	6004	1758	£581.70
6PTS900	600	900	164	990 - 50	72-83	186-197	7.90	49.2	H	6732	1971	£650.59
6PTS1000	600	1000	164	1090 - 50	72-83	186-197	8.78	54.4	H	7506	2198	£719.48
6PTS1200	600	1200	164	1290 - 50	72-83	186-197	10.54	64.7	H	9005	2637	£853.43
6PTS1400	600	1400	164	1490 - 50	72-83	186-197	12.29	75.1	H	10508	3077	£995.03
6PTS1600	600	1600	164	1690 - 50	72-83	186-197	14.05	85.5	H	12007	3516	£1,132.80
6PTS1800	600	1800	164	1890 - 50	72-83	186-197	15.80	95.9	H	13510	3956	£1,270.57
6PTS2000	600	2000	164	2090 - 50	72-83	186-197	17.56	106.2	H	15009	4395	£1,408.34
7PTS400	700	400	164	490 - 50	72-83	186-197	3.88	26.8	H	3357	983	£364.96
7PTS500	700	500	164	590 - 50	72-83	186-197	4.85	32.9	H	4196	1229	£440.55
7PTS600	700	600	164	690 - 50	72-83	186-197	5.81	38.9	H	5033	1474	£521.37
7PTS800	700	800	164	890 - 50	72-83	186-197	7.75	51.0	H	6711	1965	£685.59
7PTS1000	700	1000	164	1090 - 50	72-83	186-197	9.69	63.0	H	8390	2457	£848.53
9PTS400	900	400	164	490 - 50	72-83	186-197	4.60	33.9	H	3991	1169	£472.56
9PTS500	900	500	164	590 - 50	72-83	186-197	5.75	41.6	H	4989	1461	£575.05
9PTS600	900	600	164	690 - 50	72-83	186-197	6.90	49.3	H	5988	1753	£682.88
9PTS800	900	800	164	890 - 50	72-83	186-197	9.20	64.7	H	7982	2337	£901.19
9PTS1000	900	1000	164	1090 - 50	72-83	186-197	11.50	80.1	H	9979	2922	£1,071.95



PLANAL *vertical*

Modern and impressive. The ultimate modern statement for your room, Planal Vertical radiators provide a discrete, sophisticated new look and exciting, flexible way to make an impression while efficiently heating your room.

 MODEL SHOWN: 16VPH500

PLANAL SINGLE VPS

MS Material RAL 9016 Finish 6 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 5 YEARS Warranty

Product Name	Dimensions			Pipe Centres	Wall to Pipe	Wall to Face	Water Content	Gross Weight	Fuel Options	Heat Output ΔT 50		Retail Price
	Height mm	Length mm	Depth mm	mm	Centre mm	mm	lit	kg	E/H/D	BTU	Watts	£
												White W
12VPS200	1200	200	52	150 - 50	33-55	70-92	2.10	10.1	H	778	228	£229.52
14VPS200	1400	200	52	150 - 50	33-55	70-92	2.45	11.7	H	898	263	£253.04
16VPS200	1600	200	52	150 - 50	33-55	70-92	2.80	13.3	H	1020	299	£293.12
18VPS200	1800	200	52	150 - 50	33-55	70-92	3.15	14.9	H	1150	337	£308.33
20VPS200	2000	200	52	150 - 50	33-55	70-92	3.50	16.6	H	1277	374	£337.37
12VPS300	1200	300	52	250 - 50	33-55	70-92	3.12	15.6	H	1359	398	£239.74
14VPS300	1400	300	52	250 - 50	33-55	70-92	3.64	17.2	H	1567	459	£267.41
16VPS300	1600	300	52	250 - 50	33-55	70-92	4.16	19.5	H	1696	497	£299.03
18VPS300	1800	300	52	250 - 50	33-55	70-92	4.68	21.9	H	1822	533	£317.47
20VPS300	2000	300	52	250 - 50	33-55	70-92	5.20	24.3	H	1965	575	£346.45
12VPS400	1200	400	52	350 - 50	33-55	70-92	3.28	19.2	H	1662	487	£324.05
14VPS400	1400	400	52	350 - 50	33-55	70-92	3.82	22.3	H	1929	565	£355.66
16VPS400	1600	400	52	350 - 50	33-55	70-92	4.37	25.3	H	2103	616	£393.87
18VPS400	1800	400	52	350 - 50	33-55	70-92	4.91	28.4	H	2287	670	£418.89
20VPS400	2000	400	52	350 - 50	33-55	70-92	5.46	31.5	H	2455	719	£455.78
12VPS500	1200	500	52	450 - 50	33-55	70-92	3.44	23.2	H	1972	578	£351.71
14VPS500	1400	500	52	450 - 50	33-55	70-92	4.02	27.1	H	2288	670	£385.97
16VPS500	1600	500	52	450 - 50	33-55	70-92	4.59	30.8	H	2521	738	£424.07
18VPS500	1800	500	52	450 - 50	33-55	70-92	5.17	34.2	H	2754	806	£461.04
20VPS500	2000	500	52	450 - 50	33-55	70-92	5.74	38.0	H	2951	864	£493.86
12VPS600	1200	600	52	550 - 50	33-55	70-92	3.60	28.0	H	2284	669	£391.23
14VPS600	1400	600	52	550 - 50	33-55	70-92	4.20	32.6	H	2646	775	£432.07
16VPS600	1600	600	52	550 - 50	33-55	70-92	4.80	37.1	H	2937	860	£471.59
18VPS600	1800	600	52	550 - 50	33-55	70-92	5.40	41.7	H	3220	943	£516.37
20VPS600	2000	600	52	550 - 50	33-55	70-92	6.00	46.3	H	3446	1009	£550.62
12VPS700	1200	700	52	650 - 50	33-55	70-92	3.96	32.4	H	2592	759	£429.96
14VPS700	1400	700	52	650 - 50	33-55	70-92	4.62	37.8	H	3005	880	£472.56
16VPS700	1600	700	52	650 - 50	33-55	70-92	5.28	43.0	H	3347	980	£525.81
18VPS700	1800	700	52	650 - 50	33-55	70-92	5.94	48.3	H	3681	1078	£575.05
20VPS700	2000	700	52	650 - 50	33-55	70-92	6.60	53.6	H	3941	1154	£625.63
12VPS900	1200	900	52	850 - 50	33-55	70-92	4.68	41.0	H	3333	976	£541.78
14VPS900	1400	900	52	850 - 50	33-55	70-92	5.46	47.7	H	3862	1131	£604.33
16VPS900	1600	900	52	850 - 50	33-55	70-92	6.24	54.3	H	4303	1260	£668.23
18VPS900	1800	900	52	850 - 50	33-55	70-92	7.02	61.1	H	4733	1386	£730.80
20VPS900	2000	900	52	850 - 50	33-55	70-92	7.80	67.8	H	5068	1484	£793.35



MODEL SHOWN: 18VPH500W

PLANAL SINGLE PLUS VPH

MS Material RAL 9016 Finish 6 Working Pressure 95°C Working Temp. C Closed System V Mount Pos. 5 YEARS Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £
	Height mm	Length mm	Depth mm							BTU	Watts	
12VPH200	1200	200	71	150 - 50	56-78	93-115	2.81	14.5	H	1748	512	£308.47
14VPH200	1400	200	71	150 - 50	56-78	93-115	3.28	16.9	H	2022	592	£343.80
16VPH200	1600	200	71	150 - 50	56-78	93-115	3.74	19.1	H	2315	678	£377.76
18VPH200	1800	200	71	150 - 50	56-78	93-115	4.21	21.5	H	2599	761	£399.51
20VPH200	2000	200	71	150 - 50	56-78	93-115	4.68	23.9	H	2889	846	£443.00
12VPH300	1200	300	71	250 - 50	56-78	93-115	4.20	21.1	H	2250	659	£313.51
14VPH300	1400	300	71	250 - 50	56-78	93-115	4.90	24.5	H	2609	764	£358.30
16VPH300	1600	300	71	250 - 50	56-78	93-115	5.60	27.9	H	2889	846	£403.08
18VPH300	1800	300	71	250 - 50	56-78	93-115	6.30	31.4	H	3149	922	£429.43
20VPH300	2000	300	71	250 - 50	56-78	93-115	7.00	34.8	H	3401	996	£492.66
12VPH400	1200	400	71	350 - 50	56-78	93-115	5.12	27.4	H	2899	849	£408.36
14VPH400	1400	400	71	350 - 50	56-78	93-115	5.98	32.0	H	3360	984	£454.46
16VPH400	1600	400	71	350 - 50	56-78	93-115	6.83	36.4	H	3716	1088	£503.19
18VPH400	1800	400	71	350 - 50	56-78	93-115	7.69	41.0	H	4054	1187	£559.85
20VPH400	2000	400	71	350 - 50	56-78	93-115	8.54	45.5	H	4381	1283	£598.04
12VPH500	1200	500	71	450 - 50	56-78	93-115	6.04	33.0	H	3528	1033	£454.90
14VPH500	1400	500	71	450 - 50	56-78	93-115	7.04	38.5	H	4091	1198	£510.93
16VPH500	1600	500	71	450 - 50	56-78	93-115	8.05	44.0	H	4518	1323	£560.46
18VPH500	1800	500	71	450 - 50	56-78	93-115	9.05	49.0	H	4935	1445	£615.20
20VPH500	2000	500	71	450 - 50	56-78	93-115	10.06	54.6	H	5331	1561	£676.47
12VPH600	1200	600	71	550 - 50	56-78	93-115	6.96	40.2	H	4142	1213	£503.12
14VPH600	1400	600	71	550 - 50	56-78	93-115	8.12	46.9	H	4801	1406	£573.50
16VPH600	1600	600	71	550 - 50	56-78	93-115	9.28	53.5	H	5307	1554	£641.28
18VPH600	1800	600	71	550 - 50	56-78	93-115	10.44	60.2	H	5795	1697	£689.51
20VPH600	2000	600	71	550 - 50	56-78	93-115	11.60	66.9	H	6261	1833	£752.07
12VPH700	1200	700	71	650 - 50	56-78	93-115	7.72	47.7	H	4518	1323	£586.42
14VPH700	1400	700	71	650 - 50	56-78	93-115	9.00	54.3	H	5498	1610	£684.61
16VPH700	1600	700	71	650 - 50	56-78	93-115	10.29	61.9	H	6075	1779	£774.72
18VPH700	1800	700	71	650 - 50	56-78	93-115	11.57	69.7	H	6632	1942	£866.18
20VPH700	2000	700	71	650 - 50	56-78	93-115	12.86	77.5	H	7168	2099	£942.85
12VPH900	1200	900	71	850 - 50	56-78	93-115	9.24	59.2	H	5809	1701	£732.43
14VPH900	1400	900	71	850 - 50	56-78	93-115	10.78	69.2	H	7069	2070	£822.13
16VPH900	1600	900	71	850 - 50	56-78	93-115	12.32	78.9	H	7810	2287	£917.24
18VPH900	1800	900	71	850 - 50	56-78	93-115	13.86	88.8	H	8527	2497	£1,010.99
20VPH900	2000	900	71	850 - 50	56-78	93-115	15.40	98.8	H	9217	2699	£1,106.12





MODEL SHOWN: 12VPH200

PLANAL DOUBLE VPD

MS RAL 9016 6 95°C C V 5 YEARS
Material Finish Working Pressure Working Temp. Closed System Mount Pos. Warranty

Product Name	Dimensions			Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £ White W
	Height mm	Length mm	Depth mm							BTU	Watts	
16VPD300	1600	300	104	250 - 50	72-94	126-148	5.60	31.0	H	3811	1116	£466.73
18VPD300	1800	300	104	250 - 50	72-94	126-148	6.30	34.9	H	3985	1167	£502.92
20VPD300	2000	300	104	250 - 50	72-94	126-148	7.00	38.6	H	4299	1259	£560.33
14VPD400	1400	400	104	350 - 50	72-94	126-148	5.98	35.9	H	4552	1333	£535.37
16VPD400	1600	400	104	350 - 50	72-94	126-148	6.83	40.8	H	4856	1422	£586.53
18VPD400	1800	400	104	350 - 50	72-94	126-148	7.69	45.9	H	5160	1511	£594.02
20VPD400	2000	400	104	350 - 50	72-94	126-148	8.54	51.0	H	5560	1628	£681.37
12VPD500	1200	500	104	450 - 50	72-94	126-148	6.04	37.2	H	4713	1380	£545.36
14VPD500	1400	500	104	450 - 50	72-94	126-148	7.04	43.4	H	5467	1601	£608.99
16VPD500	1600	500	104	450 - 50	72-94	126-148	8.05	49.5	H	5901	1728	£671.40
18VPD500	1800	500	104	450 - 50	72-94	126-148	9.05	55.3	H	6335	1855	£737.54
20VPD500	2000	500	104	450 - 50	72-94	126-148	10.06	61.5	H	6827	1999	£802.43
12VPD600	1200	600	104	550 - 50	72-94	126-148	6.96	45.3	H	5505	1612	£610.25
14VPD600	1400	600	104	550 - 50	72-94	126-148	8.12	52.9	H	6383	1869	£695.26
16VPD600	1600	600	104	550 - 50	72-94	126-148	9.28	60.3	H	6946	2034	£767.18
18VPD600	1800	600	104	550 - 50	72-94	126-148	10.44	67.8	H	7503	2197	£838.61
20VPD600	2000	600	104	550 - 50	72-94	126-148	11.60	75.3	H	8094	2370	£920.98
12VPD700	1200	700	104	650 - 50	72-94	126-148	7.72	52.5	H	6424	1881	£701.34
14VPD700	1400	700	104	650 - 50	72-94	126-148	9.00	61.3	H	7448	2181	£789.65
16VPD700	1600	700	104	650 - 50	72-94	126-148	10.29	69.9	H	8104	2373	£877.31
18VPD700	1800	700	104	650 - 50	72-94	126-148	11.57	78.6	H	8756	2564	£994.61
20VPD700	2000	700	104	650 - 50	72-94	126-148	12.86	87.4	H	9442	2765	£1,094.53
12VPD900	1200	900	104	850 - 50	72-94	126-148	9.24	67.0	H	8257	2418	£868.08
14VPD900	1400	900	104	850 - 50	72-94	126-148	10.78	78.3	H	9576	2804	£955.03
16VPD900	1600	900	104	850 - 50	72-94	126-148	12.32	89.2	H	10419	3051	£1,085.42
18VPD900	1800	900	104	850 - 50	72-94	126-148	13.86	100.4	H	11256	3296	£1,230.33
20VPD900	2000	900	104	850 - 50	72-94	126-148	15.40	111.6	H	12137	3554	£1,323.86

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



INTERAXIAL Swivel 50 Valve pair with 15 tube connectors & Domignon sensor

UDW927



Straight Thermostatic Valve & TRV Head/LS

UAW851NL

HYPO

Hypo, the heat exchange convector radiator, uses less energy due to low water content, meaning it heats up faster and leaves no residual heat. This floor standing model works with conventional heating systems and is available in any RAL colour - see page 61.

MODEL SHOWN: HP212



MSMaterial

RAL9016Finish

6Working Pressure

95°CWorking Temp.

CClosed System

HMount Pos.

5 YEARSWarranty

Product Name	Dimensions			Pipe Centres mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50		Retail Price £	
	Height mm	Length mm	Depth mm					BTU	Watts	White W	RAL Colour
HP208	200	800	230	50	2.3	9.9	H	1485	435	£479.00	£542.00
HP209	200	900	230	50	2.5	11.0	H	1670	489	£510.00	£576.00
HP210	200	1000	230	50	2.8	12.1	H	1855	543	£539.00	£609.00
HP211	200	1100	230	50	3.1	13.2	H	2042	598	£574.00	£649.00
HP212	200	1200	230	50	3.4	14.3	H	2227	652	£606.00	£685.00
HP214	200	1400	230	50	4.0	15.7	H	2599	761	£681.00	£770.00
HP216	200	1600	230	50	4.5	17.1	H	2969	869	£749.00	£846.00
HP218	200	1800	230	50	5.1	18.6	H	3340	978	£808.00	£912.00
HP220	200	2000	230	50	5.7	19.8	H	3712	1087	£863.00	£975.00

RECOMMENDED ACCESSORIES

See page 62 for more valves and accessories



Straight Thermostatic Valve & TRV Head/LS
UAW851NL



Cylindrical-25 Straight Manual Rad. Valve + L/S set
CYH851C

RADIATOR COLOURS AND FINISHES

for colour that blends in or one that pops out



As many of our designs are available in a range of RAL colours and special finishes, this means you can bring your chosen shade to your interior design. The finish options are matt, gloss and semi-gloss.

The colours below are available on many of our ranges carrying the RAL symbol. Any bespoke colour is available - contact us to find out more. Prices available on application.

NEUTRAL COLOURS

RAL 9001	RAL 9016	RAL 1014	RAL 1015	RAL 7035	RAL 7003
RAL 7039	RAL 7044	RAL 9007	RAL 7036	RAL 7043	RAL 9011

PASTEL COLOURS

RAL 3015	RAL 5024	RAL 1000	RAL 6019	RAL 6027	RAL 1017

COOL COLOURS

RAL 6034	RAL 5018	RAL 5020	RAL 6000	RAL 6026	RAL 6013

ALUMINIUM FINISHES

Gloss Anodised	Matt Anodised	Textured Matt Black	Gold Crocodile	Wood Effect	Mocha
RAL 1013	RAL 9010	RAL 5015	RAL 7040	RAL 6015	RAL 9005
RAL 3020	RAL 3015	RAL 5010	RAL 4003	RAL 6003	

RAL colours come in a gloss finish as standard, unless stated differently. The RAL colours in the chart have been matched as closely as possible. Printed colours in this publication, whilst a good representation, they may not be an exact match to the finished product. 10-14 days lead time for delivery.

In special cases some products may have a lead time of 6-8 weeks, please contact us on +44 (0)1908 271155 for further information.

CHOOSING THE RIGHT VALVE IS IMPORTANT - *so much choice and colour*

Below is a selection of our radiator valves, but other available finishes include white, chrome, brushed matt and gold.

Contact us for full listings, more information about radiator valves or use the valve compatibility chart on page 68 to match with Ultraheat radiators. All valves and accessories come with a 1 year warranty.



SPF



UDC 850



UDC 851



UDC 860



UDC 927



UDS 850



UDS 851



UDS 860



UDW 927



COR850C



TWIN850C



TWIN851C



ONE851C



CYL840C



CUB840C



CUB841C



A409C



A574C



A331C



A590C

VALVES

Product Name	Description	Retail Price £			
		White W	Chrome C	Brushed Mat S	Gold Polished G
UD850	DÉCOR Angle Valve pair complete with 15mm tube connectors	£57.20	£57.20	£66.00	
UD851	DÉCOR Straight Valve pair complete with 15mm tube connectors	£57.20	£57.20	£66.00	
UD860	DÉCOR Swivel Valve pair complete with 15mm tube connectors	£99.00	£99.00	£117.70	
UD927	INTERAXIAL Swivel 50 Valve pair complete with 15 tube connectors & Domignon sensor	£141.90	£141.90	£162.80	
UD109L	DOMIGNON Liquid Plastic Sensor	£38.50	£38.50	£40.70	
CUB841	CUBE - Manual Straight valve pair complete with 15mm tube connectors		£181.50	£250.80	
CUB840	CUBE - Manual Angle valve pair complete with 15mm tube connectors		£181.50	£250.80	
MIN840	MINIMALIST - Manual Angle Valve pair complete with 15mm tube connectors		£162.80	£228.80	
ONE851	ONE - Thermostatic Straight Valve complete with 15mm tube connectors		£107.80	£139.70	
TWI850	TWIN - Thermostatic Angle Valve complete with 15mm tube connectors		£118.80	£149.60	
TWI851	TWIN - Thermostatic Straight Valve complete with 15mm tube connectors		£118.80	£149.60	
COR850	CORNER - Thermostatic Angle Valve Pair complete with 15mm tube connectors		£100.10	£128.70	
CYL840	CYLINDER - Manual Angle Valve Pair complete with 15mm tube connectors		£81.40	£105.60	
A409	Aeon Liquid Metal Sensor		£51.70	£82.50	
A574	Manual KNOB for Thermostatic Radiator Valves (TRV)		£10.45	£13.53	
A555	PEX/AL/PEX Pipe Adaptor 16-2 mm for Multilayer Pipe with Hexagonal nut		£7.92	£11.00	
A556	PEX Pipe Adaptor 16-2 mm for Plastic Pipe (Non Multilayer) with Hexagonal nut		£7.04	£9.79	
A331	Copper Pipe Adaptor 12mm with Hexagonal nut		£5.50	£7.70	
A332	Hexagonal nut for 3/4" adaptor		£5.50	£7.70	
A584	Copper Pipe Adaptor 15mm with Cylindrical nut		£6.16	£7.59	
A590	Copper Pipe Adaptor 1/2" 15mm		£3.85	£4.73	
A335	Copper Pipe Adaptor 3/4" 15mm with Cylindrical nut		£7.15	£8.91	
P3015SC14	3/4"x18x10x14 Complete Adapting Set for Multilayer Pipe - Chrome		£7.04		
P3015SC16	3/4"x18x10x16 Complete Adapting Set for Multilayer Pipe - Chrome		£7.04		
P3015SS14	3/4"x18x10x14 Complete Adapting Set for Multilayer Pipe - Brushed Matt			£7.37	
P3015SS16	3/4"x18x10x16 Complete Adapting Set for Multilayer Pipe - Brushed Matt			£7.37	
P925	Straight "H" Valve without by-pass - nickel plated			£22.00	
P926	Angle "H" Valve without by-pass - nickel plated			£25.30	
P915	Straight "H" Valve with by-pass - nickel plated			£27.50	
P916	Angle "H" Valve with by-pass - nickel plated			£29.70	
P99SP	Drain device - brass			£20.90	
D13G	Danfoss thermostatic insert with pre-setting			£15.40	
DRASC	Danfoss sensor	£25.30			
H9260	Herz sensor - porsche	£22.00			
H7760	Herz sensor - standard	£17.60			
P3625N	3/4"BSP x 15mm Copper Tube Connector in nickel plated			£10.00	
P3625C	3/4"BSP x 15mm Copper Tube Connector in chrome plated		£10.00		
P3625S	3/4"BSP x 15mm Copper Tube Connector in brushed matt plated			£12.00	
P3015S	3/4"BSP x 18 x 13 x 16mm Plastic Tube Connector in brushed matt			£11.00	
VHS-str	Danfoss Undermount therm. valve - straight white	£145.20			
VHS-ang	Danfoss Undermount therm. valve - angle white	£145.20			
CHRV	Cross Head Manual Radiator Valve Set with sleeves			£113.30	£157.30
CYH850	Cylindrical-30 Angle Manual Rad. Valve + L/S set		£20.30	£25.65	
CYH851	Cylindrical-30 Straight Manual Rad. Valve + L/S set		£21.70	£27.40	
CYH853	Cylindrical-30 Corner Manual Rad. Valve + L/S set		£26.50	£31.00	
CYL850	Cylindrical-25- Angle Manual Rad. Valve + L/S set		£20.00	£22.80	
CYL851	Cylindrical-25 Straight Manual Rad. Valve + L/S set		£20.50		
CUH850	Cubic-30 Angle Manual Rad. Valve + L/S set		£46.00	£52.50	
CUH851	Cubic-30 Straight Manual Rad. Valve + L/S set		£50.00	£58.00	
CUH853	Cubic-30 Corner Manual Rad. Valve + L/S set		£52.00	£60.00	
CUL850	Cubic-25- Angle Manual Rad. Valve + L/S set		£30.00		
CUL851	Cubic-25 Straight Manual Rad. Valve + L/S set		£40.00		
QUA850	Quartz-30 Angle Manual Rad. Valve + L/S set		£31.50		
QUA851	Quartz-30 Straight Manual Rad. Valve + L/S set		£32.00		
TLB850	Traditional-30 Angle Manual Rad. Valve + L/S set		£38.00	£43.00	
BCH850	Barrel-30 Angle Manual Rad. Valve + L/S set		£31.00		
BCH851	Barrel-30 Straight Manual Rad. Valve + L/S set		£34.50		
UAW850N	Angle Thermostatic Valve & TRV Head	£16.00			
UAW851N	Straight Thermostatic Valve & TRV Head	£17.20			

Product	Description	Retail Price £		
		White W	Chrome C	Brushed Matt S
UAW850NL	Angle Thermostatic Valve & TRV Head/LS Twin Pack	£24.00		
UAW851NL	Straight Thermostatic Valve & TRV Head/LS Twin Pack	£25.80		
UAW850	Angle Thermostatic Valve		£9.80	
UAW851	Straight Thermostatic Valve		£12.90	
UAW853T	Corner Thermostatic Valve & TRV Head		£38.50	£43.00
UA109	TRV Head	£12.00	£13.00	£15.00
RK105	10mm reducing kit - bag of 5 sets		£3.80	



HE/POS RANGE



AES



MOBUS CHROME

HEATING ELEMENTS

Product Name	Description	Retail Price £		
		White W	Chrome C	Nickel N
HE90	90W Heating element with 70C thermostat, 127C thermal fuse, cable length:1,5m, 205mm rod length			£60.50
HE150	150W Heating element with 70C thermostat, 127C thermal fuse, cable length:1,5m, 300mm rod length			£52.80
HE300	300W Heating element with 70C thermostat, 127C thermal fuse, cable length:1,5m, 450mm rod length			£55.00
HE400	400W Heating element with 70C thermostat, 127C thermal fuse, cable length:1,5m, 550mm rod length			£57.20
HE600	600W Heating element with 70C thermostat, 127C thermal fuse, cable length:1,5m, 760mm rod length			£61.60
HE900	900W Heating element with 70C thermostat, 127C thermal fuse, cable length:1,5m, 1050mm rod length			£73.70
HES340	340W Heating element, PTC self regulation, cable length:1,5m, 240mm rod length			£60.50
HES400	400W Heating element, PTC self regulation, cable length:1,5m, 240mm rod length			£63.80
POS400	400W Poseidon H. Element with 70C t.stat, 127C therm fuse, cable length:1,5m, 550mm rod length	£140.80	£160.60	£160.60
POS600	600W Poseidon H. Element with 70C t.stat, 127C therm fuse, cable length:150cm, 760mm rod length	£149.60	£169.40	£169.40
AQ300	300W Aquarius Htg. Element w 70C Therm, 127C therm fuse, cable length:150cm, 450mm rod length	£83.60	£105.60	£105.60
AQ600	600W Aquarius Htg Element w 70C Therm, 127C therm fuse, cable length:150cm, 760mm rod length	£88.00	£110.00	£110.00
AES400	400W Aeon Dimhead Heating Element - Straight type		£121.00	£121.00
AES600	600W Aeon Dimhead Heating Element - Straight type		£132.00	£132.00
MB150	150w Mobus PTC Heating Element, cable length:90cm, Class I insulation	£85.80	£100.10	
MB300	300w Mobus PTC Heating Element, cable length:90cm, Class I insulation	£88.00	£103.40	
MB600	600w Mobus PTC Heating Element, cable length:90cm, Class I insulation	£96.80	£111.10	
STCN-1	Stoke Control Box, Bluetooth Low Energy, Class I insulation (for UK +)	£130.90	£141.90	
STCN-2	Stoke Control Box, Bluetooth Low Energy, Class II insulation (for France)	£115.50	£124.30	
ST150-1	150w Stoke heating element rod for Stoke Control Unit, Class I Insulation (for UK+)			£31.90
ST400-1	400w Stoke heating element rod for Stoke Control Unit, Class I Insulation (for UK+)			£35.20
ST600-1	600w Stoke heating element rod for Stoke Control Unit, Class I Insulation (for UK+)			£37.40
ST900-1	900w Stoke heating element rod for Stoke Control Unit, Class I Insulation (for UK+)			£39.60
ST150-2	150w Stoke heating element rod for Stoke Control Unit, Class II Insulation (for France)			£34.10
ST400-2	400w Stoke heating element rod for Stoke Control Unit, Class II Insulation (for France)			£37.40
ST600-2	600w Stoke heating element rod for Stoke Control Unit, Class II Insulation (for France)			£39.60
ST900-2	900w Stoke heating element rod for Stoke Control Unit, Class II Insulation (for France)			£41.80
3BV	1/2" BSP 3Bar Valve for Electric only Towel rails - Nickel Plated only		£8.91	
WPC600	600w Wall Plate Controller for standard heating cartridge	£59.40	£66.00	
P1300	16mm Pattresse Box (supplied min 10pcs in a carton)	£1.00		
P1400	25mm Pattresse Box (supplied min 10pcs in a carton)	£1.20		



SJA



SJP



SJA157 + C1574



SJP154 + C1574



SJAC-h



SJPC-h



ASJA



SPF

DUAL FUEL COMPONENTS

Product Name	Description	Retail Price £		
		White W	Chrome C	Nickel N
TP	1/2" BSP T piece for dual fuel operation	£9.90	£9.90	£12.10
4w-TRV+	4 way radiator valve with thermostatic control (white sensor and nickel plated body)			£102.30



6TBC + 5TBC



6TABC + 5TABC



6TABW + 5TABW



BHC



BHW



TPHC



VHC



VHW



TRC



TDC



3BV



STCN-1C

CLIP-ON ACCESSORIES

Product Name	Description	Retail Price £	
		White W	Chrome C
BH	Button Rob Hanger	£15.40	£23.10
4TB	400mm Clip-on Towel bar for Straight Shape Multirail Towel Warmer	£31.13	£38.06
6TB	600mm Clip-on Towel bar for Straight Shape Multirail Towel Warmer	£31.13	£38.06
6TAB	600MM Clip-on Towel bar for Arched Multirail Towel Warmer	£35.75	£42.13
VH	V Hook	£23.10	£27.72
5TAB	Towel Bar for 500mm Arched Multirail Towel Warmer	£34.10	£40.44
5TB	Towel Bar for 500mm Straight Multirail Towel Warmer	£29.37	£36.30
TPH	Toilet Paper Holder	£40.48	£48.51
TR	Towel Ring	£41.80	£46.75
TD	Towel Dryer	£62.37	£80.30

HEAT TRANSFER LIQUID

Product Name	Description	Retail Price £
7HTL	Heat transfer liquid for upto 750high rails	£55.00
9HTL	Heat transfer liquid for upto 900mm high rails	£55.00
11HTL	Heat transfer liquid for 1200mm high rails	£75.00
17HTL	Heat transfer liquid for 1800mm high rails	£105.00
20HTL	Heat transfer liquid for upto 2000mm high rails	£145.00

CENTRAL HEATING TREATMENTS

Product Name	Description	Retail Price £
766743	Ultraheat Central Heating System Inhibitor (500ml)	£3.08
766750	Ultraheat Central Heating System Cleaner (500ml)	£3.08
768822	Ultraheat Central Heating 22mm Full Compliance Kit	£58.08
768808	Ultraheat Central Heating 22mm Magnetic Filter	£37.80
768815	Ultraheat Central Heating 15mm Electrolytic Scale	£15.00

FITTINGS

Product Name	Description	Retail Price £				
		Brushed Matt S	Polished P	Nickel N	White W	Chrome C
90MF12	1/2" BSP Male to Female SS Square Elbow, Brushed Mat	£13.90	£17.40			
180MF12S	1/2" BSP Male to Female SS Straight 10mm, Brushed Mat	£11.65	£14.60			
180MF12L	1/2" BSP Male to Female SS Straight 30mm, Brushed Mat	£13.25	£16.60			
180MF34S	3/4" BSP Male to Female SS Straight 10mm, Brushed Mat	£13.30	£16.70			
180MF34L	3/4" BSP Male to Female SS Straight 30mm, Brushed Mat	£15.65	£19.60			
180FF1234	3/4" BSP Female to 1/2" BSP Female SS Straight, Brushed Mat	£10.45	£13.05			
90SL	100+100mm 15mm in dia. Elbow SS Tube, Brushed Mat	£6.95	£8.70			
180SL	200mm Long 15 in dia. Straight SS Tube, Brushed Mat	£5.40	£6.75			
SPF	1/2" BSP Straight Male Push Fit to 15mm tube (nickel plated)			£11.75		

AIRVENTS & ACCESSORIES

Product Name	Description	Retail Price £				
		Brushed Matt S	Polished P	Nickel N	White W	Chrome C
SJA	1/2" Standard Airvent with "O" ring - Nickel Plated			£2.40		
SJP	1/2" Standard Plug with "O" ring - Nickel Plated			£1.80		
SJA-w	1/2" Standard Nickel Airvent with "O" ring and wh. plastic water diverter			£2.65		
SJA157	1/2" type157 Nickel Airvent Flat D26 Hex 8 1/2" EPDM			£4.50		
SJP154	1/2" type157 Nickel Plug Flat D26 Hex 8 1/2" EPDM			£3.40		
C1574	Plastic cup for type 157 airvent and 154 plug			£1.30	£1.30	£1.30
SJAC-h	1/2" Designer Chrome Airvent with "O" ring, Semi-Auto					£22.00
SJPC-h	1/2" Designer Chrome Plug with "O" ring,					£8.25
ASJA	1/2" Full Automatic Airvent with changable cartridge			£12.10		

RAL COLOUR BRACKETS

Product Name	Description	Retail Price £				
		Brushed Matt S	Polished P	Nickel N	White W	Chrome C
CLRAL	Other RAL colours (for Chelmsford Range only, price on application for the other models)			£200.00		



BRACKETS

Product Name	Description	Retail Price £		
		White W	Chrome C	Nickel N
2CWB	Concealed wall brackets for 200mm High Horizontal Panel Radiators			£2.55
3CWB	Concealed wall brackets for 300mm High Horizontal Panel Radiators			£2.65
4CWB	Concealed wall brackets for 400mm High Horizontal Panel Radiators			£2.80
5CWB	Concealed wall brackets for 500mm High Horizontal Panel Radiators			£3.20
6CWB	Concealed wall brackets for 600mm High Horizontal Panel Radiators			£3.70
7CWB	Concealed wall brackets for 700mm High Horizontal Panel Radiators			£4.20
9CWB	Concealed wall brackets for 900mm High Horizontal & 1200 - 1400 - 1600mm Vertical Panel Radiators			£5.00
12CWB	Concealed wall brackets for 1800 - 2000mm High Vertical Panel Radiators			£5.25
SFB	Floor Bracket for Single (Type SF, PSS) Horizontal Panel Radiators	£35.00		
DFB	Floor Bracket for Double & Triple (Type DF, DS, TF, TS) Horizontal Panel Radiators	£40.00		
UFB	Universal Floor Brackets for Horizontal Panel Radiators	£35.00		
MB4-st	Set of Wall brackets for Straight Type Towel Rail (Windsor)	£43.00	£43.00	
MAB4-st	Set of Wall brackets for Arched Type Towel Rail (Windsor)	£43.00	£43.00	

THERMOSTATIC, CYLINDRICAL, CUBIC, BLADE CROSS & SMART CONTROL VALVES

- Quality engineering for reliability • Next day delivery • All items held in stock • TRV's approved to European standard EN215
- 1 year warranty • Bi-directional flow • Vertical or horizontal mounting • Liquid filled head



UAW850N - £16.00 (exc VAT)
Chrome/White
Angled Thermostatic Valve
+ TRV Head (set)



UAW851N - £17.20 (exc VAT)
Chrome/White
Strait Thermostatic Valve
+ TRV Head (set)



UAW850C - £9.80 (exc VAT)
Chrome
Angled Thermostatic Valve



UAW850NL - £24.00 (exc VAT)
Chrome/White
Angled Thermostatic Valve
+ TRV Head + L/S (set)



UAW851NL - £25.80 (exc VAT)
Chrome/White
Strait Thermostatic Valve
+ TRV Head + L/S (set)



UAW851C - £12.90 (exc VAT)
Chrome
Strait Thermostatic Valve



CYL850C - £20.00 (exc VAT)
Chrome
Cylindrical-25 Angled Manual
Valve + L/S (set)



CYL850S - £22.80 (exc VAT)
Brushed Matt
Cylindrical-25 Angled Manual
Valve + L/S (set)



CYL851C - £20.50 (exc VAT)
Chrome
Cylindrical-25 Straight Manual
Valve + L/S (set)



CUL851C - £40.00 (exc VAT)
Chrome
Cubic-25 Straight Manual
Radiator Valve + L/S (set)



CUL850C - £30.00 (exc VAT)
Chrome
Cubic-25 Angled Manual
Radiator Valve + L/S (set)



BCH850C - £31.00 (exc VAT)
Chrome
Blade Cross Head Angled
Valve
+ L/S (Pair)



BCH851C - £34.50 (exc VAT)
Chrome
Blade Cross Head Straight
Valve
+ L/S (Pair)

SMART CONTROLS
superior energy saving products and devices

 **MiHome™**
is a smart home



CALL US FOR MORE INFORMATION

VALVE COMPATIBILITY *chart*

SO YOU HAVE FOUND THE PERFECT RADIATOR, NOW TO ADD THE FINISHING TOUCHES.

VALVES	ARGUS	BANJO	BOMBE/ LURVE	BUCKINGHAM	CHELMSFORD STRAIGHT	CHELMSFORD ARCHED	2 COLUMN	3 COLUMN	4 COLUMN	6 COLUMN	DEVON	DIANA	ECO-RAIL	HAMPTON COMPACT 4	HAMPTON PLANAL	HESTIA BATH	HESTIA VERTICAL	HYP0	IMPERIUM	KARNAK	KAVIS	KLON HORIZONTAL	KLON VERTICAL	KUPKA	KURAL	LANNER HORIZONTAL	LANNER VERTICAL
UD850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UD851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UD860	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UD927	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CUB841	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CUB840	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
MIN840	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ONE851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TWI850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TWI851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COR850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CYL840	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
P925	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
P926	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
P915	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
P916	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D13G	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DRASC	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VHS-str	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VHS-ang	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CHRV	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CHY850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CYH851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CYH853	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CYL850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CYL851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CUH850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CUH851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CUH853	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CUL850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CUL851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
QUA850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
QUA851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TLB850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCH850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BCH851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UAW850N	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UAW851N	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UAW850NL	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UAW851NL	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UAW850	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UAW851	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UAW853T	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UC650T	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
UC650	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TERMS OF *delivery*

Prices quoted are for UK Mainland only.

For other locations, please contact our Sales Office on +44 (0)1908 271155.

Do not book your plumber until goods have been delivered and checked.

Date of delivery

For items in stock a suitable delivery date should be arranged at time of order.

For out-of-stock items, an estimated delivery time will be advised at the time of order.

Please note that the estimated delivery date does not form part of the contract.

Time of delivery

Standard service is any time between 8am and 5pm. Timed deliveries can be made but at an extra cost.

In some instances it may therefore be more convenient to have items delivered to a work address where someone is present to sign for them. In the unlikely event that goods do not arrive before 5pm (for standard service, or the relevant time for a timed delivery), please let us know the following or same day.

Meeting the delivery

Someone will need to be at the delivery address on the day of delivery.

Outside packaging should be inspected before signing the delivery note*.

If there is no-one available to sign for delivery, arrangements will be made to re-deliver at an additional cost to the customer.

*If parcels are damaged or have been tampered with in any way they should not be signed for unless marked 'DAMAGED' or 'SHORT DELIVERED'.

No claim for damage in transit or shortage will be accepted if signed for 'RECEIVED IN GOOD CONDITION' or 'UNCHECKED' or 'NOT EXAMINED'.

Please note that, due to Health and Safety legislation, the driver is only allowed to deliver radiators to the nearest hard standing (pavement or driveway) and is not required to carry the radiators up any steps.

Where a radiator is over 25KG in weight, please ensure someone is available at the delivery address to assist

the driver.

Within 24 hours of receiving radiators please unwrap and thoroughly inspect goods. Any visible fault or imperfection (or missing parts) must be reported to Ultraheat or in the case this has been purchased from a reseller, please contact them directly within one working day (24 hours) of receipt to enable us to send a replacement, otherwise goods shall be deemed to be acceptable.

A content sheet will be enclosed in the box with the radiator to enable you to check that all parts are present.

In the unlikely event that your radiator is visibly faulty, please ensure that you retain all the original packaging. We cannot accept back any radiator on the grounds of visible damage or visible fault if it has been plumbed in.

Pipe centres

If you require measurements, please call our sales office or refer to our website: www.ultraheat.co.uk

(Pipe centre measurements and other measurements may have higher variance in Stainless Steel products as they are hand made, therefore you are advised to erect your pipes after you have received the radiator).

Pipe centre measurements are incorporating pair of valve distance of 45mm each to total of 90mm where applicable.

We recommend delivery and receipt of product before positioning pipework.

BTU Heat Output

Heat Output (BTU/Watt) quoted is based on Delta T50 (Δ) and may vary depending on colour and finish of radiator.

Chrome finishes are approx. 20% less than output quoted. Please enquire for more details.

For full terms and conditions please visit:

www.ultraheat.co.uk



PITACS LTD TERMS & CONDITIONS

The buyer's attention is in particular drawn to the provisions of condition 10.4.

1. Interpretation

- 1.1 The definitions and rules of interpretation in this condition apply in these conditions.
- 1.2 Buyer: the person, firm or company who purchases the Goods from the Seller.
- 1.3 Contract: any contract between the Seller and the Buyer for the sale and purchase of the Goods, incorporating these conditions.
- 1.4 Delivery Point: the place where delivery of the Goods is to take place under condition 4.
- 1.5 Goods: any goods agreed in the Contract to be supplied to the Buyer by the Seller (including any part or parts of them).
- 1.6 Seller: Pitacs Limited trading as Ultraheat and/or Aeon.
- 1.7 Words in the singular include the plural and in the plural include the singular.
- 1.8 A reference to one gender includes a reference to the other gender.
- 1.9 Condition headings do not affect the interpretation of these conditions.

2. Application of terms

- 2.1 Subject to any variation under condition 2.3 the Contract shall be on these conditions to the exclusion of all other terms and conditions (including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order, specification or other document).
- 2.2 No terms or conditions endorsed on, delivered with or contained in the Buyer's purchase order, confirmation of order, specification or other document shall form part of the Contract simply as a result of such document being referred to in the Contract.
- 2.3 These conditions apply to all the Seller's sales and any variation to these conditions and any representations about the Goods shall have no effect unless expressly agreed in writing and signed by a director of the Seller. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Seller which is not set out in the Contract. Nothing in this condition shall exclude or limit the Seller's liability for fraudulent misrepresentation.
- 2.4 Each order or acceptance of a quotation for Goods by the Buyer from the Seller shall be deemed to be an offer by the Buyer to buy Goods subject to these conditions.
- 2.5 No order placed by the Buyer shall be deemed to be accepted by the Seller until a written acknowledgement of order is issued by the Seller or (if earlier) the Seller delivers the Goods to the Buyer.
- 2.6 The Buyer shall ensure that the terms of its order and any applicable specification are complete and accurate.
- 2.7 Any quotation is given on the basis that no Contract shall come into existence until the Seller despatches an acknowledgement of order to the Buyer. Any quotation is valid for a period of 30 days only from its date, provided that the Seller has not previously withdrawn it.

3. Description

- 3.1 The quantity and description of the Goods shall be as set out in the Seller's quotation or acknowledgement of order.
- 3.2 All samples, drawings, descriptive matter, specifications and advertising issued by the Seller and any descriptions or illustrations contained in the Seller's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract and this is not a sale by sample.

4. Delivery

- 4.1 Unless otherwise agreed in writing by the Seller, delivery of the Goods shall take place at the Seller's place of business.
- 4.2 The Buyer shall take delivery of the Goods within 10 days of the Seller giving it notice that the Goods are ready for delivery.
- 4.3 Any dates specified by the Seller for delivery of the Goods are intended to be an estimate and time for delivery shall not be made of the essence by notice. If no dates are so specified, delivery shall be within a reasonable time.
- 4.4 Subject to the other provisions of these conditions the Seller shall not be liable for any direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and similar loss), costs, damages, charges or expenses caused directly or indirectly by any delay in the delivery of the Goods (even if caused by the Seller's negligence), nor shall any delay entitle the Buyer to terminate or rescind the Contract unless such delay exceeds 180 days.
- 4.5 If for any reason the Buyer fails to accept delivery of any of the Goods when they are ready for delivery, or the Seller is unable to deliver the Goods on time because the Buyer has not provided appropriate instructions, documents, licences or authorisations:
 - (a) risk in the Goods shall pass to the Buyer (including for loss or damage caused by the Seller's negligence);
 - (b) the Goods shall be deemed to have been delivered; and
 - (c) the Seller may store the Goods until delivery, whereupon the Buyer shall be liable for all related costs and expenses (including, without limitation, storage and insurance).
- 4.6 The Buyer shall provide at the Delivery Point and at its expense adequate and appropriate equipment and manual labour for loading the Goods. The Seller's delivery personnel shall not
 - (a) deliver Goods to any place at the Delivery Point beyond the ground level hard surface nearest to the Seller's vehicle; nor
 - (b) carry Goods up steps.
- 4.7 The Seller may deliver the Goods by separate instalments. Each separate instalment shall be invoiced and paid for in accordance with the provisions of the Contract.
- 4.8 Each instalment shall be a separate Contract and no cancellation or termination of any one Contract relating to an instalment shall entitle the Buyer to repudiate or cancel any other Contract or instalment.
- 4.9 Unless the Buyer has ordered and paid for a special timed delivery at a time and place agreed by the Seller, the time of delivery shall be at any time on the date of delivery between 9am and 5pm.
- 4.10 The Buyer or its representative shall attend at the Delivery Point on the date and at the time of delivery and shall:
 - (a) forthwith inspect the outside of all packages before signing the delivery note on which note the inspector shall record all and any damage or short delivery;
 - (b) within 24 hours of delivery
 - (i) unpack and thoroughly inspect the Goods received; and
 - (ii) check the Goods received against the Goods ordered; and
 - (iii) report forthwith to the Seller any visible faults or imperfections and any missing Goods or parts thereof; and
 - (iv) retain the packaging and delivery documentation of any faulty or imperfect Goods for inspection by the Seller; and
 - (v) not install, adapt, sell or dispose of (nor permit any other person to install, adapt, sell or dispose of) any Goods which the Buyer and/or the person inspecting the delivered Goods has found to be faulty, imperfect or incomplete.

5. Non-delivery

- 5.1 The quantity of any consignment of Goods as recorded by the Seller on despatch from the Seller's place of business shall be conclusive evidence of the quantity received by the Buyer on delivery unless the Buyer can provide conclusive evidence proving the contrary.
- 5.2 The Seller shall not be liable for any non-delivery of Goods (even if caused by the Seller's negligence) unless the Buyer gives written notice to the Seller of the non-delivery within 4 days of the date when the Goods would in the ordinary course of events have been received.
- 5.3 Any liability of the Seller for non-delivery of the Goods shall be limited to replacing the Goods within a reasonable time or issuing a credit note at the pro rata Contract rate against any invoice raised for such Goods.

6. Risk/title

- 6.1 The Goods are at the risk of the Buyer from the time of delivery.
- 6.2 All Goods supplied by the Seller free of charge remain at all times the property of the Seller unless and until the Seller has agreed in writing to sell such Goods to the Buyer and has received payment in full in accordance with sub-clause 6.3 below. Samples supplied by the Seller free of charge may be used for display purposes only

and shall be returned (at the Buyer's expense) to the Seller complete and in saleable condition within 3 months of delivery unless a longer period has been agreed in writing by the Seller.

- 6.3 Ownership of the Goods shall not pass to the Buyer until the Seller has received in full (in cash or cleared funds) all sums due to it in respect of:
 - (a) the Goods; and
 - (b) all other sums which are or which become due to the Seller from the Buyer on any account.
 - 6.4 Until ownership of the Goods has passed to the Buyer, the Buyer shall:
 - (a) hold the Goods on a fiduciary basis as the Seller's bailee;
 - (b) store the Goods (at no cost to the Seller) separately from all other goods of the Buyer or any third party in such a way that they remain readily identifiable as the Seller's property;
 - (c) not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods; and
 - (d) maintain the Goods in satisfactory condition and keep them insured on the Seller's behalf for their full price against all risks to the reasonable satisfaction of the Seller. On request the Buyer shall produce the policy of insurance to the Seller.
 - 6.5 The Buyer may resell the Goods before ownership has passed to it solely on the following conditions:
 - (a) any sale shall be effected in the ordinary course of the Buyer's business at full market value; and
 - (b) any such sale shall be a sale of the Seller's property on the Buyer's own behalf and the Buyer shall deal as principal when making such a sale.
 - 6.6 The Buyer's right to possession of the Goods shall terminate immediately if:
 - (a) the Buyer has a bankruptcy order made against him or makes an arrangement or composition with his creditors, or otherwise takes the benefit of any statutory provision for the time being in force for the relief of insolvent debtors, or (being a body corporate) convenes a meeting of creditors (whether formal or informal), or enters into liquidation (whether voluntary or compulsory) except a solvent voluntary liquidation for the purpose only of reconstruction or amalgamation, or has a receiver and/or manager, administrator or administrative receiver appointed of its undertaking or any part thereof, or documents are filed with the court for the appointment of an administrator of the Buyer or notice of intention to appoint an administrator is given by the Buyer or its directors or by a qualifying floating charge holder (as defined in paragraph 14 of Schedule B1 to the Insolvency Act 1986), or a resolution is passed or a petition presented to any court for the winding-up of the Buyer or for the granting of an administration order in respect of the Buyer, or any proceedings are commenced relating to the insolvency or possible insolvency of the Buyer; or
 - (b) the Buyer suffers or allows any execution, whether legal or equitable, to be levied on his/its property or obtained against him/it, or fails to observe or perform any of his/its obligations under the Contract or any other contract between the Seller and the Buyer, or is unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986 or the Buyer ceases to trade; or
 - (c) the Buyer encumbers or in any way charges any of the Goods.
 - 6.7 The Seller shall be entitled to recover payment for the Goods notwithstanding that ownership of any of the Goods has not passed from the Seller.
 - 6.8 The Buyer grants the Seller, its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or where the Buyer's right to possession has terminated, to recover them.
 - 6.9 Where the Seller is unable to determine whether any Goods are the goods in respect of which the Buyer's right to possession has terminated, the Buyer shall be deemed to have sold all goods of the kind sold by the Seller to the Buyer in the order in which they were invoiced to the Buyer.
 - 6.10 On termination of the Contract, howsoever caused, the Seller's (but not the Buyer's) rights contained in this condition 6 shall remain in effect.
- ## 7. Price
- 7.1 Unless otherwise agreed by the Seller in writing, the price for the Goods shall be the price set out in the Seller's price list published on the date of delivery or deemed delivery.
 - 7.2 The price for the Goods shall be exclusive of any value added tax and all costs or charges in relation to packaging, loading, unloading, carriage and insurance, all of which amounts the Buyer shall pay in addition when it is due to pay for the Goods provided that in respect of Goods delivered within Great Britain the price of Goods shall include:
 - (a) packaging, loading, unloading, and an element of insurance cover (for details of which cover please contact the Seller); and
 - (b) (for each order that is confirmed by the Seller to exceed its minimum order quantity in respect of that product type and delivery destination) the cost of carriage.
- ## 8. Payment
- 8.1 Unless otherwise agreed, the Buyer shall pay in full the price for the Goods in pounds at the time of placing its order with the Seller.
 - 8.2 Subject to condition 8.4, payment of the full balance of the price for the Goods is due in pounds sterling on the last working day of the month in which the Goods are delivered or deemed to be delivered.
 - 8.3 Time for payment shall be of the essence.
 - 8.4 No payment shall be deemed to have been received until the Seller has received cleared funds.
 - 8.5 All payments payable to the Seller under the Contract shall become due immediately on its termination despite any other provision.
 - 8.6 The Buyer shall make all payments due under the Contract in full without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise unless the Buyer has a valid court order requiring an amount equal to such deduction to be paid by the Seller to the Buyer.
 - 8.7 If the Buyer fails to pay the Seller any sum due pursuant to the Contract, the Buyer shall be liable to pay interest to the Seller on such sum from the due date for payment at the annual rate of 2% above the base lending rate from time to time of Barclays Bank, accruing on a daily basis until payment is made, whether before or after any judgment. The Seller reserves the right to elect to claim interest under the Late Payment of Commercial Debts (Interest) Act 1998.
- ## 9. Quality
- 9.1 Where the Seller is not the manufacturer of the Goods, the Seller shall endeavour to transfer to the Buyer the benefit of any warranty or guarantee given to the Seller.
 - 9.2 The Seller warrants that (subject to the other provisions of these conditions):
 - (a) on delivery, and for a period of 12 months from the date of delivery, the Goods shall:
 - (i) be of satisfactory quality within the meaning of the Sale of Goods Act 1979; and
 - (ii) be reasonably fit for any particular purpose for which the Goods are being bought if the Buyer had made known that purpose to the Seller in writing and the Seller has confirmed in writing that it is reasonable for the Buyer to rely on the skill and judgement of the Seller; and
 - (b) on delivery, and for a period of 12 months from the date of delivery, electrical appliances shall be free from material defects resulting from faulty manufacture or workmanship; and
 - (c) on delivery, and for a period of 5 years from the date of delivery, Ultraheat Premier radiators (excluding Goods falling within the foregoing sub-section (b)) shall be free from material defects resulting from faulty manufacture or workmanship; and
 - (d) on delivery, and for a period of 10 years from the date of delivery, Compact radiators (excluding Goods falling within the foregoing sub-sections (b) or (c)) shall be free from material defects resulting from faulty manufacture or workmanship; and
 - (e) on delivery, and for a period of 20 years from the date of delivery, Aeon stainless steel products (excluding Goods falling within the foregoing sub-sections (b), (c) or (d)) shall be free from leakage resulting from material defects due to faulty manufacture or workmanship.
 - 9.3 The Seller shall not be liable for a breach of any of the warranties in condition 9.2 unless:
 - (a) the Buyer has complied with its obligations under these terms and conditions, in

particular (without limitation) the Buyer's obligations pursuant to clause 4.10 above to inspect all Goods upon and immediately following delivery and notify the Seller promptly and in full of faulty, imperfect or incomplete Goods; and
(b) the Buyer gives written notice of the defect to the Seller; and, if the defect is as a result of damage in transit to the carrier, within 3 days of the time when the Buyer discovers or ought to have discovered the defect; and
(c) the Seller is given a reasonable opportunity after receiving the notice of examining such Goods and the Buyer (if asked to do so by the Seller) returns such Goods to the Seller's place of business at the Seller's cost for the examination to take place there.

- 9.4 The Seller shall not be liable for a breach of any of the warranties in condition 9.2 if:
 - (a) the Buyer makes any further use of such Goods after giving such notice; or
 - (b) the defect arises because the Buyer failed to follow the Seller's oral or written instructions as to the storage, installation, commissioning, use or maintenance of the Goods or (if there are none) good trade practice; or
 - (c) the serial numbers on the Goods have been removed, erased, concealed or for any other reason are unavailable; or
 - (d) the defect in question arises in whole or in part from reasonable wear and tear; or
 - (e) the Goods have not been installed with reasonable competence and in accordance with the best industry standards in the UK for professional installation of heating and plumbing; or
 - (f) the Buyer alters or repairs such Goods without the written consent of the Seller.
- 9.5 Subject to condition 9.3 and condition 9.4, if any of the Goods do not conform with either of the warranties in condition 9.2 the Seller shall at its option repair or replace such Goods (or the defective part) or refund the price of such Goods at the pro rata Contract rate provided that, if the Seller so requests, the Buyer shall, at the Seller's expense, return the Goods or the part of such Goods which is defective to the Seller.
- 9.6 If the Seller complies with condition 9.5 it shall have no further liability for a breach of any of the warranties in condition 9.2 in respect of such Goods.
- 9.7 Any Goods replaced shall belong to the Seller and any repaired or replacement Goods shall be guaranteed on these terms for the unexpired portion of the 12 month period.

10. Limitation of liability

- 10.1 Subject to condition 4, condition 5 and condition 9, the following provisions set out the entire financial liability of the Seller (including any liability for the acts or omissions of its employees, agents and sub-contractors) to the Buyer in respect of:
 - (a) any breach of these conditions;
 - (b) any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods; and
 - (c) any representation, statement or tortious act or omission including negligence arising under or in connection with the Contract.
- 10.2 All warranties, conditions and other terms implied by statute or common law (save for the conditions implied by section 12 of the Sale of Goods Act 1979) are, to the fullest extent permitted by law, excluded from the Contract.
- 10.3 Nothing in these conditions excludes or limits the liability of the Seller:
 - (a) for death or personal injury caused by the Seller's negligence; or
 - (b) under section 2(3), Consumer Protection Act 1987; or
 - (c) for any matter which it would be illegal for the Seller to exclude or attempt to exclude its liability; or
 - (d) for fraud or fraudulent misrepresentation.
- 10.4 Subject to condition 10.2 and condition 10.3:
 - (a) the Seller's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated performance of the Contract shall be limited to the Contract price; and
 - (b) the Seller shall not be liable to the Buyer for indirect or consequential loss of profit or loss of business which arise out of or in connection with the Contract.

11. Assignment

- 11.1 The Seller may assign the Contract or any part of it to any person, firm or company.
- 11.2 The Buyer shall not be entitled to assign the Contract or any part of it without the prior written consent of the Seller.

12. Force majeure

The Seller reserves the right to defer the date of delivery or to cancel the Contract or reduce the volume of the Goods ordered by the Buyer (without liability to the Buyer) if it is prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Seller including, without limitation, acts of God, governmental actions, war or national emergency, acts of terrorism, protests, riot, civil commotion, fire, explosion, flood, epidemic, lock-outs, strikes or other labour disputes (whether or not relating to either party's workforce), or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate or suitable materials, provided that, if the event in question continues for a continuous period in excess of 90 days, the Buyer shall be entitled to give notice in writing to the Seller to terminate the Contract.

13. General

- 13.1 Each right or remedy of the Seller under the Contract is without prejudice to any other right or remedy of the Seller whether under the Contract or not.
- 13.2 If any provision of the Contract is found by any court, tribunal or administrative body of competent jurisdiction to be wholly or partly illegal, invalid, voidable, unenforceable or unreasonable it shall to the extent of such illegality, invalidity, voidness, voidability, unenforceability or unreasonableness be deemed severable and the remaining provisions of the Contract and the remainder of such provision shall continue in full force and effect.
- 13.3 Failure or delay by the Seller in enforcing or partially enforcing any provision of the Contract shall not be construed as a waiver of any of its rights under the Contract.
- 13.4 Any waiver by the Seller of any breach of, or any default under, any provision of the Contract by the Buyer shall not be deemed a waiver of any subsequent breach or default and shall in no way affect the other terms of the Contract.
- 13.5 The parties to the Contract do not intend that any term of the Contract shall be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it.
- 13.6 The formation, existence, construction, performance, validity and all aspects of the Contract shall be governed by English law and the parties submit to the exclusive jurisdiction of the English courts.

14. Communications

- 14.1 All communications between the parties about the Contract shall be in writing and delivered by hand or sent by pre-paid first class post or sent by fax:
 - (a) (in case of communications to the Seller) to its registered office or such changed address as shall be notified to the Buyer by the Seller; or
 - (b) (in the case of the communications to the Buyer) to the registered office of the addressee (if it is a company) or (in any other case) to any address of the Buyer set out in any document which forms part of the Contract or such other address as shall be notified to the Seller by the Buyer.
- 14.2 Communications shall be deemed to have been received:
 - (a) if sent by pre-paid first class post, two days (excluding Saturdays, Sundays and bank and public holidays) after posting (exclusive of the day of posting); or
 - (b) if delivered by hand, on the day of delivery; or
 - (c) if sent by fax on a working day prior to 4.00 pm, at the time of transmission and otherwise on the next working day.
- 14.3 Communications addressed to the Seller shall be marked for the attention of Mr Saffet Kalender.

Terms and Conditions are available as a PDF file upon request. Alternatively, they can be downloaded from our website.



ULTRAHEAT

Ultraheat is the heating division of Pitacs Limited


Bradbourne Point, Bradbourne Drive
Tilbrook, Milton Keynes
Buckinghamshire, MK7 8AT
United Kingdom

T: +44 (0)1908 271155

F: +44 (0)1908 640017

E: info@pitacs.com

W: www.ultraheat.co.uk



5 055268 776940 >