




Product Catalogue



Welcome to your new Trade Catalogue

British Design
British Quality
British Service





We are celebrating 45 years of supply to our valued customers. To mark this milestone we are announcing another expansion to our product range, adding new traditional and contemporary designs with the same Bathex quality. We hope you will continue to make Bathex your supplier of choice.



Friction Single Concealed Fix Hinged Support Rail



At Bathex we aim to make your life that little bit easier so you can get on with supplying your customers as we make sure you are getting what you need – quotations returned in the same day, great products, great value and great service.

We make this choice simple, offering British made goods manufactured in Birmingham, at competitive prices with consistently high quality. UK supply means you don't have to worry about long lead times and supply chain issues.

It also means we can work with you to develop new products and meet your changing requirements faster and more reliably.

Our average delivery time is just 72 hours and 99.5% of products are shipped in the week that they are ordered.

Contact us

Telephone: 0121 706 4122

Fax: 0121 707 4487

Email: sales@bathex.co.uk

Visit our website

www.bathex.co.uk

Bespoke Products

As a UK manufacturer we are able to offer our customers a bespoke design service for low volume components that you can't find in the catalogue. We normally deal with two sorts of bespoke requests, product variants and new/bespoke designs.


Product variant

The most common request is for a variation to an existing product. This includes minor specification changes for example - a little longer grab rail, a slightly different angle or a change of position to the fixturing. In most of these cases we can provide a quote the same day.

CASE STUDY

The problem; Our customer needed an L Shaped Grab Rail with non-standard dimensions of 900mm high and 300mm wide.


The solution; We manufactured an L Shaped Rail to the required size and delivered in just three days. Customer happy.



Bespoke design

A less common request is for a completely new design. Using our flange and tube system we have the ability to bend, add flanges and add ribbing which means we can manufacture any number of bespoke configurations. Working with our designers you can commission a completely unique rail to fit your scenario.






CASE STUDY

The problem; Our customer sent us this photo and asked us to design a suitable hand rail around these steps.

The solution; We designed a new rail in two parts and agreed the design with our customer. It was manufactured within two weeks and fitted perfectly. Customer was very happy.

These products due to their bespoke nature may incur additional engineering charges, but we will make these charges clear in your quotation. Responsibility for the design of a bespoke product rests with the customer. If we do not feel that a design is appropriate we may either decline to quote or suggest amendments, but the final responsibility remains with the customer.



Our Warranties

We try and keep things simple, so, within the warranty periods detailed here, if it is our responsibility that something has gone wrong with the design, materials or manufacture of one of our products then we will replace, repair or refund the product at our discretion.



10 YEAR DISTINCTION WARRANTY

Bathex offer an extended 10 Year Warranty* for all the Distinction range products.



3 YEAR STAINLESS WARRANTY

Bathex offer an enhanced 3 Year Warranty* on all Stainless Steel products.



1 YEAR STANDARD WARRANTY

Bathex offer a minimum 1 Year Warranty* on all products.

* See warranty terms on page 89.



Helping you choose the right product

These pages are here to help inform you about some of the choices available in selecting the right product for your needs. If you have any questions that are not answered here, please speak to our Sales Team.

Call 0121 706 4122 or email sales@bathex.co.uk

What material should I select?

The choice of material for your product is probably one of the most important decisions you have to make. Many of our ranges come in either 'mild' steel or 'stainless' steel. These materials have similar properties in terms of strength and durability but perform very differently when exposed to moisture.

Stainless Steel

If you select a stainless steel version of any of our products you can be confident that the product can be used in wet, damp or moist environments. The nature of the stainless steel material means it is not susceptible to pitting or rusting when exposed to water. This material should be selected for wet rooms, showers and bathrooms where water exposure is high.



Stainless Steel products are covered by a 3 Year Warranty*

* See warranty terms on page 89.

Mild Steel

If you select a mild steel version of any of our products you can be confident that the product will be durable in dry environments. This means that prolonged exposure to moisture will eventually cause first cosmetic damage, then potentially weaken the strength of the product. These products can be selected for dry areas and general use around the home or building.

Mild Steel products are covered by a

- 1 Year Warranty*
- * See warranty terms on page 89.



What finishes are available?

All of our products can be manufactured in a selection of high quality finishes and colours.



Mirror Polish

For our stainless steel products we offer the ultimate in bright clean finish with this high-quality hand finished option. It is both durable, easy to maintain and is the perfect finish for the home and high-end installations.

Sateen Polish

If you are seeking a warmer matt finish for your stainless steel products then select this sophisticated smooth finish. Often selected for high-usage locations it provides a high-end look and feel which is easy to clean and maintain.





Powder Coated Paint Finish

A tough, oven baked coloured finish that provides a smooth and consistent coating for any of our mild or stainless steel products. We offer a standard range of popular colours, and at additional cost we can match colours to your specific requirements.

Chrome Plated Finish

A traditional option for a bright metallic finish that is available for some of our mild steel products. This finish was often used to extend the life of mild steel products in moderately damp environments.





What about even more grip?

It is possible to order our grab rails with additional plastic ribbing. This provides an enhanced level of grip for those who need more confidence. Please note ribbed grips are not recommended for wet environments.

What are the wall mounting options?

Our products are relied upon to provide security in what can be vulnerable situations. It is therefore critical that the products are mounted correctly and securely.

We offer a range of mounting options designed to provide security with style. There are three main options to consider all of which have three screw holes in each mounting.



Low-profile Concealed Fixings

For use in high-end and home installations, the fixturing is low profile and entirely hidden. These are used in our Distinction range products.

DST

Turn to page 6

Concealed Fixings

For an improved visual appearance the fixturing is hidden but provides a large footprint for securing the products. This style is used in our Professional range.





ESS

Exposed Flange Fixings

PRO

For use in public installations or where it is acceptable for the fitting to be exposed. This is a lower cost option and appears in our Essential range where value is the primary driver.

Turn to page 48

What size, shape and diameter can you offer?

We offer an enormous range of sizes, shapes and diameters of products with ranges that are straight, cranked, L shaped and curved.

Shape

The most important decision on size and shape is that it must provide the necessary safe support and benefit to the user. This means it must facilitate the user's activity by providing grip in a natural ergonomic position. There are many guides and regulations regarding the fitting of such accessories, if you are in any doubt please contact our Sales Team.

Handed Products

Throughout the catalogue we refer to some of our products as right or left hand. It is important that you look closely at the detailed product information for each product to ensure you select the correct hand product for your installation.

Sizes

The question of size and shape is often constrained by the space that you have available in your location. We provide most of our ranges in commonly used standard lengths and common shapes. As an example, our grab rails come in lengths from 300mm to 750mm, for longer spans fixturing is designed in to ensure strength and security.

Tube Diameter

Whilst all our products comply with the British Standards the larger the diameter of product you select the more loading can be applied. For our 25mm diameter products we recommend loading of less than 120kg, for the 35mm products we recommend a maximum loading of 170kg.

Special Sizes

If the size or shape you require is not in the catalogue please give us a call to see if we can meet your needs. As a UK manufacturer, we can let you know very quickly if your requirement is something we can provide.

I need a hinge rail; do I need a double arm version with a drop down leg?


We offer a wide range of hinged rails for toilet and shower installations. There are single arm and double arm versions and a choice of rails with and without drop-down legs. Here you must consider both the frequency of use and the likely size of the user(s).

Single Arm or Double Arm

A single rail will provide stabilisation to your user up to a maximum loading of 130kg. A double rail will provide enhanced stability and will take a load bearing up to 170kg.

Drop Down Legs

A hinged rail with a drop down leg provides additional stability and security. The use of drop down legs does not increase the load bearing capability of the rails.



Friction or Slotting

Our friction hinged rails and shower seats improve the ease of use for those with more limited capabilities

The friction hinge makes dropping and engaging the rail or seat easier with a smoother action. Slotted rails need to be lifted from a locked position to be lowered by the user.

BATHEX

DISTINCTION



Yardley Grab Rails	
Straight Grab Rails	07
Arch Grab Rails	80
Wave Grab Rails	09
Cranked Grab Rails	10
L Shaped Rails	11
3 Flange Grab Rails	12
Corner Rails	13
Knowle Grab Rails	
Straight Grab Rails	14
Cranked Grab Rails	15
L Shaped Rails	16
3 Flange Grab Rails	17
Backrest Rails	
Backrest Rails	18
Hinged Support Rails	
Friction Single Arm and Double Arm	19
Friction Single Arm Concealed Fix	20
Though on gio 7 in a concouled the	20
Friction Single Arm Removable	20
Friction Single Arm Removable	20
Friction Single Arm Removable Friction Single Arm with Towel Rail	20
Friction Single Arm Removable Friction Single Arm with Towel Rail Shower Accessories	20
Friction Single Arm Removable Friction Single Arm with Towel Rail Shower Accessories Curtain Rails	20 21 22
Friction Single Arm Removable Friction Single Arm with Towel Rail Shower Accessories Curtain Rails Curtains & Hooks	20 21 22
Friction Single Arm Removable Friction Single Arm with Towel Rail Shower Accessories Curtain Rails Curtains & Hooks Grab Toilet Roll Holders	20 21 22 23

Exclusive designs, and superior materials in both contemporary and traditional styling. The Distinction range consists of two main product families, our contemporary Yardley design with a modern angular appearance and the more traditional Knowle design with its classic curves. Both benefit from the same graceful, low-profile fixturing.

For public environments consider the robust 35mm products, whereas for domestic applications with less intensive use take a look at the sleeker 25mm versions. All of these premium products are backed by our 10 year warranty and are available in a range of beautiful finishes and a wide range of colour options.

10 YEAR DISTINCTION WARRANTY

Bathex offer an extended 10 Year Warranty* for all the Distinction range products.

* See warranty terms on page 89.



Made in the United Kingdom




Yardley Grab Rails














Straight Grab Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	300mm	17000MP	17000SP	17000WH	17000C0
25mm	SS	450mm	17001MP	17001SP	17001WH	17001CO
25mm	SS	600mm	17002MP	17002SP	17002WH	17002C0
35mm	SS	300mm	19000MP	19000SP	19000WH	19000C0
35mm	SS	450mm	19001MP	19001SP	19001WH	19001CO
35mm	SS	600mm	19002MP	19002SP	19002WH	19002C0




- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Perfectly shaped machined support legs.
- Smaller tube diameter for stylish home bathroom applications.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Yardley Arch Grab Rails














Arch Grab Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	300mm	17020MP	17020SP	17020WH	17020C0
25mm	SS	450mm	17021MP	17021SP	17021WH	1702100
25mm	SS	600mm	17022MP	17022SP	17022WH	1702200
35mm	SS	300mm	19020MP	19020SP	19020WH	1902000
35mm	SS	450mm	19021MP	19021SP	19021WH	19021CO
35mm	SS	600mm	19022MP	19022SP	19022WH	1902200




- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications. 25mm
- Perfectly shaped machined support legs.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Yardley Wave Grab Rails
















Wave Grab Rail - Left Hand

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	300mm	17030MP	17030SP	17030WH	17030C0
25mm	SS	450mm	17031MP	17031SP	17031WH	1703100
25mm	SS	600mm	17032MP	17032SP	17032WH	1703200
35mm	SS	300mm	19030MP	19030SP	19030WH	19030C0
35mm	SS	450mm	19031MP	19031SP	19031WH	1903100
35mm	SS	600mm	19032MP	19032SP	19032WH	1903200

35mm Stainless Steel Left Hand Right Hand

- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Made as a single piece providing a seamless finish.
- Smaller tube diameter for stylish home bathroom applications.
- Perfectly shaped machined support legs.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Wave Grab Rail - Right Hand


			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	300mm	17035MP	17035SP	17035WH	1703500
25mm	SS	450mm	17036MP	17036SP	17036WH	1703600
25mm	SS	600mm	17037MP	17037SP	17037WH	1703700
35mm	SS	300mm	19035MP	19035SP	19035WH	19035C0
35mm	SS	450mm	19036MP	19036SP	19036WH	19036C0
35mm	SS	600mm	19037MP	19037SP	19037WH	19037C0


Yardley Cranked Grab Rails











Cranked Grab Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	300mm x 300mm	17040MP	17040SP	17040WH	17040CO
35mm	SS	300mm x 300mm	19040MP	19040SP	19040WH	19040C0
35mm	SS	450mm x 450mm	19041MP	19041SP	19041WH	19041CO




- Cranked for a more natural angle of grip.
- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications. Perfectly shaped machined support legs.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Yardley L Shaped Grab Rails







L Shaped Rail - Left Hand

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	400mm x 800mm	17050MP	17050SP	17050WH	17050CO
25mm	SS	450mm x 450mm	17051MP	17051SP	17051WH	1705100
25mm	SS	600mm x 600mm	17052MP	17052SP	17052WH	1705200
35mm	SS	400mm x 800mm	19050MP	19050SP	19050WH	19050C0
35mm	SS	450mm x 450mm	19051MP	19051SP	19051WH	19051C0
35mm	SS	600mm x 600mm	19052MP	19052SP	19052WH	1905200

L Shaped Rail - Right Hand

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	400mm x 800mm	17060MP	17060SP	17060WP	17060CO
25mm	SS	450mm x 450mm	17061MP	17061SP	17061WP	1706100
25mm	SS	600mm x 600mm	17062MP	17062SP	17062WP	1706200
35mm	SS	400mm x 800mm	19060MP	19060SP	19060WH	19060C0
35mm	SS	450mm x 450mm	19061MP	19061SP	19061WH	19061CO
35mm	SS	600mm x 600mm	19062MP	19062SP	19062WH	1906200




- Single product solution for assistance in both horizontal and vertical planes.
- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications.
- Perfectly shaped machined support legs.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Yardley 3 Flange Grab Rails







3 Flange Grab Rail

25mm 35mm Stainless Steel

- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications.
- Perfectly shaped machined support legs.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Cranked bath rails are available on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	1000mm	17070MP	17070SP	17070WH	1707000
25mm	SS	1250mm	17075MP	17075SP	17075WH	1707500
25mm	SS	1500mm	17080MP	17080SP	17080WH	17080C0
35mm	SS	1200mm	19070MP	19070SP	19070WH	19070C0
35mm	SS	1500mm	19075MP	19075SP	19075WH	19075CO
35mm	SS	1750mm	19080MP	19080SP	19080WH	19080C0

Yardley Corner Rails









Corner Rail


	Mirror Polish	Sateen Polish	White	RAL Colour
25mm SS	17090MP	17090SP	17090WH	17090C0
35mm SS	19090MP	19090SP	19090WH	1909000

Corner Rail with Vertical Support














- This product is usually made to customer specifications. Please call to discuss your requirements.
- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications. Perfectly shaped machined support legs.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Knowle Grab Rails














Straight Grab Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	300mm	11000MP	11000SP	11000WH	11000C0
25mm	SS	450mm	11001MP	11001SP	11001WH	11001CO
25mm	SS	600mm	11002MP	11002SP	11002WH	1100200
35mm	SS	300mm	18000MP	18000SP	18000WH	18000C0
35mm	SS	450mm	18001MP	18001SP	18001WH	18001CO
35mm	SS	600mm	18002MP	18002SP	18002WH	18002CO




- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)


Knowle Cranked Grab Rails











Cranked Grab Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	300mm x 300mm	11040MP	11040SP	11040WH	11040C0
35mm	SS	300mm x 300mm	18040MP	18040SP	18040WH	18040C0
35mm	SS	450mm x 450mm	18041MP	18041SP	18041WH	18041CO





- Cranked for a more natural angle of grip.
- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Knowle L Shaped Grab Rails











L Shaped Rail - Left Hand

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	400mm x 800mm	11050MP	11050SP	11050WH	11050C0
25mm	SS	450mm x 450mm	11051MP	11051SP	11051WH	1105100
25mm	SS	600mm x 600mm	11052MP	11052SP	11052WH	1105200
35mm	SS	400mm x 800mm	18050MP	18050SP	18050WH	18050CO
35mm	SS	450mm x 450mm	18051MP	18051SP	18051WH	18051CO
35mm	SS	600mm x 600mm	18052MP	18052SP	18052WH	1805200

L Shaped Rail - Right Hand

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	400mm x 800mm	11060MP	11060SP	11060WP	11060C0
25mm	SS	450mm x 450mm	11061MP	11061SP	11061WP	11061C0
25mm	SS	600mm x 600mm	11062MP	11062SP	11062WP	1106200
35mm	SS	400mm x 800mm	18060MP	18060SP	18060WH	18060CO
35mm	SS	450mm x 450mm	18061MP	18061SP	18061WH	18061CO
35mm	SS	600mm x 600mm	18062MP	18062SP	18062WH	18062CO




- Single product solution for assistance in both horizontal and vertical planes.
- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Knowle 3 Flange Grab Rails







3 Flange Grab Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	1000mm	11070MP	11070SP	11070WH	1107000
25mm	SS	1250mm	11075MP	11075SP	11075WH	1107500
25mm	SS	1500mm	11080MP	11080SP	11080WH	11080C0
35mm	SS	1200mm	18070MP	18070SP	18070WH	18070C0
35mm	SS	1500mm	18075MP	18075SP	18075WH	18075CO
35mm	SS	1750mm	18080MP	18080SP	18080WH	18080C0



- Minimum projection distance from the wall for when space is at a premium.
- Stylish, low profile cover plates.
- Smaller tube diameter for stylish home bathroom applications.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Cranked bath rails are available on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Knowle Backrest and Cushion






35mm Stainless Steel

- Stylish, low profile cover plates.
- Stainless Steel for use in wet or damp areas.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)


The 150mm backrest rail is specifically designed to be used with the 650mm projection shower seat.



Backrest Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
35mm	SS	150mm	18015MP	18015SP	18015WH	1801500
35mm	SS	240mm	18016MP	18016SP	18016WH	18016CO

Backrest Cushion



- Water resistant foam.
- 365mm x 160mm x 50mm.
- Available in White or Blue RAL 5011.





Cushions are fixed onto the backrest rail using two bolt on brackets supplied.


Friction Single Arm Hinged Support Rail





Friction Single Arm Hinged Support Rail

	Mirror Polish	Sateen Polish	White	RAL Colour
35mm SS 760m	m 32901MP	32902SP	32903WH	3290400
35mm SS 800m	m 32905MP	32905SP	32905WH	3290500



- Easy to use friction action.
- Fully stainless steel backplate for ultimate durability.
- Strong tubular construction.
- Ideal for use in wet or damp areas.
- Tested to 120kg in vertical and 45 degree positions.
 This does not include customer fixings.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not included)

Stainless Steel


Friction Double Arm Hinged Support Rail





Friction Double Arm Hinged Support Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
35mm	SS	760mm	35820MP	35825SP	35830WH	35835C0
35mm	SS	800mm	35860MP	35860SP	35860WH	35860C0



35mm

Stainless Steel

- Easy to use friction action.
- Fully stainless steel backplate for ultimate durability.
- Strong tubular construction.
- Ideal for use in wet or damp areas.
- Tested to 170kg in vertical and 45 degree positions.
 This does not include customer fixings.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not included)

+ Ribbed Grip

Friction Single and Double Hinged Rails can be manufactured with a ribbed grip for extra stability and confidence.

Please add an 'R' to the end of the product code

Friction Single Concealed Fix Rail







35mm

Stainless Steel

Friction Single Concealed Fix Rail



- Easy to use friction action.
- Fully stainless steel backplate for ultimate durability.
- Strong tubular construction.
- Ideal for use in wet or damp areas.
- Tested to 120kg in vertical and 45 degree positions.
 This does not include customer fixings.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not included)

Stainless Steel


Friction Single Concealed Removable Rail







Friction Single Concealed Removable Rail



Easy to use friction action.

35mm

Fully stainless steel backplate for ultimate durability.

Stainless Steel


- Strong tubular construction.
- Ideal for use in wet or damp areas.
- Tested to 120kg in vertical and 45 degree positions.
 This does not include customer fixings.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not included)


Friction Hinged Support Rail with Towel Rail





Friction Hinged Support Rail with Towel Rail





35mm


Stainless Steel

- Fully stainless steel backplate for ultimate durability.
- Strong tubular construction.
- Ideal for use in wet or damp areas.
- Tested to 120kg in vertical and 45 degree positions.
 This does not include customer fixings.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not included)

Stainless Steel

Friction Hinged Support Rail with Towel Rail & Toilet Roll Holder





35mm

Stainless Steel

- Fully stainless steel backplate for ultimate durability.
- Strong tubular construction.
- Ideal for use in wet or damp areas.
- Tested to 120kg in vertical and 45 degree positions.
 This does not include customer fixings.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not included)



Friction Hinged Support Rail with Towel Rail & Toilet Roll Holder

 Mirror Polish
 Sateen Polish
 White
 RAL Colour

 35mm
 SS
 800mm
 38340MP
 38340SP
 38340WH
 38340CO

25

L Shaped Curtain Rails



Curtain Rail

			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	750mm x 750mm	60600MP	60600SP	60600WP	60600C0
25mm	SS	1000mm x 1000mm	60620MP	60620SP	60620WP	60620C0
25mm	SS	1200mm x 1200mm	60630MP	60630SP	60630WP	60630C0
25mm	SS	750mm x 1700mm	60610MP	60610SP	60610WP	6061000

Curtain with Integrated Ceiling Stay


			Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	750mm x 750mm	60650MP	60650SP	60650WP	60650C0
25mm	SS	1000mm x 1000mm	60670MP	60670SP	60670WP	60670C0
25mm	SS	1200mm x 1200mm	60680MP	60680SP	60680WP	60680C0
25mm	SS	750mm x 1700mm	60660MP	60660SP	60660WP	60660C0

Ceiling stay location will be as per illustration unless otherwise requested.

25mm

Stainless Steel


- Curtain Rails are modular and are joined using black connectors to aid delivery and installation.
 They can be manufactured as a single piece and to customer specification on request.
- Ceiling stays are recommended for rails used in shower scenarios due to the additional weight of a wet curtain. These are fitted during manufacture and cannot be added later.
- Ceiling Stays are 500mm long as standard and can be cut to length on site. Longer stays can be manufactured on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



Straight Curtain Rails



25mm Curtain Rail



- Stainless Steel
- We recommend that only stainless steel curtain rails be used in wet or damp areas.
- Straight Curtain Rails are manufactured to customer specification. Price on application.
- Fixing holes to fit size 8 screws. (Fixings not supplied)





Curtains and Hooks





Brass Curtain Hook

25mm	
Chrome Plate	66200
35mm	
Chrome Plate	66210



Plastic Curtain Hook

25mm - 35mm	
White Plastic	66180

 Curtain hooks are designed to be used with 25mm and 35mm tube.

Curtain

Drop x Width	White Polyester (weighted)	White Satin Plastic
1830mm x 914mm	65380	65350
1830mm x 1830mm	65390	65360
2100mm x 1830mm	65397	NA

- 914mm curtains require 6 hooks.
- 1830mm satin plastic curtains require 10 hooks.
- 1830mm polyester curtains require 12 hooks.
- Please note, curtain hooks are not included and must be ordered separately.
- Suitable for wet or dry areas.

Yardley Grab Toilet Roll Holders








Grab Toilet Roll Holder - Left Hand

		Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	17013MP	17013SP	17013WH	17013C0
35mm	SS	19013MP	19013SP	19013WH	19013C0

Grab Toilet Roll Holder - Right Hand

		Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	17014MP	17014SP	17014WH	17014C0
35mm	SS	19014MP	19014SP	19014WH	19014CO







- Ideal for situations with restricted space.
- Minimum projection distance from the wall when space is at a premium.
- Stylish, low profile cover plates.
- Pefectly shaped machined support legs.
- 25mm tube diameter for stylish home bathroom applications.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Knowle Grab Toilet Roll Holders








Grab Toilet Roll Holder - Left Hand

		Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	11013MP	11013SP	11013WH	11013C0
35mm	SS	18013MP	18013SP	18013WH	18013C0

Grab Toilet Roll Holder - Right Hand

		Mirror Polish	Sateen Polish	White	RAL Colour
25mm	SS	11014MP	11014SP	11014WH	1101400
35mm	SS	18014MP	18014SP	18014WH	18014C0






25mm	35mm
Stainless Stee	el
Left Hand	Right Hand

- Ideal for situations with restricted space.
- Stylish, low profile cover plates.
- 25mm tube diameter for stylish home bathroom applications.
- Available in mirror polished, sateen polished and polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

BATHEX

PROFESSIONAL



The Professional range makes your choice easy, you are getting the best products at the best prices.

Curtains and Hooks

The Professional range is our most extensive product offering aimed at applications that need to balance appearance, function and value for money. The products are tried and tested and deliver excellent quality and durability. Most of the designs incorporate concealed fixings for enhanced visual styling. It also contains our most comprehensive range of hinged support rails, and even specialist products such as our Anti Ligature range.

If you cannot find exactly what you need in this range, our sales team would be happy to discuss your specific requirements.





1 YEAR STANDARD WARRANTY

Bathex offer a minimum 1 Year Warranty* on all products.

3 YEAR STAINLESS WARRANTY

Bathex offer an enhanced 3 Year Warranty* on all Stainless Steel products.

* See warranty terms on page 89.




Straight Grab Rails







- Concealed Fix
- Mild Steel for use in dry areas. Stainless Steel for use in wet or damp areas.
- Available in polyester coated, chrome plated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



25mm Straight Grab Rail

			White	Blue RAL 5011	RAL Colour	Chrome Plate	Mirror Polish	Sateen Polish
25mm	MS	300mm	15100C	15402C	On Req.	13000C	NA	NA
25mm	MS	450mm	15300C	15403C	On Req.	13200C	NA	NA
25mm	MS	600mm	15400C	15404C	On Req.	13300C	NA	NA
25mm	MS	750mm	15401C	15405C	On Req.	13400C	NA	NA
25mm	SS	300mm	29325C	29320C	On Req.	NA	29100C	29304C
25mm	SS	450mm	29350C	29321C	On Req.	NA	29200C	29306C
25mm	SS	600mm	29400C	29322C	On Req.	NA	29300C	29308C
25mm	SS	750mm	29450C	29323C	On Req.	NA	29301C	29309C



Ribbed Grip

Straight Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.

Straight Grab Rails








Concealed Fix

- Mild Steel for use in dry areas. Stainless Steel for use in wet or damp areas.
- Available in polyester coated, chrome plated, mirror polished and sateen polished finishes.
 Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws.
 (Fixings not supplied)



35mm Straight Grab Rail

			White	Blue RAL 5011	RAL Colour	Chrome Plate	Mirror Polish	Sateen Polish
35mm	MS	300mm	21800C	21801C	21805C	21400C	NA	NA
35mm	MS	450mm	21900C	21901C	21905C	21500C	NA	NA
35mm	MS	600mm	22000C	22001C	22005C	21600C	NA	NA
35mm	MS	750mm	22100C	22101C	22102C	21700C	NA	NA
35mm	MS	900mm	22110C	22111C	22112C	21750C	NA	NA
35mm	SS	300mm	30700C	31260C	31270C	NA	29500C	30050C
35mm	SS	450mm	30800C	31261C	31271C	NA	29600C	30055C
35mm	SS	600mm	31000C	31262C	31272C	NA	29800C	30060C
35mm	SS	750mm	31100C	31263C	312730	NA	29900C	30065C
35mm	SS	900mm	31200C	31264C	31274C	NA	30000C	30070C



Ribbed Grip

Straight Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code.

Please note ribbed grips are not recommended for wet environments.


Cranked Grab Rails







- Creates a more natural angle for the hand, enabling easier movement. Reversible, not handed.
- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- Available in polyester coated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



25mm Cranked Grab Rail

	White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
25mm MS 300mm x 300mm	17650C	On Req.	17655C	NA	NA
25mm SS 300mm x 300mm	32200C	On Req.	32205C	32240C	32250C

Ribbed Grip

Cranked Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.

35mm Cranked Grab Rail

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	300mm x 300mm	24805C	On Req.	25200C	NA	NA
35mm	MS	450mm x 450mm	27100C	On Req.	27120C	NA	NA
35mm	SS	300mm x 300mm	32500C	On Req.	32590C	32300C	32350C
35mm	SS	450mm x 450mm	27150C	On Req.	27170C	27180C	27190C


3 Flange Cranked Grab Rails







- Creates a more natural angle for the hand, enabling easier movement.
- Additional flange for added strength.
- Stainless Steel for use in wet or damp areas.
 Mild Steel for use in dry areas.
- Available in polyester coated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws.
 (Fixings not supplied)



35mm 3 Flange Cranked Grab Rail - Left Hand

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	450mm x 450mm	42720C	42725C	42726C	NA	NA
35mm	MS	600mm x 600mm	42820C	42825C	42826C	NA	NA
35mm	SS	450mm x 450mm	42760C	42765C	42766C	42770C	42775C
35mm	SS	600mm x 600mm	42860C	42865C	42866C	42870C	42875C



Ribbed Grip

3 Flange Cranked Grab Rails can be manufactured with a ribbed grip. **Please add an 'R' to the end of the product code**. Please note ribbed grips are not recommended for wet environments.


35mm 3 Flange Cranked Grab Rail - Right Hand

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	450mm x 450mm	42730C	42735C	42736C	NA	NA
35mm	MS	600mm x 600mm	42830C	42835C	42836C	NA	NA
35mm	SS	450mm x 450mm	42780C	42785C	42786C	42790C	42795C
35mm	SS	600mm x 600mm	42880C	42885C	42886C	42890C	42895C

L Shaped Grab Rails







35mm L Shaped Rail - Left Hand

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	400mm x 800mm	39520C	39523C	39524C	NA	NA
35mm	MS	450mm x 450mm	39620C	39623C	39624C	NA	NA
35mm	MS	600mm x 600mm	39720C	39723C	39724C	NA	NA
35mm	SS	400mm x 800mm	39580C	39581C	39582C	39565C	39564C
35mm	SS	450mm x 450mm	39680C	39681C	39682C	39665C	39664C
35mm	SS	600mm x 600mm	39780C	39781C	39782C	39765C	39764C



Ribbed Grip

L Shaped Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.

35mm L Shaped Rail - Right Hand

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	400mm x 800mm	39550C	39551C	39552C	NA	NA
35mm	MS	450mm x 450mm	39650C	39651C	39652C	NA	NA
35mm	MS	600mm x 600mm	39750C	39751C	39752C	NA	NA
35mm	SS	400mm x 800mm	39575C	39572C	39573C	39570C	39569C
35mm	SS	450mm x 450mm	39675C	39672C	39673C	39670C	39669C
35mm	SS	600mm x 600mm	39775C	39772C	39773C	39770C	39769C


Wall to Floor Grab Rails







- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- Available in polyester coated, mirror polished and sateen polished finishes.
 Please specify the RAL colour you require when ordering colours.
- Bespoke sizes available on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



35mm Wall to Floor Grab Rail

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	740mm x 700mm	37300C	37301C	37302C	NA	NA
35mm	SS	740mm x 700mm	38100C	38101C	38102C	37900C	37910C




Ribbed Grip

Wall to Floor Grab Rails can be manufactured with a ribbed grip.

Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.


3 Flange Grab Rails





35mm 3 Flange Grab Rail

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	1200mm	42530C	On Req.	42535C	NA	NA
35mm	MS	1500mm	42570C	On Req.	42575C	NA	NA
35mm	SS	1200mm	41200C	On Req.	41300C	40800C	40900C
35mm	SS	1500mm	42300C	On Req.	42310C	42200C	42210C
35mm	SS	1750mm	42655C	42656C	42657C	42640C	42642C





- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- Available in polyester coated, chrome plated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Cranked bath rails are available on request.
- Fixing holes to fit size 8 screws.
 (Fixings not supplied)




Ribbed Grip


3 Flange Grab Rails can be manufactured with a ribbed grip. **Please add an 'R' to the end of the product code**. Please note ribbed grips are not recommended for wet environments.

Corner Rails





35mm Corner Rail





- This product is usually made to customer specifications. Please call to discuss your requirements.
- Can be manufactured left or right hand.
- Stainless Steel for use in wet or damp areas.
- Available in polyester coated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)


Grab Toilet Roll Holders







- Ideal for situations with restricted space.
- Left or right hand.
- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- Available in polyester coated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



35mm Grab Toilet Roll Holder - Left Hand

			White	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	300mm	31405C	31425C	NA	NA
35mm	SS	300mm	31505C	21525C	31555C	31565C

35mm Grab Toilet Roll Holder - Right Hand

			White	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	300mm	31400C	31420C	NA	NA
35mm	SS	300mm	31500C	31520C	31550C	31560C

Mild Steel

Grab Poles





35mm Grab Pole

White

35mm MS 2438mm 45410C

35mm MS 2743mm 46010C

Part Rib Grip

35mm	MS	2438mm	45610C
35mm	MS	2743mm	46210C

+ Full Rib Grip


35mm	MS	2438mm	45850C
35mm	MS	2743mm	46450C

35mm Mild Steel Concealed Fix

- Mild Steel for use in dry areas.
- Optional ribbed grip for extra stability and confidence.
- Available in white polyester coated finish. Colours available on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)
- Supplied with a loose top flange to enable the pole to be cut to length.

35mm Grab Pole with Cross Rail





Grab Poles








- Stainless Steel for use in wet or damp areas.
- 35mm tube diameter with robust welded flanges for lasting strength and performance.
- Optional ribbed grip for extra stability and confidence.
- Available in white polyester coated, mirror polished and sateen polished finishes. Colours available on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)
- Supplied with a loose top flange to enable the pole to be cut to length.

35mm Grab Pole



Part Ribbed Grip

35mm	SS	2438mm	47740C	47730C	47735C
35mm	SS	2743mm	48180C	48160C	48165C

Full Ribbed Grip

35mm	SS	2438mm	45346C	45345C	On Req.
35mm	SS	2743mm	45356C	45355C	On Req.

35mm Grab Pole with Cross Rail

			White	Mirror Polish	Sateen Polish		
35mm	SS	2438mm	45350C	45360C	45365C		
35mm	SS	2743mm	45370C	45380C	45385C		
+ Part Ribbed Grip							

rait Ribbed Grip

35mm	SS	2438mm	45352C	45362C	45367C
35mm	SS	2743mm	45372C	45382C	45387C

Single Arm Hinged Support Rails





Mild Steel

Stainless Steel


- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Drop Down Leg can be adjusted to 680, 700, and 750mm heights with further micro adjustment of 40mm.
- Die-cast Aluminium Backplate for strength and rigidity.
- Available in polyester coated finish.
 Please specify the RAL colour you require when ordering colours.
- Bespoke sizes available on request
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)

Single Arm Hinged Support Rail with Drop Down Leg

			White	Blue RAL 5011	RAL Colour
35mm	MS	760mm	33600	33612	33613.
35mm	MS	890mm	33598	33599	33601
35mm	SS	760mm	33655	33662	33663
35mm	SS	890mm	33666	33667	33665

+ with Toilet Roll Holder

			White	Blue RAL 5011	RAL Colour
35mm	MS	760mm	33580	33585	33590
35mm	MS	890mm	33596	33597	33595
35mm	SS	760mm	33695	33696	33697
35mm	SS	890mm	33668	33669	33670



Double Arm Hinged Support Rails





Stainless Steel

- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Drop Down Leg can be adjusted to 680, 700, and 750mm heights with further micro adjustment of 40mm.
- Die-cast Aluminium Backplate for strength and rigidity.
- Available in polyester coated finish. Please specify the RAL colour you require when ordering colours.
- Bespoke sizes available on request
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)



Ribbed Grip


Double Arm Hinged Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.

Double Arm Hinged Support Rail with Drop Down Leg

			White	Blue RAL 5011	RAL Colour
35mm	MS	760mm	33920	33945	33950.
35mm	MS	890mm	33970	33971	33972
35mm	SS	760mm	35040	35070	35075
35mm	SS	890mm	35085	35086	35087

+ with Toilet Roll Holder

			White	Blue RAL 5011	RAL Colour
35mm	MS	760mm	34810	34822	34808
35mm	MS	890mm	34827	34828	34826
35mm	SS	760mm	35240	35265	35270
35mm	SS	890mm	35276	35277	35278



Single Arm Hinged Support Rails





Stainless Steel

- Stainless Steel for use in wet or damp areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Fully Stainless Steel Backplate for ultimate durability.
- Available in mirror polished and sateen polished finishes.
- Bespoke sizes abailable on request.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)



Ribbed Grip


Single Arm Hinged Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.

Single Arm Hinged Support Rail











Single Arm Hinged Support Rail with Toilet Roll Holder

Double Arm Hinged Support Rails





Stainless Steel

- Stainless Steel for use in wet or damp areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Fully Stainless Steel Backplate for ultimate durability.
- Available in mirror polished and sateen polished finishes.
- Bespoke sizes abailable on request.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)



Ribbed Grip


Double Arm Hinged Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.

Double Arm Hinged Support Rail











Double Arm Hinged Support Rails







Aluminium Backplate

Stainless Steel

- Stainless Steel for use in wet or damp areas.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Die-cast Aluminium Backplate for strength and rigidity.
- Available in mirror polished or sateen polished finishes.
- Backplate is silver polyester coated RAL 9006.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)





760mm

35056

35041





SS 760mm

35235



Double Arm Hinged Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.

Stainless Steel Backplate

Stainless Steel

- Stainless Steel for use in wet or damp areas.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Fully Stainless Steel Backplate for ultimate durability.
- Available in mirror polished or sateen polished finishes.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)






35057W

with Toilet Roll Holder


SS 760mm

Free Standing Support



Mild Steel Stainless Steel

- For use where wall strength is not sufficient to take a Hinged Support Rail.
- The backplate is set for a support rail height of 750mm.
- Baseplate is drilled with 10mm counter-sunk holes. (Fixings not supplied)
- Different heights can be manufactured upon request.



Free Standing Support

		White	Blue - RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
MS	800mm	34830	34831	34832	NA	NA
SS	800mm	35280	35281	35282	35283	35284



Baby Changer

Stainless Steel

- 850mm x 500mm
- Adjustable straps for securing infant and handy tray.
- Will fold and slot into place in the upright position
- Load tested to 170kg.
- Stainless Steel frame with aluminium backplates and plastic tray.
- Frame and backplates can be manufactured in coloured polyester finishes on request. Please specify the RAL colour you require when ordering. (Plastic tray is white in all cases)

White Polyester

50000

Backrest Rails









Projection Shower Seat


The 150mm backrest rail is designed to be used with the 650mm projection shower seat.

Turn to page 68



Concealed Fix


- Stainless Steel for use in wet or damp areas.
 Mild Steel for use in dry areas.
- 35mm tube diameter for superior strength and confidence.
- Strong tubular construction with robust welded flanges for lasting strength and performance.
- Available in polyester coated, chrome plated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



35mm Backrest Rail

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	400mm x 150mm	48755C	48760C	48765C	NA	NA
35mm	MS	400mm x 240mm	48605C	48606C	48609C	NA	NA
35mm	SS	400mm x 150mm	49060C	49065C	49070C	49050C	49055C
35mm	SS	400mm x 240mm	49200C	49210C	49220C	49100C	49110C

Backrest Cushion



- Water resistant foam.
- 365mm x 160mm x 50mm.
- Available in White or Blue RAL 5011.






Cushions are fixed onto the backrest rail using two bolt on brackets supplied.

Anti Ligature






|--|

			White	RAL Colour
35mm	SS	300mm	30700AL	31270AL
35mm	SS	450mm	30800AL	31271AL
35mm	SS	600mm	31000AL	31272AL

35mm Grab Rail


- Inner area filled with steel plate.
- Stainless Steel for use in wet or damp areas.
- Available in polyester coated finish only. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied).



35mm Backrest Rail








- Inner area filled with steel plate.
- Stainless Steel for use in wet or damp areas.
- Available in polyester coated finish only. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Double Arm Hinged Support Rail







- Inner area filled with steel plate.
- Stainless Steel for use in wet or damp areas.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Die-cast Aluminium Backplate for strength and rigidity.
- Available in polyester coated finish only. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)

25

L Shaped Curtain Rails



25mm Curtain Rail


			White	Chrome Plate
25mm	MS	750mm x 750mm	65700C	65400C
25mm	MS	1000mm x 1000mm	65900C	65600C
25mm	MS	1200mm x 1200mm	65905C	65610C
25mm	MS	750mm x 1700mm	65800C	65500C

25mm Curtain Rail for Showers



Ceiling Stay

	White	Mirror Polish	Sateen Polish
SS 500mm	66120C	66110C	66115C



25mm	Mild Steel	Stainless Steel
Conceale	ed Fix	

- We recommend that only stainless steel curtain rails be used in wet or damp areas. Mild Steel for use in dry areas.
- Curtain Rails are modular and are joined using black connectors to aid delivery and installation (Chrome Plate has two connectors, other finishes have one). Smaller sizes can be manufactured as a single piece on request.
- Curtain Rails can be manufactured to customer specification.
 Price on application.
- Ceiling stays are recommended on larger sizes and in shower scenarios.
- Ceiling Stays are 500mm but can be manufactured to customer specification. Price on application.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Straight Curtain Rails



25mm Curtain Rail

25mm MS to Customer Spec. On Req. On Req. NA NA				White	Chrome Plate	Mirror Polish	Sateen Polish
	25mm	MS	to Customer Spec.	On Req.	On Req.	NA	NA
25mm SS to Customer Spec. On Req. NA On Req. On Req.	25mm	SS	to Customer Spec.	On Req.	NA	On Req.	On Req.





- We recommend that only stainless steel curtain rails be used in wet or damp areas. Mild Steel for use in dry areas.
- Straight Curtain Rails are manufactured to customer specification. Price on application.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



Curtains and Hooks





Brass Curtain Hook

25mm	
Chrome Plate	66200
35mm	
Chrome Plate	66210



Plastic Curtain Hook

25mm - 35mm	
White Plastic	66180

 Curtain hooks are designed to be used with 25mm and 35mm tube.


Curtain

Drop x Width	White Polyester (weighted)	White Satin Plastic	
1830mm x 914mm	65380	65350	
1830mm x 1830mm	65390	65360	
2100mm x 1830mm	65397	NA	

- 914mm curtains require 6 hooks.
- 1830mm satin plastic curtains require 10 hooks.
- 1830mm polyester curtains require 12 hooks.
- Please note, curtain hooks are not included and must be ordered separately.
- Suitable for wet or dry areas.

BATHEX

ESSENTIAL








1 YEAR STANDARD WARRANTY

Bathex offer a minimum 1 Year Warranty* on all products.

3 YEAR STAINLESS WARRANTY

Bathex offer an enhanced 3 Year Warranty* on all Stainless Steel products.

* See warranty terms on page 89.



Sometimes you just need the simplest solution, you'll find these in our Essential range.




Straight Grab Rails







- Mild Steel for use in dry areas. Stainless Steel for use in wet or damp areas.
- Available in polyester coated and chrome plated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



25mm Straight Grab Rail

			White	Blue RAL 5011	RAL Colour	Chrome Plate	Mirror Polish	Sateen Polish
25mm	MS	300mm	15100	15402	On Req.	13000	NA	NA
25mm	MS	450mm	15300	15403	On Req.	13200	NA	NA
25mm	MS	600mm	15400	15404	On Req.	13300	NA	NA
25mm	MS	750mm	15401	15405	On Req.	13400	NA	NA
25mm	SS	300mm	29325	29320	On Req.	NA	29100	29304
25mm	SS	450mm	29350	29321	On Req.	NA	29200	29306
25mm	SS	600mm	29400	29322	On Req.	NA	29300	29308
25mm	SS	750mm	29450	29323	On Req.	NA	29301	29309



Ribbed Grip

Straight Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.



Concealed Fixings

Straight Grab Rails with concealed fixings are available as part of our Professional range.


Straight Grab Rails







- Mild steel for use in dry areas. Stainless Steel for use in wet or damp areas.
- 35mm tube diameter for superior strength and confidence.
- Available in polyester coated and chrome plated finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws.
 (Fixings not supplied)



35mm Straight Grab Rail

			White	Blue RAL 5011	RAL Colour	Chrome Plate	Mirror Polish	Sateen Polish
35mm	MS	300mm	21800	21801	21805	21400	NA	NA
35mm	MS	450mm	21900	21901	21905	21500	NA	NA
35mm	MS	600mm	22000	22001	22005	21600	NA	NA
35mm	MS	750mm	22100	22101	22102	21700	NA	NA
35mm	MS	900mm	22110	22111	22112	21750	NA	NA
35mm	SS	300mm	30700	31260	31270	NA	29500	30050
35mm	SS	450mm	30800	31261	31271	NA	29600	30055
35mm	SS	600mm	31000	31262	31272	NA	29800	30060
35mm	SS	750mm	31100	31263	31273	NA	29900	30065
35mm	SS	900mm	31200	31264	31274	NA	30000	30070

+

Ribbed Grip

Straight Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.



Concealed Fixings

Straight Grab Rails with concealed fixings are available as part of our Professional range.


Cranked Grab Rails







- Creates a more natural angle for the hand, enabling easier movement. Reversible, not handed.
- Mild Steel for use in dry areas. Stainless Steel for use in wet or damp areas.
- Available in polyester coated, chrome plated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



25mm Cranked Grab Rail

	White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
25mm MS 300mm x 300mm	17650	On Req.	17655	NA	NA
25mm SS 300mm x 300mm	32200	On Req.	32205	32240	32250

35mm Cranked Grab Rail

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	300mm x 300mm	24805	On Req.	25200	NA	NA
35mm	MS	450mm x 450mm	27100	On Req.	27120	NA	NA
35mm	SS	300mm x 300mm	32500	On Req.	32590	32300	32350
35mm	SS	450mm x 450mm	27150	On Req.	27170	27180	27190



Ribbed Grip

Cranked Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.



Concealed Fixings

Cranked Grab Rails with concealed fixings are available as part of our Professional range.


3 Flange Cranked Grab Rails







- Creates a more natural angle for the hand, enabling easier movement.
- Additional flange for added strength and larger sizes
- Mild Steel for use in dry areas.
 Stainless Steel for use in wet or damp areas.
- Available in polyester coated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



35mm 3 Flange Cranked Grab Rail - Left Hand

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	450mm x 450mm	42720	42725	42726	NA	NA
35mm	MS	600mm x 600mm	42820	42825	42826	NA	NA
35mm	SS	450mm x 450mm	42760	42765	42766	42770	42775
35mm	SS	600mm x 600mm	42860	42865	42866	42870	42875

35mm 3 Flange Cranked Grab Rail - Right Hand

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	450mm x 450mm	42730	42735	42736	NA	NA
35mm	MS	600mm x 600mm	42830	42835	42836	NA	NA
35mm	SS	450mm x 450mm	42780	42785	42786	42790	42795
35mm	SS	600mm x 600mm	42880	42885	42886	42890	42895



Ribbed Grip

3 Flange Cranked Grab Rails can be manufactured with a ribbed grip. **Please add an 'R' to the end of the product code**. Please note ribbed grips are not recommended for wet environments.




Concealed Fixings

3 Flange Cranked Grab Rails with concealed fixings are available as part of our Professional range.

L Shaped Rails







35mm L Shaped Rail - Left Hand

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	400mm x 800mm	39520	39523	39524	NA	NA
35mm	MS	450mm x 450mm	39620	39623	39624	NA	NA
35mm	MS	600mm x 600mm	39720	39723	39724	NA	NA
35mm	SS	400mm x 800mm	39580	39581	39582	39565	39564
35mm	SS	450mm x 450mm	39680	39681	39682	39665	39664
35mm	SS	600mm x 600mm	39780	39781	39782	39765	39764

35mm L Shaped Rail - Right Hand

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	400mm x 800mm	39550	39551	39552	NA	NA
35mm	MS	450mm x 450mm	39650	39651	39652	NA	NA
35mm	MS	600mm x 600mm	39750	39751	39752	NA	NA
35mm	SS	400mm x 800mm	39575	39572	39573	39570	39569
35mm	SS	450mm x 450mm	39675	39672	39673	39670	39669
35mm	SS	600mm x 600mm	39775	39772	39773	39770	39769



Ribbed Grip

L Shaped Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.



Concealed Fixings

L Shaped Grab Rails with concealed fixings are available as part of our Professional range.


Wall to Floor Grab Rails





35mm Mild Steel Stainless Steel

- Mild Steel for use in dry areas.
 Stainless Steel for use in wet or damp areas.
- Available in polyester coated, mirror polished and sateen polished finishes.
 Please specify the RAL colour you require when ordering colours.
- Bespoke sizes available on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



35mm Wall to Floor Grab Rail

	White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm MS 740mm x 700mm	37300	37301	37302	NA	NA
35mm SS 740mm x 700mm	38100	38101	38102	37900	37910



Ribbed Grip

Wall to Floor Grab Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.



Concealed Fixings

Wall to Floor Grab Rails with concealed fixings are available as part of our Professional range.


3 Flange Grab Rails





35mm 3 Flange Grab Rail

			White	Blue RAL 5011	RAL Colour	Mirror Polish	Sateen Polish
35mm	MS	1200mm	42530	On Req.	42535	NA	NA
35mm	MS	1500mm	42570	On Req.	42575	NA	NA
35mm	SS	1200mm	41200	On Req.	41300	40800	40900
35mm	SS	1500mm	42300	On Req.	42310	42200	42210
35mm	SS	1750mm	42655	42656	42657	42640	42642



35mm

Mild Steel

Stainless Steel

- Mild Steel for use in dry areas. Stainless Steel for use in wet or damp areas.
- Available in polyester coated, chrome plated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



Ribbed Grip

3 Flange Grab Rails can be manufactured with a ribbed grip. **Please add an 'R' to the end of the product code.** Please note ribbed grips are not recommended for wet environments.




Concealed Fixings


3 Flange Grab Rails with concealed fixings are available as part of our Professional range.

Corner Rails





35mm Corner Rail





- This product is usually made to customer specifications. Please call to discuss your requirements.
- Can be manufactured left or right hand.
- Stainless Steel for use in wet or damp areas.
- Available in polyester coated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



Ribbed Grip

Corner Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code.



Concealed Fixings

Corner Rails with concealed fixings are available as part of our Professional range.


Grab Toilet Roll Holders







- Ideal for situations with restricted space.
- Left or right hand.
- Stainless Steel for use in wet or damp areas.
 Mild Steel for use in dry areas.
- Available in polyester coated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws.
 (Fixings not supplied)



35mm Grab Toilet Roll Holder - Left Hand

		White	RAL Colour	Mirror Polish	Sateen Polish
35mm MS	300mm	31405	31425	NA	NA
35mm SS	300mm	31505	31525	31555	31565

35mm Grab Toilet Roll Holder - Right Hand

		White	RAL Colour	Mirror Polish	Sateen Polish
35mm MS	300mm	31400	31420	NA	NA
35mm SS	300mm	31500	31520	31550	31560

+

Concealed Fixings

Grab Toilet Roll Holders with concealed fixings are available as part of our Professional range.

Grab Poles





35mm Grab Pole

O White 2438mm

35mm	MS	2438mm	45610
35mm	MS	2743mm	46210

+ Full Rib Grip

35mm	MS	2438mm	45850
35mm	MS	2743mm	46450



46010

Part Rib Grip

1	MS	2743mm	46210

m	MS	2438mm	45850
m	MS	2743mm	46450

35mm Grab Pole with Cross Rail






35mm	MS	2438mm	45320
35mm	MS	2743mm	45340

Mild Steel

- Mild Steel for use in dry areas.
- Optional ribbed grip for extra stability and confidence.
- Available in white polyester coated finish. Colours available on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)
- Supplied with a loose top flange to enable the pole to be cut to length.



Concealed Fixings

Grab Poles with concealed fixings are available as part of our Professional

Grab Poles





Stainless Steel

Stainless Steel for use in wet or damp areas.

- 35mm tube diameter for superior strength and confidence.
- Strong tubular construction with robust welded flanges for lasting strength and performance.
- Optional ribbed grip for extra stability and confidence.
- Available in white polyester coated, mirror polished and sateen polished finishes. Colours available on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)
- Supplied with a loose top flange to enable the pole to be cut to length.

35mm Grab Pole

			White	Mirror Polish	Sateen Polish
35mm	SS	2438mm	47720	47710	47715
35mm	SS	2743mm	48140	48120	48125

Part Ribbed Grip

35mm	SS	2438mm	47740	47730	47735
35mm	SS	2743mm	48180	48160	48165

Full Ribbed Grip

35mm	SS	2438mm	45346	45345	On Req.
35mm	SS	2743mm	45356	45355	On Req.

35mm Grab Pole with Cross Rail



Part Ribbed Grip


35mm SS	2438mm	45352	45362	45367
35mm SS	2743mm	45372	45382	45387

Mild Steel

Flat End Grab Rails








25mm	Mild Steel

- Mild Steel for use in dry areas.
- Available in white LDPE (dipped plastic coating).
 Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws.(Fixings not supplied)








35mm

Plastic Grab Rails








Fluted Plastic Grab Rail

35mm Plastic

- Fluted Plastic grab rail.
- Concealed fixings.
- Available in white or Blue RAL 5011 only.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

		White	Blue RAL 5011
35mm	300mm	32640	32635
35mm	450mm	32650	32636
35mm	600mm	32660	32637





Inserted Fluted Plastic Grab Rail

35mm Plastic

- Inserted fluted plastic grab rail.
- Concealed fixings.
- Available in white only.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

		White
35mm	300mm	32670
35mm	450mm	32680
35mm	600mm	32690

Single Arm Hinged Support Rails





Mild Steel


Stainless Steel

- Stainless Steel for use in wet or damp areas. Mild Steel for use in dry areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Die-cast Aluminium Backplate for strength and rigidity.
- Available in polyester coated finish. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)

Drop Down Leg

Hinged Rails with drop down legs are available as part of our Professional range.

Turn to page 38





Single Arm Hinged Support Rail with Toilet Roll Holder

Single Arm Hinged Support Rail

			White	Blue RAL 5011	RAL Colour
35mm	MS	500mm	33400	On Req.	On Req.
35mm	MS	760mm	33300	33410	33420
35mm	SS	500mm	33650	On Req.	On Req.
35mm	SS	760mm	33645	33652	33653

with Toilet Roll Holder

			White	Blue RAL 5011	RAL Colour
35mm	MS	500mm	33630	On Req.	On Req.
35mm	MS	760mm	33625	33632	33633
35mm	SS	500mm	33690	On Req.	On Req.
35mm	SS	760mm	33680	33691	33692

Free Standing Support

		White	Blue RAL 5011	RAL Colour
MS	800mm	34830	34831	34832
SS	800mm	35280	35281	35282



- For use where wall strength is not sufficient to take a Hinged Support Rail.
- The backplate is set for a support rail height of 750mm.
- The baseplate is drilled with 10mm counter-sunk holes. (Fixings not supplied)
- Different heights can be manufactured upon request.
- For more information and dimensions turn to page 43.

Double Arm Hinged Support Rails





Mild Steel

Stainless Steel

- Stainless Steel for use in wet or damp areas.
 Mild Steel for use in dry areas.
- 35mm tubular construction for superior strength and confidence.
- Hinged rails are tested to 170kg in vertical and 45 degree positions.
- Die-cast Aluminium Backplate for strength and rigidity.
- Available in polyester coated finishes. Please specify the RAL colour you require when ordering colours.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)



Ribbed Grip


Double Arm Hinged Rails can be manufactured with a ribbed grip. Please add an 'R' to the end of the product code. Please note ribbed grips are not recommended for wet environments.

Double Arm Hinged Support Rail

			White	Blue RAL 5011	RAL Colour
35mm	MS	500mm	33850	On Req.	On Req.
35mm	MS	760mm	33800	33801	33804
35mm	MS	890mm	33860	33861	33862
35mm	SS	500mm	35020	On Req.	On Req.
35mm	SS	760mm	35000	35025	35030
35mm	SS	890mm	35036	35037	35035

+ with Toilet Roll Holder

			White	Blue RAL 5011	RAL Colour
35mm	MS	500mm	34750	On Req.	On Req.
35mm	MS	760mm	34700	34760	34765
35mm	MS	890mm	33864	33865	33863
35mm	SS	500mm	35220	On Req.	On Req.
35mm	SS	760mm	35200	35225	35230
35mm	SS	890mm	35090	35091	35089







Drop Down Leg

Hinged Rails with drop down legs are available as part of our Professional range.

Backrest Rails










Projection Shower Seat

The 150mm backrest rail is designed to be used with the 650mm projection shower seat.

Turn to page 68

35mm Mild Steel Stainless Steel

- Stainless Steel for use in wet or damp areas.
 Mild Steel for use in dry areas.
- 35mm tube diameter for superior strength and confidence.
- Strong tubular construction with robust welded flanges for lasting strength and performance.
- Available in polyester coated, chrome plated, mirror polished and sateen polished finishes. Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)



35mm Backrest Rail

			White	Blue RAL 5011	RAL Colour	Chrome Plate	Mirror Polish	Sateen Polish
35mm	MS	400mm x 150mm	48755	48760	48765	48750	NA	NA
35mm	MS	400mm x 240mm	48605	48606	48609	48505	NA	NA
35mm	SS	400mm x 150mm	49060	49065	49070	NA	49050	49055
35mm	SS	400mm x 240mm	49200	49210	49220	NA	49100	49110




Concealed Fixings

Backrests with concealed fixings are available as part of our Professional range.

Turn to page 44

Backrest Cushion



- Water resistant foam.
- 365mm x 160mm x 50mm.
- Available in White or Blue RAL 5011.






Cushions are fixed onto the backrest rail using two bolt on brackets supplied.


Mild Steel


WC Support Rails





WC Support Rail





25mm Mild Steel

- Mild Steel for use in dry areas.
- Strong tubular construction.
- Available in polyester coated finishes.
 Please specify the RAL colour you require when ordering colours.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

L Shaped Curtain Rails





25mm Curtain Rail


			White	Chrome Plate	
25mm	MS	750mm x 750mm	65700	65400	
25mm	MS	1000mm x 1000mm	65900	65600	
25mm	MS	1200mm x 1200mm	65905	65610	
25mm	MS	750mm x 1700mm	65800	65500	

25mm Curtain Rail for Showers



Ceiling Stay

	White	Mirror Polish	Sateen Polish
SS 500mm	66120	66110	66115



Mild Steel	Stainless Steel


- We recommend that only stainless steel curtain rails be used in wet or damp areas. Mild Steel for use in dry areas.
- Curtain Rails are modular and are joined using black connectors to aid delivery and installation (Chrome Plate has two connectors, other finishes have one). Smaller sizes can be manufactured as a single piece on request.
- L Shaped Curtain Rails can be manufactured to customer specification. Price on application.
- Ceiling stays are recommended on larger sizes and in shower scenarios.
- Ceiling Stays are 500mm but can be manufactured to customer specification. Price on application.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

Mild Steel and Stainless Steel

Straight Curtain Rails



25mm Curtain Rail





We recommend that only stainless steel curtain rails be used in wet or damp areas. Mild Steel for use in dry areas.

Mild Steel

- Straight Curtain Rails are manufactured to customer specification. Price on application.
- Fixing holes to fit size 8 screws.
 (Fixings not supplied)



Curtains and Hooks





Brass Curtain Hook





Plastic Curtain Hook

25mm - 35mm	
White Plastic	66180

 Curtain hooks are designed to be used with 25mm and 35mm tube.

Curtain

Drop x Width	White Polyester (weighted)	White Satin Plastic	
1830mm x 914mm	65380	65350	
1830mm x 1830mm	65390	65360	
2100mm x 1830mm	65397	NA	

- 914mm curtains require 6 hooks.
- 1830mm satin plastic curtains require 10 hooks.
- 1830mm polyester curtains require 12 hooks.
- Please note, curtain hooks are not included and must be ordered separately.
- Suitable for wet or dry areas.

Shower Seats

Stainless Steel

Friction Shower Seat




Stainless Steel

Teak Wood Slatted Shower Seat








- Easy to use friction action.
- Stainless Steel frame and backplates for ultimate durability.
- White seat as standard.
 Black and Blue RAL 5011 seats also available.








- Easy to use friction action.
- Chrome Plated Die-cast Aluminium backplate for strength and durability.
- Teak Wood Slats.
- Can be folded into a fully upright position.
- Load tested to a vertical drop weight of 170kg. This does not include customer fixings.
- Due to the nature of wooden products we are only able to offer a 3 year warranty on this product.








Steel Backplate

Stainless Steel

650mm Projection Shower Seat





- Stainless Steel frame.
- Seat only can be folded into upright position.
- Tested to a vertical drop weight of 170kg. This does not include customer fixings.
- Plastic seat, removable for easy cleaning.
- White seat as standard. Black and Blue RAL 5011 seats also available.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)

Shower Seats

Stainless Steel

Compact Padded Shower Seat






William De

With Drop Down Legs
SS 49950

- Adjustable height of 460-550mm (to top of seat) with feet adjustment of up to ± 20mm
- Can be folded into the upright position.
- Maximum recommended load 190kg.
 This does not include customer fixings.
- Padded seat, removable for easy cleaning.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)









Stainless Steel

Padded Shower Seat with Arms and Backrest




Whi

With Drop Down Legs

SS

49970

- Adjustable height of 457-510mm (to top of seat) with additional feet adjustment of up to 20mm
- Can be folded into the upright position.
- Tested to a vertical drop weight of 190kg. This does not include customer fixings.
- Grey padded seat, arms and backrest.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)



Shower Seats


Stainless Steel

Slotting Action Shower Seat






- Stainless Steel frame with Aluminium backplates.
- Seats with drop down legs have adjustable height: 490-550mm (to top of seat) and additional feet adjustment of up to ± 20mm.
- Load tested to a vertical drop weight of 170kg.
 This does not include customer fixings.
- Plastic seat, removable for easy cleaning.
- White seat as standard. Black and Blue RAL 5011 seats also available.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)








Slotting Action Shower Seat



- Stainless Steel frame and backplates.
- Load tested to a vertical drop weight of 170kg.
 This does not include customer fixings.
- Plastic seat, removable for easy cleaning.
- White seat as standard. Black and Blue RAL 5011 seats also available.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)




Shower Seats




Stainless Steel

One Piece Backplate Shower Seat





- Seats with drop down legs have adjustable height: 520-570mm (to top of seat) and additional feet adjustment of up to ± 20mm.
- Load tested to a vertical drop weight of 170kg. This does not include customer fixings.
- Plastic seat, removable for easy cleaning.
- White seat as standard. Black and Blue RAL 5011 seats also available.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)



Stainless Steel

Compact Shower Seat


49940





With Drop Down Legs

- Adjustable height of 460-550mm (to top of seat) with feet adjustment of up to ± 20mm
- Can be folded into the upright position.
- Maximum recommended load 190kg.
 This does not include customer fixings.
- Plastic seat, removable for easy cleaning.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)





Shower Seats




Stainless Steel


Plastic Slatted Shower Seat



- Compact, lightweight shower seat for use where space is limited.
- Seats with drop down legs set to 500mm (to top of seat) with feet adjustment of up to 20mm.
- Strength tested to 150kg without Legs and 170kg with Drop Down Legs. This does not include customer fixings.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)








Stainless Steel

One Piece Backplate Shower Seat






- Folded projection from wall: without legs 50mm with legs 80mm of up to 20mm
- Seats with drop down legs set to 480mm (to top of seat) with feet adjustment of up to 20mm.
- Strength tested to 150kg without legs and 170kg with drop down legs.
 This does not include customer fixings.
- Plastic seat, removable for easy cleaning.
- Backplate bolt holes are drilled for M8 Bolts. (Fixings not supplied)





Towel Rails





19mm Yardley Towel Rail



19mm

Stainless Steel

- Stylish, low profile cover plates.
- Available in mirror polished and sateen polished finishes.
- Fixing holes to fit size 8 screws. (Fixings not supplied)





Mirror Polish Sateen Polish

Yardley Single Towel Rail				
19mm	SS	450mm	60000MP	60000SP
19mm	SS	600mm	60001MP	60001SP
19mm	SS	750mm	60002MP	60002SP
Yardley Double Towel Rail				

Yardley Double Towel Rail				
19mm	SS	450mm	60010MP	60010SP
19mm	SS	600mm	60011MP	60011SP
19mm	SS	750mm	60012MP	60012SP

16mm Knowle Towel Rail



16mm

Stainless Steel

- Stylish, low profile cover plates.
- Available in mirror polished and sateen polished finishes.
- Fixing holes to fit size 8 screws. (Fixings not supplied)




Sa


Sateen Polish


Knowle Single Towel Rail				
16mm	SS	450mm	60100MP	60100SP
16mm	SS	600mm	60101MP	60101SP
16mm	SS	750mm	60102MP	60102SP
Knowle Double Towel Rail				
16mm	SS	450mm	60110MP	60110SP
16mm	SS	600mm	60111MP	60111SP
16mm	SS	750mm	60112MP	60112SP






Towel Rails









16mm Towel Rail



16mm Mild Steel

Single Towel Rail


- Available in White Polyester and Chrome Plate.
- Bespoke towel rails can be manufactured to customer specification on request.
- Fixing holes to fit size 8 screws. (Fixings not supplied)

White Chrome Plate

16mm	MS	450mm	58000	57400
16mm	MS	600mm	58100	57500
16mm	MS	750mm	58200	57600
Double Towel Rail				
16mm	MS	450mm	58900	58300
16mm	MS	600mm	59000	58400
16mm	MS	750mm	59100	58500

Towel Rails





19mm Ball End Towel Rail



19mm

Mild Steel

- Mild Steel tube with Zinc Die-cast brackets.
- Available in Chrome Plate.
- Ball centre brackets are an optional extra for longer rails.
 Turn to page 81 for details and prices.
- Fixing holes to fit size 8 screws. (Fixings not supplied)
- These rails can be polyester coated on request, please ask for details.



19mm	MS	450mm	55000
19mm	MS	600mm	55100
19mm	MS	750mm	55200
19mm	MS	900mm	55300

25mm Ball End Towel Rail





Mild Steel

- Mild Steel tube with Zinc Die-cast brackets.
- Available in Chrome Plate.
- Ball centre brackets are an optional extra for longer rails.
 Turn to page 81 for details and prices.
- Fixing holes to fit size 8 screws. (Fixings not supplied)
- These rails can be polyester coated on request, please ask for details.




25mm	MS	450mm	56200
25mm	MS	600mm	56300
25mm	MS	750mm	56400
25mm	MS	900mm	56500









Accessories - Distinction







Mirror Polish	60200MP
Sateen Polish	60200SP
White Polyester	60200WH
RAL Colour	60200C0

- Matches the Yardley Grab Rail range.
- 25mm Stainless Steel.
- Elegant over sized end cap retains the toilet roll.



Clothes Hook



Mirror Polish	60450MP
Sateen Polish	60450SP
White Polyester	60450WH
RAL Colour	60450CO

- Solid Stainless Steel stub.
- Matches both Yardley and Knowle Grab Rail ranges.



Yardley Double Toilet Roll Holder



Mirror Polish	60210MP
Sateen Polish	60210SP
White Polyester	60210WH
RAL Colour	60210C0

- Matches the Yardley Grab Rail range.
- 25mm Stainless Steel.
- Elegant over sized end caps retain the toilet rolls.



Towel Ring



Mirror Polish	60400MP
Sateen Polish	60400SP
White Polyester	60400WH
RAL Colour	60400C0

- Solid Stainless Steel stub.
- Matches both Yardley and Knowle Grab Rail ranges.
- We recommend the ring is mirror polished regardless of finish.



Knowle Single Toilet Roll Holder



Mirror Polish	60300MP
Sateen Polish	60300SP
White Polyester	60300WH
RAL Colour	60300C0

- Curved to match the Knowle Grab Rail range.
- 25mm Stainless Steel.
- Elegant over sized end cap retains the toilet roll.



Glass Shelf



	457mm	600mm
Mirror Polish	60500MP	60510MP
Sateen Polish	60500SP	60510SP
White Polyester	60500WH	60510WH
RAL Colour	60500C0	60510C0

- 6mm Toughened glass.
- Solid Stainless Steel stubs.
- All fixings concealed.
- Matches both Yardley and Knowle Grab Rail ranges.

Accessories - Professional







Chrome Plate 53000

- Chrome Plated Brass / Stainless Steel.
- Concealed fixing.
- (W) 140mm x (H) 95mm.
- Fixings not supplied.







Single Robe Hook 53400

- Chrome Plated Brass.
- 50mm diameter wall plate.
- Projects 70mm from wall.
- Fixings not supplied.




Towel Ring



Chrome Plate	61350

- Chrome Plated Brass / Stainless Steel.
- 157mm diameter towel ring.
- Projects 40mm from wall.
- Fixings not supplied.



Glass Shelf





- (W) 600 x (D) 130mm.
- Chrome Plated Brass brackets.
- 7.3mm Toughened glass.
- Fixings not supplied.

Accessories - Essential








Chrome Plate	50100
White Polyester	50400

- Zinc Die-cast with black plastic roller.
- (W) 136mm x (D) 76mm.
- Screw size 8. (Fixings not supplied)
- Replacement insert available.



Heavy Toilet Roll Holder



- Zinc Die-cast with black plastic roller.
- (W) 145mm x (D) 78mm.
- Screw size 8. (Fixings not supplied)
- Replacement insert available.



Locking Toilet Roll Holder

ESS

Chrome Plate	50900

- Zinc Die-cast with wooden roller.
- Allen key supplied.
- (W) 145mm x (D) 78mm.
- Screw size 8. (Fixings not supplied)
- Replacement insert available.



Wire Toilet Roll Holder



51220

Chrome Plate

- (W) 136mm x (H) 83mm.
- Screw size 8. (Fixings not supplied)



Aluminium Toilet Roll Holder

ESS

Chrome Plate

- Brushed Aluminium with black plastic roller.
- 5mm screw holes. (Fixings not supplied)
- (W) 136mm x (D) 83mm.
- Replacement insert available.



Towel Ring



Chrome Plate	61300
White Polyester	61500

- Mild Steel.
- 150mm diameter towel ring.
- Screw size 8. (Fixings not supplied)

78

Accessories - Essential







Single Robe Hook	52910
Hat & Coat Hook	53210

- Brushed Aluminium.
- Single Robe Hook (H) 42mm x (W) 20mm.
- Hat & Coat Hook (H) 135 x (W) 20mm.
- Screw size 8. (Fixings not supplied)



Clothes Hooks

Single Robe Hook	52900
Double Robe Hook	53500

ESS


- Zinc Die-cast.
- Single Robe Hook (H) 40mm,
- Double Robe Hook (H) 55mm.
- Screw size 8. (Fixings not supplied)



Clothes Hook



- Zinc Die-cast.
- Hat & Coat Hook (H) 70mm.
- Screw size 8. (Fixings not supplied)



Glass Shelf



Standard Glass	
457mm x 127mm	52800
600mm x 127mm	52805
Toughened Glass	
457mm x 127mm	52810
600mm x 127mm	52820
Shelf Brackets	
Chrome Plate	52600
White Polyester	52700

- Zinc Die-cast brackets priced per pair.
- Glass 6mm thick.
- Screw size 8. (Fixings not supplied)

Components



Tube - Mild Steel and Stainless Steel



25mm Stainless Steel	
White Polyester	68710
Mirror Polished	68700
Sateen Polished	68709
35mm Stainless Steel	
35mm Stainless Steel	
35mm Stainless Steel White Polyester	68730
	68730 68720
White Polyester	00.00

Priced per metre.



Prass Flange

25mm

Chrome Plate 79400

White Polyester 79500

Priced per pair.



Brass Flange with Grub Screw

25mm	
Chrome Plate	79410
White Polyester	79510

Priced per pair.



Ball End Brackets

19mm	
Chrome Plate	62800
White Polyester	63000
25mm	
Chrome Plate	63100

- Zinc Die-cast.
- Priced per pair.



Ball Centre Brackets

10	_
19mm	
Chrome Plate	63700
White Polyester	63900
25mm	
Chrome Plate	64000

- Zinc Die-cast.
- Priced each.



Rod Socket

61900
62200

- Pressed Mild Steel.
- Priced per pair.



V Shape Bracket

19mm	
Chrome Plate	64300
25mm	
Chrome Plate	64500

Please note all measurements used are for easy reference. Tube measurements refer to tube diameter: 19mm (19.0mm), 25mm (25.4mm), 35mm (35.0mm)
Flange and Bracket measurements refer to hole diameter: 19mm (19.0mm) 25mm (25.4mm), 35mm (35.0mm)

Components

Distinction Cover Plates







25mm Cover Plate Stainless Steel

Cover Plate - 25mm Stainless Steel	
Mirror Polished	60915MP
Sateen Polished	60915SP
White Polyester	60915WH
Colour Polyester	60915C0

Flange - 25mm Stainless Steel	
Polished/Sateen (Plain)	60910
White Polyester	60910WH
Colour Polyester	60910C0

Priced per pair.

35mm Cover Plate Stainless Steel

Cover Plate - 35mm Stainless Steel	
Mirror Polished	60905MP
Sateen Polished	60905SP
White Polyester	60905WH
Colour Polyester	60905C0

Flange - 35mm Stainless Steel	
Polished/Sateen (Plain)	60900
White Polyester	60900WH
Colour Polyester	60900C0

Priced per pair.

Professional Cover Plates





25mm Cover Plate Stainless Steel

25mm	
White Polyester	79060

- Pressed Stainless Steel.
- Priced per pair.



35mm Cover Plate Stainless Steel

35mm	
White Polyester	79065

- Pressed Stainless Steel.
- Priced per pair.

Essential Flanges





25mm Flange Stainless Steel

25mm Stainless Steel	
White Polyester	79095
Mirror Polished	79090
Sateen Polished	79091

Mild Steel

25mm Mild Steel	
Chrome Plate	78500
White Polyester	78600

Priced per pair.



35mm Flange Stainless Steel

35mm Stainless Steel	
White Polyester	79150
Mirror Polished	79100
Sateen Polished	79110

Mild Steel

35mm Mild Steel	
Chrome Plate	78900
White Polyester	79000

Priced per pair.


refer to tube diameter: 19mm (19.0mm), 25mm (25.4mm), 35mm (35.0mm) Flange and Bracket measurements refer to hole diameter: 19mm (19.0mm) 25mm (25.4mm), 35mm (35.0mm)

Please note all measurements used are for easy reference. Tube measurements

Document M Pack Corner WC Scenario







Drawing is for guidance only - please revert to relevant building regulations $% \left(1\right) =\left(1\right) \left(1\right) \left($

Corner WC Doc M Packs - Close Couple



Corner WC Doc M Packs - Low Level



- Bespoke Doc M Packs can be made to your specification using codes listed within this catalogue.
- Backrest cushions are not supplied as part of the pack and must be ordered separately.
 Turn to page 64.
- Fixing holes to fit size 8 screws and M8 bolts. (Fixings not supplied)

Pack Contents

Close Couple 760mm Pack includes:

- 1x 760mm Double Arm
- 3x, 4x or 5x Grab Rails 600mm x 35mm

Pack Contents

Low Level 760mm Pack includes:

- 1x 760mm Double Arm
- 1x Backrest 240 x 400 x 240mm
- 3x, 4x or 5x. Grab Rails 600mm x 35mm

Low Level 890mm Pack includes:

- 1x 890mm Double Arm
- 1x Backrest 240 x 400 x 240mm
- 4x Grab Rails 600mm x 35mm

+ Toilet Roll Holder

Double Arm Hinged Rails can be manufactured with an integrated toilet roll holder. Must be requested when ordering.




A selection of recommended accessories to complement the Document M Packs.

Towel Rails	Turn to page 74
Clothes Hooks	Turn to page 79
Toilet Roll Holders	Turn to page 78

Document M Pack

Unisex Accessible Peninsular WC Scenario





Drawing is for guidance only - please revert to relevant building regulations

Unisex Accessible Peninsular WC Scenario



- Bespoke Doc M Packs can be made to your specification using codes listed within this catalogue.
- Backrest cushions are not supplied as part of the pack and must be ordered separately.
 Turn to page 64.
- Fixing holes to fit size 8 screws and M8 bolts.
 (Fixings not supplied)

Pack Contents

Peninsular Scenario 4 Rail Pack includes:

- 2x 890mm Double Arms
- 1x Backrest 240 x 400 x 240mm
- 4x Grab Rails 600mm x 35mm

+ Toilet Roll Holder

Double Arm Hinged Rails can be manufactured with an integrated toilet roll holder. Must be requested when ordering.




A selection of recommended accessories to complement the Document M Packs.

Towel Rails	Turn to page 74
Clothes Hooks	Turn to page 79
Toilet Roll Holders	Turn to page 78

Document M Pack

Shower Scenario





Drawing is for guidance only - please revert to relevant building regulations

Shower Scenario



- Stainless Steel for use in wet or damp areas.
- Bespoke Doc M Packs can be made to your specification using codes listed within this catalogue.
- Mirror Polished and Sateen Polished shower seats and hinged rails are made with stainless steel backplates, white and coloured finishes are made with Aluminium backplates.
- Fixing holes to fit size 8 screws and M8 bolts.
 (Fixings not supplied)

+ Curtain Rails and Accessories

A selection of recommended accessories to complement the Document M Packs.

Curtain Rails	Turn to page 66
Ceiling Stay	Turn to page 66
Curtains	Turn to page 67
Curtain Hooks	Turn to page 67

Pack Contents

Shower Scenario 2 Rail Pack includes:

- 2x 760mm Double Arms
- 1x Backrest 150 x 400 x 150mm
- 1x Foam Cushion
- 1x Shower Seat (650mm Projection)
- 2x Grab Rails 600mm x 35mm



A selection of recommended accessories to complement the Document M Packs.

Towel Rails	Turn to page 74
Clothes Hooks	Turn to page 79
Toilet Roll Holders	Turn to page 78

Document M Pack

Compartment WC Scenario



We recommend items for this scenario be selected separately. Please find our suggested range below.




4x 35mm x 600mm Grab Rails are recommended, including a rail for the cubicle door.

Turn to page 50




A clothes hook fixed to the cubicle door.

Turn to page 79



*Height subject to manufacturing tolerand



Drawing is for guidance only - please revert to relevant building regulations

Bath Scenario



We recommend items for this scenario be selected separately.


Stainless Steel is recommended for use in wet or damp areas. Mild Steel for use in dry areas.




Bath Rail

1x 35mm x 1750mm Bath Rail is recommended, straight or cranked. Bath Rail length is determined by the size of the bath and can be made to customer specifications.

Turn to page 55





Drawing is for guidance only - please revert to relevant building regulations

Turn to page 50

Grab Rail

1x 35mm x 600mm Grab Rail is

recommended (500mm minimum).

Page

Quick Find Product List

	5	Daga
Range	Description	Page
GRAB R	AILS	
ESS	25mm Straight Grab Rail	49
PR0	25mm Straight Grab Rail	27
ESS	35mm Straight Grab Rail	50
PR0	35mm Straight Grab Rail	28
DST	Yardley Straight Grab Rail	07
DST	Knowle Straight Grab Rail	14
PR0	Anti Ligature Grab Rail	45
DST	Yardley Arch Grab Rail	08
DST	Yardley Wave Grab Rail	09
ESS	Cranked Grab Rail	51
PR0	Cranked Grab Rail	29
DST	Yardley Cranked Grab Rail	10
DST	Knowle Cranked Grab Rail	15
ESS	3 Flange Cranked Grab Rail	52
PR0	3 Flange Cranked Grab Rail	30
ESS	L Shaped Grab Rail	53
PR0	L Shaped Grab Rail	31
DST	Yardley L Shaped Grab Rail	11
DST	Knowle L Shaped Grab Rail	16
ESS	3 Flange Grab Rail	55
PR0	3 Flange Grab Rail	33
DST	Yardley 3 Flange Grab Rail	12
DST	Knowle 3 Flange Grab Rail	17
ESS	Wall to Floor Grab Rail	54
PR0	Wall to Floor Grab Rail	32
ESS	Corner Rail	56
PR0	Corner Rail	34
DST	Yardley Corner Rail	13
ESS	Flat End Grab Rail	60
ESS	Newell Rail	60
ESS	Plastic Grab Rail	61
ESS	Grab Pole	58
PR0	Grab Pole	36
ESS	Grab Toilet Roll Holder	57
PR0	Grab Toilet Roll Holder	35
DST	Yardley Grab Toilet Roll Holder	24
DST	Knowle Grab Toilet Roll Holder	25
·		
HINGED	RAILS	
ESS	Single Arm	62
ESS	Double Arm	63
PR0	Single Arm Drop Down Leg	38

HINGED	RAILS	
ESS	Single Arm	62
ESS	Double Arm	63
PR0	Single Arm Drop Down Leg	38
PR0	Double Arm Drop Down Leg	39
PR0	Anti Ligature Double Arm	45

Range	Description	raye
HINGED	RAILS Continued	
PR0	Single Arm SS	40
PR0	Double Arm SS	41
PR0	Double Arm SS Drop Down Leg	42
DST	Friction Single Arm	19
DST	Friction Double Arm	19
DST	Friction Single Arm Concealed Fix	20
DST	Friction Single Arm Removable	20
DST	Friction with Towel Rail	21
DST	Friction with Towel Rail & TRH	21
PR0	Free Standing Support	43

WC SCENARIO		
ESS	WC Support Rail	65
ESS	Backrest Rail & Cushion	64
PR0	Backrest Rail & Cushion	44
DST	Backrest Rail & Cushion	18
PR0	Ant Ligature Backrest Rail	45
PR0	Baby Changer	43

CURTAIN RAILS		
ESS	L Shaped Curtain Rail	66
PR0	L Shaped Curtain Rail	46
DST	L Shaped Curtain Rail	22
ESS	Straight Curtain Rail	67
PR0	Straight Curtain Rail	47
DST	Straight Curtain Rail	23
ESS	Ceiling Stay	66
PR0	Ceiling Stay	46
PR0	Curtains & Hooks	47

SHOWE	R SEATS	
DST	Friction Shower Seat	68
DST	Teak Wood Shower Seat	68
PR0	Projection Shower Seat	68
PR0	Compact Padded Shower Seat	69
PR0	Padded Shower Seat	69
PR0	Slotting Shower Seat	70
PR0	One Piece Backplate Shower Seat	71
PR0	Compact Shower Seat	71
ESS	Plastic Slatted Shower Seat	72
ESS	One Piece Backplate Shower Seat	72

ACCESS	ORIES	
DST	Yardley Towel Rail	73
DST	Knowle Towel Rail	73
PR0	19mm Towel Rail	74
ESS	16mm Towel Rail	74
ESS	Ball End Towel Rail	75
DST	Clothes Hook	76
PR0	Clothes Hook	77
ESS	Clothes Hook	79
DST	Yardley Toilet Roll Holder	76
DST	Knowle Toilet Roll Holder	76
PR0	Hinged Toilet Roll Holder	77
ESS	Wire Toilet Roll Holder	78
ESS	Aluminium Toilet Roll Holder	78
ESS	Medium Toilet Roll Holder	78
ESS	Heavy Toilet Roll Holder	78
ESS	Locking Toilet Roll Holder	78
DST	Towel Ring	76
PR0	Towel Ring	77
ESS	Towel Ring	78
DST	Glass Shelf	76
PR0	Glass Shelf	77
ESS	Glass Shelf	79

Range Description

COMPONENTS		
ESS	Mild Steel Tube	80
ESS	Stainless Steel Tube	80
ESS	Ball End/Centre Bracket	80
ESS	25/35mm Flanges	81
PR0	25/35mm Cover Plates	81
DST	25/35mm Cover Plates	81

DOC M PACKS		
ESS	Corner WC Scenario	83
ESS	Low Level Corner WC Scenario	83
ESS	Penisular WC Scenario	84
ESS	Shower Scenario	85
ESS	Compartment WC Scenario	86
ESS	Bath Scenario	86

Trading Terms and Conditions

Carriage

Carriage will be charged on order/net invoice values for individual deliveries less than:

- £200 England and Wales
- £300 Scottish Lowlands
- £400 Scottish Highlands and Isle of Wight
- £600 Northern Ireland, Isle of Man and Isles of Scilly
- £800 Republic of Ireland, Scottish Islands, Channel Islands

Individual deliveries over these values will be delivered to you free of charge on either our own transport or on standard courier. Should you wish to have urgent delivery (e.g. overnight) on all or part of your order then this will be charged separately at our standard carriage rates.

For individual deliveries less than these values, carriage will be charged at our standard carriage rates based on the level of urgency you require.

Our standard carriage rates will be discussed with you at the time of ordering, but if you would like a copy of our current rates, we are happy to provide that to you. We reserve the right to amend our carriage rates without notice based on changes in market price.

Direct to Site Deliveries

A surcharge will be added for all direct to site deliveries over and above standard carriage rates.

Claims for Damaged Goods or Short Deliveries

Any claims for goods which are damaged at the point of delivery, or where the delivery is short to the quantities advised on the delivery note, must be advised within three working days of delivery for us to consider any claim. Claims may be advised verbally in the first instance, but must be followed up in writing within one week.

Prices

All prices quoted exclude VAT, which will be charged on all invoices at current rate prevailing at the date of invoice.

We reserve the right to alter our prices without notice.

Payment

Where a trading account is offered, payment is required at the latest 30 days after the end of each month for invoices issued in that month. Should your account not be paid on time we will contact you to arrange immediate payment to bring your account up to date. We reserve the right to suspend any further deliveries if your account is overdue.

Title and Ownership of Goods

Title and ownership of goods shall not pass to the purchaser until payment has been received in full and monies have cleared through the bank.

Cancellation of Orders

Cancellation of orders cannot be accepted unless prior negotiation with us has taken place and any cancellation request must be made in writing. Where an order is for manufactured or bespoke items and manufacture has commenced then any cancellation will incur a charge to cover the costs already committed.

Alteration of Order

Order amendments can only be accommodated without cost prior to manufacture. Charges will be made for changes required after manufacture has commenced.

VAT

VAT will be charged on all products at current rate, at the date of invoice.

Stocked Products

We carry certain products in stock.

Return of Stocked Products

Stocked products may not be returned without our prior agreement, which must be confirmed by us in writing, and must be in a fully re-saleable condition and in the original packaging.

Once agreed by us, you may return the products to us using a delivery method of your choice. If we agree to collect the products from you then we may charge for collection in accordance with our standard carriage rates.

An inspection and re-stocking charge of 30% of the value of re-saleable stocked products will be deducted from any credit note raised.

Non-Stocked Products

Many of the products in our brochure are not stocked and are made to order. If your order includes products which are not stocked and need to be manufactured, then you will be advised at the point of ordering.

Certain product variants are specially manufactured so we are unable to accept return of these items after delivery. If this is the case with products on your order we will make you aware of that fact, and will require you to sign and return an order confirmation acknowledging this.

Return of Non-Stocked Products

Where we are able to accept non-stocked products for return, then they may not be returned without our prior agreement, which must be confirmed by us in writing, and must be in a fully re-saleable condition and in the original packaging.

Once agreed by us, you may return the products to us using a delivery method of your choice. If we agree to collect the products from you then we may charge for collection in accordance with our standard carriage rates.

An inspection and re-stocking charge of 50% of the value of re-saleable non-stocked products will be deducted from any credit note raised, reflecting the non-standard nature of the products.

Delivery Estimates

Delivery estimates are given in good faith. We strive to adhere to our delivery promises, however we do not accept responsibility for any loss, which may occur from late deliveries.

Manufacture of Goods Made to Customer Specification

As a UK designer and manufacturer we are able to produce bespoke products to customer specifications. All such enquiries will be quoted for on request.

Due to the bespoke nature of such products, cancellation cannot be accepted once manufacture has commenced, and once delivered, goods cannot be returned and will be charged at the full price quoted. We will require you to sign and return an order confirmation acknowledging this prior to manufacture.

Our Warranty for bespoke designed products is limited to one year and covers material and manufacturing related issues only. Responsibility for the design of the bespoke products rests with you our customer.

Customised Colours

We are able to manufacture most of our products in a RAL colour of your choosing. There may be a coating surcharge, where this applies you will be advised at the point of ordering. Larger quantities will not attract any coating surcharge.

Wet and Damp Areas

We strongly recommend that only Stainless Steel products are used in wet areas i.e. Shower rooms, Bathrooms, Wet rooms and poorly ventilated rooms.

We do not recommend the use of mild steel products in these areas, and the warranty of mild steel products will be invalidated for any such usage.

Fixinas

Please note fixings are not supplied. Screw holes in our flanges are drilled to fit screw size 8. Bolt holes are drilled to fit M8 bolts.

Specification of Goods

Bathex reserves the right to improve our product specifications without prior notice.

Commercial

Other than for personal injury claims (for which we keep insurance), the limit of any liability claim against us will be the value of the specific goods sold. We do not accept any liability whatsoever for consequential losses or damages however incurred.

The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from any contract we have with you.

Bathex Limited Warranty

We try and keep things simple, so, within the warranty periods detailed here, if it is our responsibility that something has gone wrong with the design, materials or manufacture of one of our products then we will replace, repair or refund the product at our discretion.

There are, however, a few things that we cannot include in this limited warranty offer.

Distinction Range

Stainless Steel	10 Years
Wooden Products	3 Years

Professional and Essential Ranges

Stainless Steel	3 Years
Mild Steel	1 Year
Plastic	1 Year
Accessories	1 Year

Fair wear and tear

All our products are subject to wear during the life of the product, especially our moving hinge products (such as Hinge Arms and Shower Seats). The hinge components of these items can wear out after prolonged high usage and we would treat that as fair wear and tear. Similarly, there are products which do get dirty with soap grime, cleaning materials and water deposits (including shower curtains, shower seats, shower hooks, and back rest cushions) and this would also be treated as fair wear and tear. Finally, the surfaces of our products may become dull or scratched over time and again this would be treated as fair wear and tear. Fair wear and tear is not covered by our warranty.

Proper storage, use, installation, and maintenance

Our products are designed for the specific purposes that they are intended for, and the use of our products outside of the intended use would render any warranty invalid. The installation and use of any mild steel products in wet areas (including chrome plated products) will invalidate the warranty. Similarly, the incorrect storage or installation of our products will impair the proper function and if the reason for a problem is caused for these reasons then, again the warranty will not apply. Finally, the products do need to be looked after properly in accordance with our 'Care and Maintenance Instructions' and failure to follow these instructions will render the warranty invalid. A common occurrence is where products have been damaged by excessively strong bleach, acids or alkalis.

Malicious or accidental damage

Our warranty does not cover any damage to products for malicious or accidental reasons. This includes breakage of any glass items such as our glass shelves.

Warranty Claims

If you believe you have a claim against our warranty, then please contact us by phone or e-mail and we will promptly evaluate your claim and fix it if it is our fault or explain clearly to you why it is not something we can cover.

Care and Maintenance Instructions

Our products are very robust, and made from high quality materials, but they can be damaged by not following the correct care, cleaning and maintenance processes.

Our products should ideally only be cleaned with a damp cloth using a mild detergent or soap.

Where it is necessary to use surfactants or cleaning chemicals then they must be diluted in accordance with the manufacturer's instructions, or ready mixed in concentrations appropriate to the environment being cleaned. Lemon based cleaning solutions should be avoided as they are known to be quite acidic and can attack certain surfaces such as our stainless steel products.

Using undiluted bleach, concentrated acids or alkali's, chloride solutions and any hydrochloric acid based cleaners will damage the surfaces of our products and these must be avoided. Our warranty will not apply in cases where there is clear chemical attack to the surfaces.

Using scouring powders or cleaning materials with abrasives within the liquid (e.g. CIF) will cause a scouring mechanical cleaning action to take place which can damage the surface. Painted surfaces will become dulled. Mirror polished surfaces will be scratched and dulled. Sateen polished surfaces can accommodate this cleaning reasonably well but only if the direction of the polish grain is followed. It is best to avoid such cleaners unless there really is no option to remove accumulated deposits. If the product surface is damaged by such cleaners, then our warranty will not apply.

Finally, where hard water deposits are a problem then it is important to keep up with cleaning the lime scale deposits with a suitable lime scale cleaner (suitably diluted), If the scale builds up to a significant extent then it is likely to need some form of mechanical or abrasive cleaning which is likely to damage the surface of the product. Keeping any product pristine in a hard water environment is difficult and it is likely that products will become dulled and some deposits experienced in these environments. This is not a function of our products and is not covered by our warranty.

Replacement Parts

The most commonly requested spares items (to replace items which have become dirty due to fair wear and tear, or being lost) are priced in this table. If there is something you think you need which is not listed, then please contact us by phone or email and we will do our best to assist

Normal delivery charges and rules will apply to these items.

Code	Description	Min Qty
SHST	Replacement Plastic Shower Seat Lid – White	1
SHSTBLK	Replacement Plastic Shower Seat Lid – Black	1
SHSTBLU	Replacement Plastic Shower Seat Lid – Blue (RAL 5011)	1
SHSTC	Replacement Plastic Shower Seat Lid – White (Side Bumps)	1
SHSTCBLK	Replacement Plastic Shower Seat Lid – Black (Side Bumps)	1
SHSTCBLU	Replacement Plastic Shower Seat Lid – Blue (RAL 5011) (Side Bumps)	1
BABYCH	Replacement Baby Changer Lid – White	1
HEXAP	Replacement Hex Bolt cover – White	25
HEXBLK	Replacement Hex Bolt cover – Black	25
HEXBLU	Replacement Hex Bolt cover – Blue (RAL 5011)	25
51400	Toilet Roller Insert – Black Plastic	1
51425	Toilet Roller Insert – White Plastic	1
51300	Toilet Roller Insert – Wood	1

RAL Colours

We are able to manufacture most of our products in a RAL colour of your choosing. There may be a coating surcharge, where this applies you will be advised at the point of ordering. This list is not exhaustive, please contact us if the required colour is not listed.



British Design British Quality British Service



Telephone: 0121 706 4122 Fax: 0121 707 4487 Email: sales@bathex.co.uk Bathex House, Preston Road,

Yardley, Birmingham B26 ITQ

www.bathex.co.uk



Specialists in the supply and manufacture of equipment for the less able market.