

RapidFit™
by REARO®



REARO®
www.rearo.co.uk

Fast, Easy Fit
“OFF THE SHELF”
Washroom Solutions



RapidFit

by REARO®

RapidFit now offers two 'off the shelf' instant solutions when toilet, changing or shower cubicles are needed for a quick build or rapid refurbishment.

Building on the success of our original RapidFit range, manufactured using an 18mm melamine faced chipboard, we now offer two solutions:

1. **RapidFit MFC** - Our improved and extended range now uses moisture resistant MFC.
2. **RapidFit Compact** - A more robust and 100% waterproof solution.

Both our RapidFit toilet cubicle systems cater for the demanding timescales often faced during unexpected refurbishments and are also ideal when bespoke sizes and designs are simply not required.

RapidFit

mfc

The extended choice of colours, in the RapidFit MFC system offers a complete 'off the shelf' solution combining a mix and match* selection of 8 great colours available across the full range of toilet cubicles, IPS wall panels and vanity units.

The RapidFit MFC range comes with a 5 year guarantee against manufacturing defects.



RapidFit

compact

The RapidFit Compact range offers you something tougher for high use cubicles. Manufactured from 12mm compact grade laminate it is 100% waterproof, extremely hardwearing and vandal resistant. A choice of 10 complementary colours* makes this the ideal product for shower cubicles, changing rooms or when a more robust toilet cubicle is needed.

The RapidFit Compact range comes with a 10 year guarantee against manufacturing defects.



Complementary colours allow both RapidFit ranges to be combined, so whatever mix suits your project best, you can rely on RapidFit to quickly transform the most basic washroom into a stylish, modern and functional facility.

**The colour range allows for compliance with the Disability Discrimination Act which should be considered when making your selection. Detailed installation instructions and expert help is always available.*

www.rearo.co.uk

← Cover Image

mfc Washroom - Stone Grey, Natural Carini Walnut
clixreal Flooring - Traditional Vintage Oak

Washroom - Natural Barolino Oak, Black Havana Pine, Alpine White
clixreal Flooring - Linear Grey



Washroom - Denim, Crema Beige, Fjord Green
Flooring - Light Concrete



RapidFit mfc

Key Features

Available 'off the shelf' direct from your local distributor the RapidFit MFC range includes: toilet cubicles, 2 lengths of vanity units, and IPS wall panels.

Designed to incorporate most standard sanitary ware sizes. All components are manufactured in 18mm moisture resistant MFC (melamine faced chipboard) with a robust 2mm thick colour matched PVC edging applied. In addition IPS panels come with 3m* of extra edging to enable 'on site' finishing of cuts and panel divisions as the job demands. Wood grains can then be matched and invisible fixings allow for stylish and fully de-mountable panels with easy access for maintenance.

Corrosion resistant satin anodized aluminium ironmongery fittings featuring anti-vandal screw fixings are supplied in suitable packs or individual items to allow maximum flexibility. Please refer to the Order Checklist section inside the back cover. All cubicle door panels are machined for indicator bolts and hinges.



Disclaimer: Please note that the colours shown are a printed representation and we can not guarantee accuracy. Please request samples for full colour accuracy.



The RapidFit MFC range comes in a choice of 8 mix and match colours.


**Additional colour matched PVC edging is available, refer to the Order Checklist inside the back cover.*




Vanity Units

RapidFit vanity units are designed to provide a stylish alternative to panel mounted basins.


Vanity Units are available 'off the shelf' in the full range of 8 RapidFit MFC laminate colours. They are available in 2 lengths, tailored to suit 2 to 4 basins. Alternatively, they can be butt joined together for longer runs. Units can be supplied with optional decor end panel kits.



V1 Unit



V2 Unit



Framing and cut-outs arranged by others. Framing Not supplied. Drawings not to scale.

V1	23 kg*
kit contents	
1 x (1400 x 600mm) postformed top with 200mm integrated downstand	
1 x (1400 x 75mm) upstand	
1 x (1300 x 450 x 18mm) access panel	

V2	43 kg*
kit contents	
1 x (2750 x 600mm) postformed top with 200mm integrated downstand	
1 x (2750 x 75mm) upstand	
2 x (1300 x 450 x 18mm) access panel	

Decor End Pack	9 kg*
kit contents	
1 x (580 x 180mm) downstand return (18mm MDF only)	
1 x (650 x 560mm) decor end gable panel*	
1 x (230 x 610mm) end capping piece (laminate only)	
1 x linear metre 23mm PVC edging	

SG1 black shadow gap	17 kg*
kit contents	
3 x (2800 x 150 x 18mm) Black MFC shadow gap panel	

* SG1: shadow gap is available 'off the shelf' in Black only.
SG2: Colour matched shadow gap is available 'made to order' only. Please refer to the Order Checklist section inside the back cover.

**all weights are approximate

Washroom - Fjord Green, Natural Barolino Oak
Flooring - Natural Oak




Packs

PARTITION, PILASTER and DOOR PACKS



RapidFit systems easily adapt to the required layout and are supplied in components to allow you full flexibility to 'mix and match' from our great choice of materials and colours.





RapidFit MFC is available as 5 'off the shelf' components across 8 colours

CP partition	CP 37 kg	1 x 1800 x 1500 x 18mm MR-MFC partition
CD door	CD 17 kg	1 x (1800 x 670 x 18mm) MR-MFC door
CPil-125 pilaster	CPil-125 4 kg	1 x (1800 x 125 x 18mm) MR-MFC pilasters
CPil-250 pilaster	CPil-250 7 kg	1 x (1800 x 250 x 18mm) MR-MFC pilaster
WP1 IPS panel	WP1 21 kg	1 x 2250 x 670 x 18mm MR-MFC IPS panel
SG1 black shadow gap pack	SG1 17 kg	3 x 2800 x 150 x 18mm MR-MFC black shadow gap panel
CDD door for disabled	CDDC 22 kg	1750 x 940mm x 18mm

CH (headrail) and suitable Ironmongery, Packs & Fittings are listed in the Order Checklist section inside the back cover of this brochure.

The disabled toilet door and wider IPS panels to suit are available in all 8 MR-MFC colours 'made to order' only.

*all weights are approximate



Disabled cubicle configuration using wider CDD door and Doc M Pack - refer to Optional Extras on the Order Check List inside the back cover for details.

When you need to make a tough choice
RapidFit Compact is the easy answer.

RapidFit
compact

When a tougher solution for heavy use cubicles is required
RapidFit Compact provides the answer. Made from solid
compact grade this material is extremely sturdy, it will stand up
to the heaviest use and is vandal resistant.

100% waterproof makes it ideal for use in wet
areas, changing rooms and shower cubicles.

compact Washroom - Rural Oak, Storm Grey, Polar White, Fjord Green (mfc)*
clix Flooring - Antique White Oak

Changing Room Bench - A range of bench frames are available 'made to order' only and can be tailored to your requirements using slats made from the compact grade colours.

*WP2C: IPS colour matched compact grade panels are available 'made to order' only. Refer to the Order Checklist inside the back cover.

www.rearo.co.uk

RapidFit Compact is available in 4 'off the shelf' components across 10 colours

CPC partition	CPC 45 kg
1 x 1800 x 1500 x 12mm Compact partition	
CDC door	CDC 20 kg
1 x (1800 x 670 x 12mm) Compact door	
CPiIC-125 pilaster	CPiIC-125 4.5 kg
1 x (1800 x 125 x 12mm) Compact pilasters	
CPiIC-250 pilaster	CPiIC-250 7.5 kg
1 x (1800 x 250 x 12mm) Compact pilaster	

*all weights are approximate

The CH (headrail) is a common component with the MFC range. Suitable Ironmongery, Packs & Fittings are listed in the Order Checklist section inside the back cover of this brochure.

CDDC door for disabled	CDDC 28 kg
1750 x 940mm x 12mm	

The disabled toilet door is available in all 10 colours 'made to order' only.



The RapidFit Compact range of full size (2250 x 670 x 12mm) IPS panels (WP2C as illustrated) are available 'made to order' only. Refer to the Order Checklist inside the back cover

The WP1 (IPS panel) is available 'off the shelf' in MR-MFC only. While it can be used as an alternative to WP2C it is not 100% waterproof and should be used only in areas not prone to high moisture exposure.

The increased robustness of RapidFit Compact laminates imposes greater demands on cutting tools. To ensure you have the correct tools to complete the job we supply a RapidFit Compact Grade Fixing Kit. The kit contains all necessary drill bits including a 6.5mm bit with a stop collar and a 5.5mm Tungsten Carbide Tipped bit.

For further details see the Finishing Information panel opposite.

Key Features

Available 'off the shelf' direct from your local distributor the RapidFit Compact range is ideal for use as heavy use toilet cubicles, changing room cubicles and being 100% waterproof is ideal for use in showers and other wet areas.

A choice of 10 colours are available allowing you to mix and match the partitions, pilasters and doors to provide a multitude of design solutions. All components are manufactured in 12mm compact grade solid core laminate and come with a manufacturer's 10 year guarantee.



Disclaimer: Please note that the colours shown are a printed representation and we can not guarantee accuracy. Please request samples for full colour accuracy.

FINISHING INFORMATION

CUTTING

Localised heating caused by poorly maintained cutting blades must be avoided. Blades of less than 2 mm in thickness are not recommended. A speed of between 0.03 mm and 0.05 mm per saw tooth has been found to be the most successful.

Breakout on the underside of Compact sheets can be reduced by various methods:

- By the use of a pre-scoring blade on the underside.
- Using a base-board of plywood or hardboard beneath the Compact sheet.
- Altering the exit angle of the saw blade.

FINISHING

It is not necessary to apply edging strips or sealants to RapidFit Compact panels and for many applications clean sawn edges will be sufficient.

For a superior finish or profiled edge a spindle moulder or router may be used. For this type of work PCD tooling is recommended. Care should be taken to avoid pausing, as burn marks may result which are difficult to remove. Edges may be further enhanced by sanding, scraping, buffing with steel wool and applying silicone-free oil.

Round off corners at cut-outs to avoid stress cracks. The recommended radius for all internal cut outs is 8-10 mm.


Flat head bolts with suitable washers are recommended. Self-tapping screws or threaded brass inserts may also be used. Threaded holes can be produced using engineers' screw cutting taps.

Compact Grade Fixing Kit

2 x Allen Keys; 5 x Drill Bit (Various); 1 x 6.5mm Bit with Stop Collar; 1 x 5.5mm TCT Bit




MFC COLOUR RANGE



	COLOUR CHOICE	QUANTITY
MFC Range 18mm thick moisture resistant melamine faced chipboard in choice of 8 colours		
CP: Partition 1 x 1800 x 1500 Partition		
CP: Partition Ironmongery Pack 3 x B3 Channel Brackets; 1 x Adjustable Round Foot Satin	Satin Anodized Aluminium 	
CD: Door 1 x 1800 x 670 Door		
CD: Door Ironmongery Pack 1 x Indicator Lock Bolt; 1 x Pair H3 Hinge; 1 x Hat & Coat Hook	Satin Anodized Aluminium 	
CPil-125: Pilaster 1 x 1800 x 125 Pilaster		
CPil-250: Pilaster 1 x 1800 x 250 Pilaster		
Cpil: Pilaster Ironmongery Pack 3 x B3 Channel Brackets	Satin Anodized Aluminium 	
WP1: IPS Panel Pack 1 x 2250 x 670 Panel; 3000 x 23 x 2mm PVC Edging		
V1: Vanity Unit Pack 1 x 1400 x 600 Top; 1 x 1400 x 75mm Upstand; 1 x 1300 x 450 Access Panel		
V2: Vanity Unit Pack 1 x 2750 x 600 Top; 1 x 2750 x 75mm Upstand; 2 x 1300 x 450 Access Panel		
SG1: Black Shadow Gap Pack 3 x 2800 x 150 Black Shadow Gap Panels	Black	
Décor End Pack for Corner Sited Vanity 1 x Down Stand Return; 1 x Shadow Gap Gable End Panel; 1 x End Capping Piece (Laminate Only); 1 x Metre x 23mm PVC Edging		
CH: Headrail (MFC and Compact) 1 x 3000mm Headrail	Satin Anodized Aluminium 	
CHE: Headrail End Cap (MFC and Compact) 1 x 50mm diameter End Cap (for CH Headrail above)	Satin Anodized Aluminium 	
Push On - Pull Off Clip Pack of 4 sets 4 x Pair Push-on Clips	Plastic 	
Lift On - Lift Off Gravity Fixing Clip Pack of 4 sets 4 x Pair Gravity Fixing Clips	Plastic 	
MFC Full length Hinge 1 x 1800 x 18mm Full Length Hinge	Satin Anodized Aluminium 	
Additional PVC Edging 3000 x 23 x 2mm PVC Edging		

COMPACT COLOUR RANGE



Order Checklist

	COLOUR CHOICE	QUANTITY
Compact Range 12mm thick solid core panels in a choice of 10 colours		
CPC: Partition 1 x 1800 x 1500 Partition		
CPC: Partition Ironmongery Pack 3 x CG Channel Brackets; 1 x Adjustable Round Foot	Satin Anodized Aluminium 	
CDC: Door 1 x 1800 x 670 Door		
CDC: Door Ironmongery Pack 1 x Indicator Lock Bolt; 1 x Pair H5 Hinge; 1 x Hat & Coat Hook	Satin Anodized Aluminium 	
CPilC-125: Pilaster 1 x 1800 x 125 Pilaster		
CPilC-250: Pilaster 1 x 1800 x 250 Pilaster		
CPilC: Pilaster Ironmongery Pack 3 x CG Channel Brackets	Satin Anodized Aluminium	
Compact Full length Hinge 1 x 1800 x 12mm Full Length Hinge	 Satin Anodized Aluminium	
Compact Grade Fixing Kit 2 x Allen Keys; 5 x Drill Bit (Various); 1 x 6.5mm Bit with Stop; 1 x 5.5mm TCT Bit		
Optional Extras		
Toilet Roll Holder 1 x Standard Spring Toilet Roll Holder	Satin Anodized Aluminium 	
Steel Jumbo Toilet Roll Holder 1 x 320 diameter x 125mm Jumbo Toilet Roll Holder	Silver Chrome Steel 	
Plastic Jumbo Toilet Roll Holder 1 x 312 diameter x 126mm Jumbo Toilet Roll Holder	White Plastic 	
Additional: Hat & Coat Hook 1 x Hat & Coat Hook with fixings	Satin Anodized Aluminium 	
Additional: Adjustable Round Foot 1 x Adjustable Round Foot	Satin Anodized Aluminium 	
Made to Order' Components - 3 week delivery		
SG2: Colour Matched Shadow Gap Pack 3 x 2800 x 150 x 18mm MR-MFC Colour Matched Shaddow Gap Panels		
CDD: Door for Disabled 1 x 1750 x 940 x 18mm MR-MFC Disabled Door - choice of 8 colours		
CDDC: Door for Disabled 1 x 1750 x 940 x 12mm Compact Disabled Door - choice of 10 colours		
Disabled Toilet Irommongery Pack Doc M Pack: 1 x Drop Down Hand Rail; 3 x Grab Rail	White Coated 	
Outward Opening Keeper 1 x Outward Opening Keeper for Disabled Door	Satin Anodized Aluminium 	
WP2C: IPS Colour Matched Compact Panel 1 x 2250 x 670 x 12mm Colour Matched Compact Panel - 10 colours		

RapidFit mfc



RapidFit compact



Clixéal, Rearo's range of water resistant click vinyl flooring is featured throughout this brochure. For more information on this or for information on our full range of Washroom Solutions - bespoke manufactured products, covering an extensive range of modern cubicle designs. Please request a separate brochure.

Rearo also supplies the Ancona range of waterproof wall and ceiling panels, Palopaque PVC wall panels and manufactures our market leading Selkie Board a decorative waterproof wall board paneling system.

For further information or samples of these products, call our sales team on 0141 440 0800, email sales@rearo.co.uk or visit: www.rearo.co.uk



REARO®

Rearo, Loanbank House, Loanbank Quadrant, Govan, Glasgow, G51 3HZ
Tel: 0141 440 0800 Fax: 0141 445 3342 www.rearo.co.uk sales@rearo.co.uk

Rearo AYR

Unit 42-44
 Heathfield Business Park
 Boundary Road
 Ayr KA8 9DJ

T: 01292 289 338
 F: 01292 261527
 E: ayr@rearo.co.uk

Rearo GATESHEAD

Unit 3,
 Eastern Avenue Trade Park
 Team Valley
 Gateshead NE11 0ZJ

T: 0191 482 2298
 F: 0191 482 6245
 E: gateshead@rearo.co.uk

Rearo INVERNESS

7 Burnett Road
 Longman Industrial Estate
 Inverness
 IV1 1TF

T: 01463 239918
 F: 01463 221130
 E: inverness@rearo.co.uk

Rearo SHETLAND

Staneyhill Gas Depot
 North Road
 Lerwick
 Shetland Isles
 ZE1 0QA

T: 01595 692807
 F: 01595 695469
 E: lerwick@rearo.co.uk

Rearo NEWPORT

Unit 14 & 15 Estuary Crt
 Estuary Road
 Queensway Meadows
 Newport NP19 4SP

T: 01633 283000
 F: 01633 283001
 E: newport@rearo.co.uk

Rearo ROSYTH

Unit 15 & 16 Primrose Lane
 Dunfermline Business Park
 Rosyth
 KY11 2RN

T: 01383 414000
 F: 01383 414400
 E: rosyth@rearo.co.uk